

Version 5.4

Print Date 09.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikasil[®] SG-500 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Catalyst for 2 Comp. sealants/adhesives.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person responsible for the SDS	:	EHS@gr.sika.com

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2H315: Causes skin irritation.Serious eye damage, Category 1H318: Causes serious eye damage.Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Specific target organ toxicity - single exposure, Category 3, Respiratory systemH335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	EZ	
Signal word	:	Danger	•
Hazard statements	:	H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Date of last issue: 04.01.2024	Ver	sion 5.4	Print Date 09.03.2025
Precautionary statements :	P264 P280	Avoid breathing mist or vapours Wash skin thoroughly after hanc Wear protective gloves/ eye prot protection.	lling.
	P305 + P351 + P3	IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if you 38 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	athing. Call a ı feel unwell. e cautiously Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	Get medical

Hazardous components which must be listed on the label:

tetraethyl silicate N-[3-(triethoxysilyl)propyl]ethylenediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
tetraethyl silicate	78-10-4	Flam. Liq. 3; H226	>= 20 - < 25
	201-083-8	Acute Tox. 4; H332	
	01-2119496195-28-	Eye Irrit. 2; H319	
	XXXX	STOT SE 3; H335	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Version 5.4 Print Date 09.03.2025 Date of last issue: 04.01.2024 N-[3-5089-72-5 Skin Irrit. 2; H315 >= 10 - < 20 (triethoxysi-225-806-1 Eye Dam. 1; H318 lyl)propyl]ethylenediamine 01-2120767929-30-Skin Sens. 1; H317 Contains: XXXX N,N'-bis[3-(triethoxysilyl)propyl]ethylenediamine >= 3 -<= 5 % N1,N1-Bis[3-(triethoxysilyl)propyl]-1,2-ethanediamine >= 3 - <= 5 % diaminoethylaminopropyltetraethoxydisiloxane >= $3 - \leq 5 \%$ trimethoxyoctylsilane 3069-40-7 Skin Irrit. 2; H315 >= 5 - < 10 Contains: 221-338-7 methanol <= 0,2 % 01-2119948401-42-XXXX

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Version 5.4 Print Date 09.03.2025 Date of last issue: 04.01.2024 Silicic acid (H4SiO4), tetraethyl 93925-42-9 Flam. Liq. 3; H226 >= 0,25 - < 0,3 ester, reaction products with 300-344-4 Acute Tox. 4; H302 bis(acetyloxy)dibutylstannane 01-2119560586-30-Acute Tox. 4; H332 Eye Dam. 1; H318 XXXX Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 3; H412 specific concentration limit Repr. 1B; H360FD >= 0,6 % specific concentration limit Muta. 2; H341 >= 2 % specific concentration limit STOT SE 1; H370 >= 20 % specific concentration limit STOT SE 2; H371 >= 2 % specific concentration limit STOT RE 1; H372 >= 20 % specific concentration limit STOT RE 2; H373 >= 2 % Acute toxicity estimate Acute oral toxicity: 1.000 mg/kg



Version 5.4

Print Date 09.03.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid meas	ure	S
General advice		Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects sensitising effects
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Date of last issue: 04.01.2024		Version 5.4	Print Date 09.03.20
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sui	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ning apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se	neasures	
6.1 Personal precautions protec	tiv	e equipment and emergency procedures	
Personal precautions	:		
		Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sev	ver system.
6.3 Methods and material for co	nta	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-
6.4 Reference to other sections			
	ecti	on 8.	
For personal protection see s			

Advice on safe handling: Avoid exceeding the given occupational exposure limits (see
section 8).
Do not get in eyes, on skin, or on clothing.

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Version 5.4 Print Date 09.03.2025 Date of last issue: 04.01.2024 For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against 1 Normal measures for preventive fire protection. fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
tetraethyl silicate	78-10-4	TWA	5 ppm	2017/164/EU	
-			44 mg/m3		
	Further infor	Further information: Indicative			
		TWA	5 ppm	GR OEL	
			44 mg/m3		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	GR OEL	
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC	
	Further information: Indicative, Identifies the possibility of cant uptake through the skin				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikasil[®] SG-500 Part B

Revision Date: 09.03.2025 Date of last issue: 04.01.2024 Version 5.4

Print Date 09.03.2025

	TWA	200 ppm 260 mg/m3	GR OEL
chemical factor the likely contri	ation: The notation ' rs of the table of pa ibution to of these c workers which are with these.	ragraph of 1 article hemical factors to	e 3, implies the quantity
	STEL	250 ppm 325 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

1 / 1	,
Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contro	bls
General advice :	Do not flush into surface water or sanitary sewer system.

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Date of last issue: 04.01.2024 Version 5.4

°C)

Print Date 09.03.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	an	solid
Appearance	÷	paste
Colour	:	black
Odour	:	very faint
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8 - 10 Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	ca. 250.000 mPa.s (20
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,07 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

Sikasil[®] SG-500 Part B

Jika®

Revision Date: 09.03.2025 Date of last issue: 04.01.2024 Version 5.4

Print Date 09.03.2025

9.2 Other information

Flammable solids Burning rate

: > 120 s Method: UN-Test N1

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

ata available
į

10.6 Hazardous decomposition products

Hazardous decomposition : ethanol, methanol products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Silicic acid (H4SiO4), tetra	ethyl ester, reaction products	with bis(acetyloxy)dibutylstannane:
------------------------------	--------------------------------	-------------------------------------

Acute oral toxicity : LD50 Oral (Rat): 1.000 mg/kg

Acute toxicity estimate: 1.000 mg/kg Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Sikasil[®] SG-500 Part B

Revision Date: 09.03.2025 Date of last issue: 04.01.2024 Version 5.4

Print Date 09.03.2025

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[3-(triethoxysilyl)propyl]ethylenediamine:

Toxicity to fish (Chronic tox-	:	LC50: 597 mg/l
icity)		Exposure time: 96 h
		Species: Danio rerio (zebra fish)







Version 5.4

Print Date 09.03.2025

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	---

12.7 Other adverse effects

Additional ecological infor-	: There is no data available for this product.
mation	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
	10/



Revision Date: 09.03.2025 Date of last issue: 04.01.2024	Version 5.4	Print Date 09.03.2025

Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated
		by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	yu	uu uu	

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sikasil[®] SG-500 Part B

_



Revision Date: 09.03.2025 Date of last issue: 04.01.2024	Version	5.4	Print Date 09.03.20	25
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or egula	am suppliers, and/or tion, and/or	
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3 Number on list 75	
REACH - Candidate List of Subs Concern for Authorisation (Article		:		
REACH - List of substances subj (Annex XIV)	ject to authorisation	:	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	of the European Parlia angerous substances. Not applicable	ment	t and of the Council on the control of ma-	
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w	
			4 November 2010 on industrial and s (integrated pollution prevention	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Volatile organic compounds (VOC) content: < 0,01% w/w

and control)



Version 5.4

Print Date 09.03.2025

SECTION 16: Other information

Full text of H-Statements	
H226 :	Elammable liquid and vanour
	Flammable liquid and vapour.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H335 :	May cause respiratory irritation.
H341 :	Suspected of causing genetic defects.
H360FD :	May damage fertility. May damage the unborn child.
H370 :	Causes damage to organs.
H372 :	Causes damage to organs through prolonged or repeated
	exposure if swallowed.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	S
Acute Tox. :	Acute toxicity
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
Muta.	Germ cell mutagenicity
Repr. :	Reproductive toxicity
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
2006/15/EC :	Europe. Indicative occupational exposure limit values
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a
	fourth list of indicative occupational exposure limit values
GR OEL :	Greece. Exposure limit values
2006/15/EC / TWA	Limit Value - eight hours
2017/164/EU / TWA :	Limit Value - eight hours
GR OEL / TWA	Long term exposure limit
GR OEL / STEL	Short term exposure limit
ADR :	European Agreement concerning the International Carriage of
ABR .	Dangerous Goods by Road
CAS :	
DNEL :	Chemical Abstracts Service Derived no-effect level
EC50	Half maximal effective concentration
GHS :	
IATA :	Globally Harmonized System
	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at 50% (one half) of a group of
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 09.03.2025 Date of last issue: 04.01.2024	Version 5.4	Print Date 09.03.2025
MARPOL	period) International Convention for the Prevention of Pollution from	
OEL PBT PNEC	 Ships, 1973 as modified by the Protocol of Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration 	
REACH	 Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 c istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch 	oncerning the Reg- striction of Chemi-
SVHC vPvB	Substances of Very High ConcernVery persistent and very bioaccumulative	

Further information

Classification of the mixture:	
H315	Calculation method
H318	Calculation method
H317	Calculation method
H335	Calculation method
	H315 H318 H317

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN