Sarnacol[®]-2142 S



Print Date 09.03.2025

Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sarnacol[®]-2142 S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person responsible for the SDS	:	EHS@gr.sika.com

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H319: Causes serious eye irritation.
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317: May cause an allergic skin reaction.
H351: Suspected of causing cancer.
H335: May cause respiratory irritation.
H373: May cause damage to organs through pro- longed or repeated exposure if inhaled. H412: Harmful to aquatic life with long lasting ef- fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

Hazard pictograms	:		
Signal word	:	Danger	\mathbf{v}
Hazard statements	:	H315 C H317 M H319 C H334 M H335 M H351 S H373 M	ighly flammable liquid and vapour. auses skin irritation. lay cause an allergic skin reaction. auses serious eye irritation. lay cause allergy or asthma symptoms or breath- ig difficulties if inhaled. lay cause respiratory irritation. uspected of causing cancer. lay cause damage to organs through prolonged r repeated exposure if inhaled. armful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P260 P280	Do not breathe mist or vapours. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P340 -	 P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
		P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit StoT SE 3; H335 >= 5 %	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika®

Sarnacol[®]-2142 S

Revision Date: 09.03.2025 Date of last issue: 28.04.2023	Version 4	Print Date 09.03.2025	
ethyl acetate	141-78-6 205-500-4 01-2119475103-46- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 10 - < 20
cyclohexane	110-82-7 203-806-2 01-2119463273-41- XXXX	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	: Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 			
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 			
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects 			

Sarnacol[®]-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023		Version 4.0	Print Date 09.03.2025
		and symptoms.	
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or bro- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolong exposure if inhaled.	-
4.3 Indication of any immediate	me	dical attention and special treatment needed	I
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mean 5.1 Extinguishing media Suitable extinguishing media			
Unsuitable extinguishing media	:	Water High volume water jet	
5.2 Special hazards arising from	th	e substance or mixture	
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may sca fire.	tter and spread
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ning apparatus.
Further information	:	Use water spray to cool unopened containers	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Remove all sources of ignition.
----------------------	---

Sarnacol[®]-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023	Version 4.0	Print Date 09.03.2025	
	Deny access to unprotected persons. Beware of vapours accumulating to form explos tions. Vapours can accumulate in low areas.	ive concentra-	
6.2 Environmental precautions			
Environmental precautions :	Prevent product from entering drains. If the product contaminates rivers and lakes or or respective authorities.	drains inform	
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up :	Contain spillage, and then collect with non-coml sorbent material, (e.g. sand, earth, diatomaceou miculite) and place in container for disposal acc / national regulations (see section 13).	is earth, ver-	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	J	
	Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Sarnacol[®]-2142 S

Revision Date: 09.03.2025	Version 4.0	Print Date 09.03.2025
Date of last issue: 28.04.2023		

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethyl acetate	141-78-6	STEL	400 ppm 1.468 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		TWA	200 ppm 734 mg/m3	2017/164/EU
		TWA	200 ppm 734 mg/m3	GR OEL
		STEL	400 ppm 1.468 mg/m3	GR OEL
cyclohexane	110-82-7	TWA	200 ppm 700 mg/m3	2006/15/EC
	Further inforr	Further information: Indicative		
		TWA	200 ppm 700 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166
		Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm)

Sarnacol®-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023	Version 4.0	Print Date 09.03.2025
	Contaminated gloves should be removed Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	d.
Skin and body protection	 Protective clothing (e.g. Safety shoes ac long-sleeved working clothing, long trous and protective boots are additionally reco and stirring work. 	sers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear references Respirator selection must be based on k exposure levels, the hazards of the proding limits of the selected respirator. Use a properly fitted NIOSH approved at respirator complying with an approved at sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ds for determining inhalation exposure) ticular to the mixing / stirring area. In case to keep the concentrations under the occolimits then respiration protection measure 	ir-purifying or air-fed tandard if a risk as- 10000 ppm e achieved by local ion. (EN 689 - Meth-). This applies in par- se this is not sufficent cupational exposure
Environmental exposure co	ntrols	
General advice	 Prevent product from entering drains. If the product contaminates rivers and la respective authorities. 	kes or drains inform

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid blue slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	77 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	Upper flammability limit ca. 11,5 %(V)
Lower explosion limit /	:	Lower flammability limit

Sarnacol®-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023		Version 4.0	Print Date 09.03.2025
Lower flammability limit		ca. 2,1 %(V)	
Flash point	:	ca4 °C Method: closed cup	
Auto-ignition temperature	:	400 °C	
Decomposition temperature	:	No data available	
рН	:	Not applicable	
Viscosity Viscosity, dynamic Viscosity, kinematic	:	ca. 2.000 mPa.s (20 °C) > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	ca. 97 hPa	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions						
Hazardous reactions :	: Stable under recommended storage conditions					
		Vapours may form explosive mixture with air.				
10.4 Conditions to avoid Conditions to avoid :	:	Heat, flames and sparks.				



Revision Date: 09.03.2025 Date of last issue: 28.04.2023	Version 4.0	Print Date 09.03.2025
10.5 Incompatible materials Materials to avoid	: No data available	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute toxicity

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified due to lack of	f data.	
Components:		
	anate,	isomeres and homologues:
Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
ethyl acetate:		
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): ca. 1.600 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye i Causes serious eye irritatio		on
Respiratory or skin sensi	tisatio	on
Skin sensitisation		
May cause an allergic skin		on.
Respiratory sensitisation		antoma or broothing difficultion if inholed
way cause allergy of asthr	ia sym	ptoms or breathing difficulties if inhaled.

Sarnacol[®]-2142 S

Jika®

Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Revision Date: 09.03.2025 Version 4.0 Print Date 09.03.2025 Date of last issue: 28.04.2023 12.5 Results of PBT and vPvB assessment **Product:** : This substance/mixture contains no components considered Assessment to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Endocrine disrupting properties Product: Assessment The substance/mixture does not contain components consid-: ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects **Product:** Additional ecological infor-An environmental hazard cannot be excluded in the event of 5 unprofessional handling or disposal. mation Harmful to aquatic life with long lasting effects. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible.
		Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
		way.
		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

Sarnacol®-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

SECTION 14: Transport information

14.1 UN number or ID number

:	UN 1133 UN 1133
:	UN 1133
:	UN 1133
:	ADHESIVES
:	ADHESIVES
:	Adhesives
	Class Subsidiary risks
:	3
:	3
:	3
	III F1 3 (E) Transport according to 2.2.3.1.4 ADR.
	III 3 F-E, S-D Transport according to 2.3.2.2 IMDG.
	366 Y344 III Flammable Liquids Transport according to 3.3.3.1.1 IATA.
	355 Y344 III Flammable Liquids

14.5 Environmental hazards

Sarnacol[®]-2142 S

Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

ADR Environmentally hazardous : no IMDG Marine pollutant : no IATA (Passenger) Environmentally hazardous : no IATA (Cargo) Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or

: Not applicable

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Number on list 75 Banned and/or restricted
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable



Sarnacol®-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023	Version 4.0	Print Date 09.03.2025	
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu- : Not applicab	le	
Regulation (EU) No 649/2012 ment and the Council concerr of dangerous chemicals		le	
Seveso III: Directive 2012/18/ jor-accident hazards involving P5c	EU of the European Parliament and of the Co dangerous substances. FLAMMABLE LIQUIDS	ouncil on the control of ma-	
Volatile organic compounds	tile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 18,8% w/w		
	Directive 2010/75/EU of 24 November 2 livestock rearing emissions (integrated p and control) Volatile organic compounds (VOC) conte	pollution prevention	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H225	lighly flammable liquid and	vapour.		
H304	lay be fatal if swallowed an			
H315	auses skin irritation.			
H317	1ay cause an allergic skin r	eaction.		
H319	auses serious eve irritatior			
H332	larmful if inhaled.			
H334	lay cause allergy or asthma es if inhaled.	a symptoms or breathing difficul-		
H335	lay cause respiratory irritat	on.		
H336	lay cause drowsiness or di	zziness.		
H351	suspected of causing cance	r.		
H373	lay cause damage to orgar xposure if inhaled.	s through prolonged or repeated		
H400	ery toxic to aquatic life.			
H410	ery toxic to aquatic life with	long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Carc. Eye Irrit.	cute toxicity Short-term (acute) aquatic h ong-term (chronic) aquatic spiration hazard Carcinogenicity Sye irritation			

Sarnacol®-2142 S

Revision Date: 09.03.2025 Date of last issue: 28.04.2023 Version 4.0

Print Date 09.03.2025

Flam. Liq. Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE 2006/15/EC 2017/164/EU	 Flammable liquids Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. Indicative occupational exposure limit values Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GR OEL 2006/15/EC / TWA 2017/164/EU / STEL 2017/164/EU / TWA GR OEL / TWA GR OEL / STEL ADR	 Greece. Exposure limit values Limit Value - eight hours Short term exposure limit Limit Value - eight hours Long term exposure limit Short term exposure limit European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50 GHS IATA IMDG LD50	 Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT PNEC REACH	 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	Substances of Very High ConcernVery persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol®-2142 S



Revision Date: 09.03.2025 Date of last issue: 28.04.2023		Version 4.0	Print Date 09.03.2025
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN