Version 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

Trade name

: Sikaflex<sup>®</sup>-268

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Poison Information Center + 30 210 77 93 777

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word	:	Danger	
Hazard statements	:	H317 H334	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
		H412	Harmful to aquatic life with long lasting ef- fects.

## Sikaflex<sup>®</sup>-268

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0



Precautionary statements :	<b>Prevention:</b> P261 P273 P280 P284	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves. In case of inadequate ventilation wear respir- atory protection.
	Response:	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

## Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanate 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate Pentamethyl piperidylsebacate

## **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 19.04.2023		
Date of last issue: 06.12.2021		



Version 3.0

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 $\longrightarrow$ specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	>= 0,1 - < 1
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5 239-701-3 01-2119489896-11- XXXX	Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400	>= 0,025 - < 0,25
		Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	

# Sikaflex<sup>®</sup>-268

Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0

Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Asthmatic appearance Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	: sensitising effects
	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.



Revision Date: 19.04.2023	
Date of last issue: 06.12.2021	

Version 3.0

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
		No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see section	on 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).

## Sikaflex<sup>®</sup>-268

Revision Date: 19.04.2023

Date of last issue: 06.12.2021

Print Date 19.04.2023

Version 3.0

		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	: :	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage	, inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 ppm 0,2 mg/m3	GR OEL
		STEL	0,02 ppm 0,2 mg/m3	GR OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

:

#### Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water

Sikaflex<sup>®</sup>-268



Revision Date: 19.04.2023 Date of last issue: 06.12.2021	Version 3.0	Print Date 19.04					
Hand protection :	: Chemical-resistant, impervious gloves complying with an a proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow mar facturer specifications.						
	Suitable for short time use or protection against s Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	plashes:					
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Ru and protective boots are additionaly recommender and stirring work.	bber aprons					
Respiratory protection :		anticipated the safe work- ng or air-fed f a risk as- pm ed by local 689 - Meth- oplies in par- not sufficent al exposure					
Environmental exposure contr	Environmental exposure controls						
General advice :	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or du respective authorities.						

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste black odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Revision Date: 19.01.202



Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0

Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit			
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	Not applicable	
		No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,27 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

<b>Jika</b> ®
Print Date 19.04.2023

Revision Date: 19.04.2023	Version 3.0
Date of last issue: 06.12.2021	

## 10.4 Conditions to avoid

Conditions to avoid

: No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Not classified based on available information.

### **Components:**

## 4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
	eth	yl]-1,3-propanediyl diacrylate:
Acute oral toxicity	·	LD50 Oral (Rat): 3.680 - 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
	- 4 -	

## Pentamethyl piperidylsebacate:

Acute oral toxicity : LD50 Oral (Rat): 3.230 mg/kg

## Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0



## **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

## 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:

:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,87 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
Pentamethyl piperidylsebacate:			
Toxicity to fish	:	LC50 (Fish): 0,97 mg/l Exposure time: 96 h	

M-Factor (Acute aquatic tox- : 1

M-Factor (Chronic aquatic : 1

## Sikaflex<sup>®</sup>-268

icity)

Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0

toxicity)			
<b>12.2 Persistence and degradability</b> No data available			
<b>12.3 Bioaccumulative potential</b> No data available			
<b>12.4 Mobility in soil</b> No data available			
12.5 Results of PBT and vPvB assessment			
Product:			
Assessment :	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.		
12.6 Endocrine disrupting properties	S		

## y hi oh

Prod	unt-
FIUU	uci.

 Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
------------------------------	--

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe</li> </ul>
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental



Revision Date: 19.04.2023 Date of last issue: 06.12.2021		Version 3.0	Print Date 19.04.2023
		protection and waste disposal legislation and an local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	, ,
European Waste Catalogue	:	08 04 09* waste adhesives and sealants contai solvents or other dangerous substances	ning organic
Contaminated packaging	:	15 01 10* packaging containing residues of or c	ontaminated

by dangerous substances

## **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good			
14.6 Special precautions for use Not applicable	r		

## **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.

Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 3.0

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmen	tal regulations/legislat	tion	specific for the substance or mixture
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		
REACH - List of substances subj (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)		
Regulation (EC) No 1005/2009 o plete the ozone layer	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		
Regulation (EU) 2019/1021 on pe tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable
REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			im suppliers, and/or tion, and/or
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)

## Sikaflex<sup>®</sup>-268

Revision Date: 19.04.2023 Date of last issue: 06.12.2021

#### Version 3.0



## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements	
H315 :	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319 :	
	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H361f :	Suspected of damaging fertility.
H373 :	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviations	
Acute Tox.	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Irrit. :	Eye irritation
Repr. :	Reproductive toxicity
Resp. Sens. :	Respiratory sensitisation
Skin Irrit.	Skin irritation
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
GR OEL :	Greece. Exposure limit values
GR OEL / TWA :	Long term exposure limit
GR OEL / STEL :	Short term exposure limit
ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
2000	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978

<b>Jika</b> ®
Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021	Version 3.0	Print Date 19.04.202
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and tox	kic
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the and of the Council of 18 December istration, Evaluation, Authorisation a cals (REACH), establishing a Europ	2006 concerning the Reg- and Restriction of Chemi-
SVHC vPvB	<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccum</li> </ul>	<b>C</b> <i>Y</i>

Further information				
Classification of the	e mixture:	Classification procedure:		
Resp. Sens. 1	H334	Calculation method		
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN