

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Primer MB Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Eye irritation, Category 2 Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2 H315: Causes skin irritation.

- H319: Causes serious eye irritation.
- H317: May cause an allergic skin reaction.
- H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	•
Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

Sika[®] Primer MB Part A

Revision Date: 06.12.2023 Date of last issue: 27.01.2022



020	Y		
	P261	Avoid breathing dust/ fume/ pours/ spray.	gas/ mist/ va-
	P264	Wash skin thoroughly after I	handling.
	P273	Avoid release to the environ	0
	P280	Wear protective gloves/ eye protection.	protection/ face
	Response:		
	P333 + P313	If skin irritation or rash occu advice/ attention.	rs: Get medical
	P391	Collect spillage.	

Version 6.0

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bis-[4-(2,3-epoxypropoxy)phenyl]methane oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Additional Labelling

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 06.12.2023 Date of last issue: 27.01.2022



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80
bis(isopropyl)naphthalene	38640-62-9 254-052-6 01-2119565150-48- XXXX	Asp. Tox. 1; H304 Aquatic Chronic 1; H410	>= 10 - < 20
bis-[4-(2,3- epoxypropoxy)phenyl]methane	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 5 - < 10
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 5 - < 10
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		< 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately.
~			

Sika[®] Primer MB Part A



evision Date: 06.12.2023 ate of last issue: 27.01.2022		Version 6.0	Print Date 06.12.2
		Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	n health effects
Risks	:	irritant effects sensitising effects	
		5	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
.3 Indication of any immediate	med	Causes skin irritation. May cause an allergic skin reaction.	
Treatment	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
Treatment	: Isur	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media	: sur	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
Treatment SECTION 5: Firefighting mea	: sur	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire-	: sur : n the :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture Do not allow run-off from fire fighting to enter di courses.	powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	: sur : n the :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture Do not allow run-off from fire fighting to enter di courses.	powder for

Sika[®] Primer MB Part A



Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for conta	inment and cleaning up			
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not



Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.			
Further information on stor- age stability	:	No decomposition if stored and applied as directed.			
7.0 On a sift a small use $a(a)$					

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-

Sika[®] Primer MB Part A

Revision Date: 06.12.2023 Date of last issue: 27.01.2022



Version 6.0

ods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid blue very faint
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 7 Concentration: 50 %
Viscosity		
Viscosity, dynamic	:	1.900 - 2.600 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

Sika[®] Primer MB Part A

Version 6.0



Revision Date: 06.12.2023 Date of last issue: 27.01.2022

Vapour pressure	:	0,01 hPa
Density	:	ca. 1,1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions
nazaruous reactions		Stable under recommended storage conditions

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
-----------------------	---	-------------------------------------

bis(isopropyl)naphthalene:

Sika[®] Primer MB Part A



Revision Date: 06.12.2023 Date of last issue: 27.01.2022	Version 6.0	Print Date 06.12.2023				
Acute oral toxicity	: LD50 Oral (Rat): > 3.900 mg/kg					
Acute inhalation toxicity	: LC50 (Rat): > 5,64 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Acute dermal toxicity	: LD50 Dermal (Rat): > 4.500 mg/kg					
oxirane, mono[(C12-14-alk	yloxy)methyl] derivs.:					
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg					
Skin corrosion/irritation Causes skin irritation.						
Serious eye damage/eye in Causes serious eye irritatior						
Respiratory or skin sensit	sation					
Skin sensitisation May cause an allergic skin r	eaction.					
Respiratory sensitisation Not classified based on avai	vailable information.					
Germ cell mutagenicity Not classified based on avai						
Carcinogenicity Not classified based on avai	able information.					
Reproductive toxicity Not classified based on avai	able information.					
STOT - single exposure Not classified based on avai	able information.					
STOT - repeated exposure	STOT - repeated exposure Not classified based on available information.					
Aspiration toxicity Not classified based on avai	Aspiration toxicity Not classified based on available information.					
11.2 Information on other haza	11.2 Information on other hazards					
Endocrine disrupting prop	disrupting properties					
Product: Assessment	: The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission Dele (EU) 2017/2100 or Commission Regulati levels of 0.1% or higher.	rties according to egated regulation				

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

bis-[4-(2,3-epoxypropoxy)phenyl]methane:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0



12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible.	
		Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.	
		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.	
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances	
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number

ADR IMDG IATA	::	UN 3082 UN 3082 UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0



14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		9 (-)	nce with special provision 375
IMDG Packing group Labels EmS Code Remarks		III 9 F-A, S-F Transport in accordar	nce with 2.10.2.7 of the IMDG-Code
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks		964 Y964 III Miscellaneous Transport in accordar	nce with special regulation A 197
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		964 Y964 III Miscellaneous	
14.5 Environmental hazards			
ADR Environmentally hazardous IMDG	:		
Marine pollutant IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo)	:	yes	
14.6 Special precautions for user			formational nurneeses only, and calaby

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet.



Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).		
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable		
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS					
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,02% w/w no VOC duties				
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)				

Print Date 06.12.2023

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

Volatile organic compounds (VOC) content: 0,02% w/w

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304 H315 H317 H319 H410 H411	 May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
Full text of other abbreviatio Aquatic Chronic Asp. Tox. Eye Irrit. Skin Irrit.	ns : Long-term (chronic) aquatic hazard : Aspiration hazard : Eye irritation : Skin irritation
Skin Mil. Skin Sens. GR OEL GR OEL / TWA ADR	 Skin sensitisation Greece. Exposure limit values Long term exposure limit European Agreement concerning the International Carriage of
CAS DNEL EC50 GHS IATA IMDG	 Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods
LD50 LC50	 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
MARPOL OEL	 period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit
PBT PNEC REACH	 Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency

Print Date 06.12.2023

Revision Date: 06.12.2023 Date of last issue: 27.01.2022 Version 6.0

SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN