Sikafloor[®]-100 Level (GR)

Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-100 Level (GR)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

		Response:	
		Prevention P280	: Wear eye protection/ face protection.
		P102 P103	Read label before use.
Precautionary statements	:	P102	container or label at hand. Keep out of reach of children.
	_	P101	If medical advice is needed, have product
Hazard statements	:	H318	Causes serious eye damage.
Signal word	:	Danger	
Hazard pictograms	:		

Sikafloor[®]-100 Level (GR)

Revision Date: 13.03.2024 Date of last issue: 06.04.2021



Version 2.0

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		. ,
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
Limestone	1317-65-3		>= 25 - < 40
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			
calcium sulfate	7778-18-9		>= 2,5 - < 5
	231-900-3		
	01-2119444918-26-		
	XXXX		

For explanation of abbreviations see section 16.

Sikafloor®-100 Level (GR)

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Print Date 13.03.2024

SECTION 4: First aid measures

4.1 Description of first aid measure	S			
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled :	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and e	effects, both acute and delayed			
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.			
Risks :	Causes serious eye damage.			
	irritant effects			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	Treat symptomatically.			

Version 2.0

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Sikafloor[®]-100 Level (GR)



Revision Date: 13.03.2024	
Date of last issue: 06.04.2021	

Version 2.0

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Try to prevent the material from entering drains or water courses.			
	No special environmental precautions required.			
6.3 Methods and material for contai	nment and cleaning up			
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not



Revision Date: 13.03.2024 Date of last issue: 06.04.2021

smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.				
Further information on stor- : age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.				
7.3 Specific end use(s)						
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL
Limestone	1317-65-3	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL
calcium sulfate	7778-18-9	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Alveolate part		ZOAD/TWA	5 mg/m3	GR OEL
inhalable fraction		ZOAD/TWA	10 mg/m3	GR OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equi	pment
Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.

Sikafloor[®]-100 Level (GR)



Revision Date: 13.03.2024 Date of last issue: 06.04.2021	Version 2.0	Print Date 13.03.
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long trou and protective boots are additionaly rec and stirring work.	users). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear r Respirator selection must be based on exposure levels, the hazards of the pro- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous si Ensure adequate ventilation. This can be exhaust extraction or by general ventilat ods for determining inhalation exposure ticular to the mixing / stirring area. In can to keep the concentrations under the od limits then respiration protection measure 	known or anticipated duct and the safe work- ubstances be achieved by local tion. (EN 689 - Meth- e). This applies in par- use this is not sufficent ccupational exposure
Environmental exposure cor	ntrols	
General advice	 Try to prevent the material from enterin courses. No special environmental precautions r 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

intormation on basic physical	an	u chemical properti
Physical state	:	solid
Appearance	:	powder
Colour	:	grey
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

Sikafloor[®]-100 Level (GR)

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Version 2.0



Date	of last issue: 06.04.2021		
	рН	:	> 11 Concentration: 50 %
	Viscosity		
	Viscosity, dynamic	:	Not applicable
	Viscosity, kinematic	:	Not applicable
	Solubility(ies)		
	Water solubility	:	insoluble
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	Not applicable
	Density	:	Not applicable
	Bulk density	:	ca. 1,37 kg/l (20 °C)
	Relative vapour density	:	No data available
	Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions	to avoid	:	No data available
Conditions	to avoid	:	No data

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Sikafloor[®]-100 Level (GR)

Print Date 13.03.2024

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Version 2.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

2

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Sikafloor[®]-100 Level (GR)

Print Date 13.03.2024

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Version 2.0

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should

Revision Date: 13.03.2024 Date of last issue: 06.04.2021



Version 2.0

at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sikafloor®-100 Level (GR)

Print Date 13.03.2024

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Version 2.0

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliam jor-accident hazards involving dangerous substances. Not applicable	nent	and of the Council on the control of ma-

Volatile organic compounds	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties
----------------------------	--

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Stateme	ents			
H315	:	Causes skin irritation.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbi	reviations			
Eye Dam.	:	Serious eye damage		
ountry GR 10000002670	4			

Sikafloor[®]-100 Level (GR)

Revision Date: 13.03.2024 Date of last issue: 06.04.2021 Version 2.0



Skin Irrit. STOT SE GR OEL GR OEL / ZOAD/TWA GR OEL / TWA ADR CAS DNEL EC50 GHS IATA IMDG LD50	 Skin irritation Specific target organ toxicity - single exposure Greece. Exposure limit values Time Weighted Average Value Long term exposure limit European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at
LC50	 Median lethal dosis (the amount of a material, given an at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
MARPOL	 period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT	 Occupational Exposure Limit Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN