Sikafloor[®]-530 Part A

Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-530 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Product use | : Polyurethane coating |
|-------------|------------------------|
| | |

1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Hellas ABEE |
|--------------------------|---|--------------------------|
| | | 15 Protomagias Street |
| | | 145 68 Kryoneri / Athens |
| Telephone | : | +30 210 81 60 600 |
| Telefax | : | +30 210 81 60 606 |
| E-mail address of person | : | EHS@gr.sika.com |
| responsible for the SDS | | |

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 3

H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

| Labelling (REGULATION (Hazard pictograms | EC) | | |
|--|-----|------------------------------------|--|
| Signal word | ÷ | Warning | |
| Hazard statements | : | H317 H412 | May cause an allergic skin reaction. Harmful to aquatic life with long lasting ef- fects. |
| Precautionary statements | : | Prevention: P261 P273 | Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray. Avoid release to the environment. |

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikafloor®-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022



Version 1.1

| P280 | Wear protective gloves. |
|-------------|--|
| Response: | |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| Disposal: | |
| P501 | Dispose of contents/container in accordance with local regulation. |

Hazardous components which must be listed on the label:

tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-dl-aspartate Aspartic ester

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. | Classification | Concentration (% w/w) |
|------------------------------|---------------------|---------------------|--------------------------|
| | Registration number | | |
| tetraethyl N,N'- | 136210-30-5 | Skin Sens. 1; H317 | >= 40 - < 60 |
| (methylenedicyclohexane-4,1- | 429-270-1 | Aquatic Chronic 3; | |
| diyl)bis-dl-aspartate | 01-0000017556-64- | H412 | |
| Contains: | XXXX | | |
| diethyl fumarate | | | |
| Aspartic ester | 152637-10-0 | Skin Sens. 1B; H317 | >= 10 - < 20 |
| | Not Assigned | Aquatic Chronic 3; | |
| | | H412 | |

For explanation of abbreviations see section 16.

Sikafloor®-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1



SECTION 4: First aid measures

| 4.1 Description of first aid measures | | | |
|--|---|--|--|
| General advice | : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. | | |
| If inhaled | : Move to fresh air. Consult a physician after significant exposure. | | |
| In case of skin contact | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. | | |
| In case of eye contact | Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | | |
| If swallowed | Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. | | |
| 4.2 Most important symptoms and effects, both acute and delayed | | | |
| Symptoms | : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. | | |
| Risks | : sensitising effects | | |
| | May cause an allergic skin reaction. | | |
| 4.3 Indication of any immediate medical attention and special treatment needed | | | |
| Treatment | : Treat symptomatically. | | |
| SECTION 5: Firefighting measures | | | |

| 5.1 Extinguishing media Suitable extinguishing media : | In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. | | | | |
|--|--|--|--|--|--|
| 5.2 Special hazards arising from the substance or mixture | | | | | |

| Hazardous combustion prod- | : | No hazardous combustion products are known |
|----------------------------|---|--|
| ucts | | |

Sikafloor®-530 Part A



Revision Date: 13.11.2023Version 1.1Print DateDate of last issue: 08.04.2022

5.3 Advice for firefighters

| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |
|---|---|--|
| Further information | : | Standard procedure for chemical fires. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures | | | | |
|---|---|--|--|--|
| Personal precautions | : | Use personal protective equipment. | | |
| | | Deny access to unprotected persons. | | |
| 6.2 Environmental precautions | | | | |
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform | | |
| | | respective authorities. | | |
| 6.3 Methods and material for containment and cleaning up | | | | |
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). | | |
| | | Keep in suitable, closed containers for disposal. | | |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products |
|---|---|---|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not |
| | | - |

Sikafloor[®]-530 Part A



Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1

smoke. Wash hands before breaks and at the end of workday.

| 7.2 Conditions for safe storage, including any incompatibilities | | | | |
|--|---|--|--|--|
| Requirements for storage areas and containers | | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations. | | |
| Further information on stor- age stability | : | No decomposition if stored and applied as directed. | | |
| 7.3 Specific and use(s) | | | | |

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Components | CAS-No. | Value type (Form | Control parame- | Basis * |
|------------|---------|------------------|-----------------|---------|
| | | of exposure) | ters * | |

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection In case of inadequate ventilation wear respiratory protection. 5 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure


Sikafloor®-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1



| | | limits then respiration protection measures must be used. |
|---|------|---|
| Environmental exposure cor | ntro | ls |
| General advice | : | Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. |
| SECTION 9: Physical and che | mic | cal properties |
| 9.1 Information on basic physical | l ar | nd chemical properties |
| Physical state | : | liquid |
| Colour | : | various |
| Odour | : | slight |
| Melting point/range / Freezing point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Upper/lower flammability or | exp | plosive limits |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | > 101 °C Method: closed cup |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| рН | : | Not applicable substance/mixture is non-soluble (in water) |
| Viscosity | | |
| Viscosity, dynamic | : | ca. 1.900 mPa.s (20 °C) |
| Viscosity, kinematic | : | > 20,5 mm2/s (40 °C) |
| Solubility(ies) Water solubility | : | insoluble |
| Partition coefficient: n- octanol/water | : | No data available |
| Vapour pressure | : | 0,01 hPa |

Sikafloor[®]-530 Part A



Exposure time: 4 h

2

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

LD50 Dermal (Rat): > 2.000 mg/kg

Sikafloor[®]-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1



Skin corrosion/irritation Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Aspartic ester:

Toxicity to fish (Chronic tox- : icity)

LC50: 66 mg/l Exposure time: 96 d

Sikafloor[®]-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1



Species: Fish

| 12.2 Persistence | and | degradability |
|------------------|-----|---------------|
|------------------|-----|---------------|

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

| Product: | | |
|--|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| 12.7 Other adverse effects | | |
| Product: | | |
| Additional ecological infor- mation | : | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects. |

SECTION 13: Disposal considerations

13.1 Waste treatment methodsProduct: The generation of waste should be avoided or minimized
wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe
way.
Dispose of surplus and non-recyclable products via a licensed
waste disposal contractor.
Disposal of this product, solutions and any by-products should
at all times comply with the requirements of environmental
protection and waste disposal legislation and any regional
local authority requirements.
Avoid dispersal of spilled material and runoff and contact with

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikafloor®-530 Part A

Devision Date: 12 11 2022

Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Print Date 13.11.2023

Version 1.1

soil, waterways, drains and sewers.

| SECTION 14: Transport information | | | | | |
|--|------|-----------------------------------|--|--|--|
| 14.1 UN number or ID number | | | | | |
| ADR | : | Not regulated as a dangerous good | | | |
| IMDG | : | Not regulated as a dangerous good | | | |
| ΙΑΤΑ | : | Not regulated as a dangerous good | | | |
| 14.2 UN proper shipping name | | | | | |
| ADR | : | Not regulated as a dangerous good | | | |
| IMDG | : | Not regulated as a dangerous good | | | |
| ΙΑΤΑ | : | Not regulated as a dangerous good | | | |
| 14.3 Transport hazard class(es) | | | | | |
| ADR | : | Not regulated as a dangerous good | | | |
| IMDG | : | Not regulated as a dangerous good | | | |
| ΙΑΤΑ | : | Not regulated as a dangerous good | | | |
| 14.4 Packing group | | | | | |
| ADR | : | Not regulated as a dangerous good | | | |
| IMDG | : | Not regulated as a dangerous good | | | |
| IATA (Cargo) | : | Not regulated as a dangerous good | | | |
| IATA (Passenger) | : | Not regulated as a dangerous good | | | |
| 14.5 Environmental hazards Not regulated as a dangerous | s go | od | | | |
| 14.6 Special precautions for use Not applicable | er | | | | |
| | | | | | |

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or

Sikafloor[®]-530 Part A



Revision Date: 13.11.2023 Date of last issue: 08.04.2022 Version 1.1

excluded from the regulation, and/or
exempted from the registration.

| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the fol- lowing entries should be considered: Number on list 3 |
|--|---|--|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | None of the components are listed (=> 0.1 %). |
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) | : | Not applicable |
| Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals | : | Not applicable |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

| Volatile organic compounds | : | Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties |
|----------------------------|---|--|
| | • | (VOCV) |

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,72% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

| Full text of H-Stateme | ents |
|-------------------------|---|
| H317 | : May cause an allergic skin reaction. |
| H412 | : Harmful to aquatic life with long lasting effects. |
| Full text of other abbi | reviations |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Skin Sens. | : Skin sensitisation |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |

Sikafloor®-530 Part A

Revision Date: 13.11.2023 Date of last issue: 08.04.2022



Version 1.1

| CAS DNEL EC50 GHS IATA IMDG LD50 | | Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of |
|--|---|--|
| LC50 | : | test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) |
| MARPOL | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 |
| OEL | : | Occupational Exposure Limit |
| PBT | : | Persistent, bioaccumulative and toxic |
| PNEC | : | Predicted no effect concentration |
| REACH | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency |
| SVHC | : | Substances of Very High Concern |
| vPvB | : | Very persistent and very bioaccumulative |

Further information

| Classification of the mixtur | Classification procedure: | |
|------------------------------|---------------------------|--------------------|
| Skin Sens. 1 | H317 | Calculation method |
| Aquatic Chronic 3 | H412 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN