

Version 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

Trade name

Sika ViscoFlow<sup>®</sup>-700 UFI:

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Concrete admixtures
1 10000	

2

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

#### **1.4 Emergency telephone number**

Poison Information Center + 30 210 77 93 777

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH210	Safety data sheet available on request.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one
	(OIT). May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Revision Date 22.04.2020

Print Date 22.04.2020

Version 4.0

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

# Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,0025 - < 0,025
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - < 0,025

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

	General advice	:	No hazards which require special first aid measures.
	If inhaled	:	Move to fresh air.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
	In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms ar	nd e	effects, both acute and delayed
	Symptome		See Section 11 for more detailed information on health offe

# Symptoms : See Section 11 for more detailed information on health effects and symptoms.

# Sika ViscoFlow®-700



Revision Date 22.04.2020	Version 4.0	Print Date 22.04.20
Risks	: No known significant effects or hazards.	
4.3 Indication of any immediate n	edical attention and special treatment needed	I
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are know	n
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained breath	ning apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e measures	
6.1 Personal precautions, protec	ive equipment and emergency procedures	
Personal precautions	: For personal protection see section 8.	

# 6.2 Environmental precautions

Environmental precautions	:	No special environmental precautions required.
---------------------------	---	--

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		No special handling advice required.
		Follow standard hygiene measures when handling chemical

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika ViscoFlow®-700



Revision Date 22.04.2020	Version 4.0	Print Date 22.04.202
Advice on protection against : fire and explosion	products Normal measures for preventive fire protection	on.
Hygiene measures :	When using do not eat or drink. When using	do not smoke.
7.2 Conditions for safe storage, in	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and we place. Store in accordance with local regulat	
Advice on common storage	No special restrictions on storage with other	products.
Further information on stor- : age stability	No decomposition if stored and applied as di	rected.
7.3 Specific end use(s)		
Specific use(s)	Consult most current local Product Data She use.	et prior to any

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

Personal protective equipment				
Eye protection : Hand protection	Safety glasses Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber gloves.			
	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.			
Respiratory protection	No special measures required.			
Environmental exposure controls				
General advice	No special environmental precautions required.			

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

<b>7</b> • • • • • • • • • •
: liquid
: light brown
: characteristic

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika ViscoFlow®-700

# Print Date 22.04.2020

Revision Date 22.04.2020	Version 4.0	Print Date 22.04.2020
Odour Threshold	: No data available	
рН	: ca. 4,5 (20 °C)	
Melting point/range / Freezing	: No data available	
point Boiling point/boiling range	: No data available	
Flash point	: Not applicable	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: 23 hPa	
Relative vapour density	: No data available	
Density	: ca. 1,06 g/cm3 (20 °C)	
Solubility(ies) Water solubility Solubility in other solvents	: soluble : No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 100 mPa.s (20 °C)	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.



Revision Date 22.04.2020		Version 4.0	Print Date 22.04.2020
10.2 Chemical stability			
The product is chemically st	able.		
10.3 Possibility of hazardous re	eactions		
Hazardous reactions	: No h	nazards to be specially mentioned.	
<b>10.4 Conditions to avoid</b> Conditions to avoid	: No c	data available	
<b>10.5 Incompatible materials</b> Materials to avoid	: No c	data available	
10.6 Hazardous decomposition	products		

Method: OECD Test Guideline 403

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute toxicity

Not classified based on available information.

# Components:

# 1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity:LD50 Oral (Rat): 597 mg/kgAcute inhalation toxicity:LC50: 0,4 mg/l<br/>Exposure time: 4 h<br/>Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

# Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Not classified based on available information.

# Respiratory or skin sensitisation

# Skin sensitisation

Not classified based on available information.

# **Respiratory sensitisation**

Not classified based on available information.

# Germ cell mutagenicity

Not classified based on available information.

#### Revision Date 22.04.2020

Version 4.0



#### Carcinogenicity

Not classified based on available information.

# **Reproductive toxicity** Not classified based on available information.

# **STOT - single exposure** Not classified based on available information.

# **STOT - repeated exposure** Not classified based on available information.

# Aspiration toxicity

Not classified based on available information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

1,2-benzisothiazol-3(2H)-one (B	IT):
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h

2-octyl-2H-isothiazole-3-one (OIT): M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

# Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika ViscoFlow<sup>®</sup>-700

Print Date 22.04.2020

Revision Date 22.04.2020

Version 4.0

#### mation

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII)

International Chemical Weapons Convention (CWC) : Not applicable



Revision Date 22.04.2020	Version 4.0	Print Date 22
Schedules of Toxic Chemicals an	d Precursors	
REACH - Candidate List of Substa Concern for Authorisation (Article	ances of Very High :	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	substances that de- :	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable
Regulation (ÉC) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	Not applicable
REACH Information:	All substances contained i - registered by our upstrea - registered by us, and/or - excluded from the regula	am suppliers, and/or

- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not	appl	licable
-----	------	---------

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,14 %

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H302	:	Harmful if swallowed.	
H311	:	Toxic in contact with skin.	
H314	:	Causes severe skin burns and eye damage.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H330	:	Fatal if inhaled.	
H331	:	Toxic if inhaled.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic hazard	
•			



Revision Date 22.04.2020	Version 4.0	Print Date 22.04
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Skin Corr.	: Skin corrosion	
Skin Irrit.	: Skin irritation	
Skin Sens.	: Skin sensitisation	
ADR	: European Agreement concerning the Ir	nternational Carriage of
	Dangerous Goods by Road	
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	
IMDG	: International Maritime Code for Danger	
LD50	: Median lethal dosis (the amount of a m once, which causes the death of 50% ( test animals)	aterial, given all at one half) of a group of
LC50	: Median lethal concentration (concentra air that kills 50% of the test animals du period)	
MARPOL	: International Convention for the Prever Ships, 1973 as modified by the Protoco	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the E and of the Council of 18 December 200 istration, Evaluation, Authorisation and cals (REACH), establishing a European	06 concerning the Reg- Restriction of Chemi-
SVHC vPvB	<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulation</li> </ul>	

# **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN