Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikalastic[®]-838 LM Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Liquid applied membranes, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Skin irritation, Category 2 Eye irritation, Category 2 Respiratory sensitisation, Category 1

Skin sensitisation, Category 1 Carcinogenicity, Category 2 Specific target organ toxicity - single exposure, Category 3, Respiratory system Specific target organ toxicity - repeated exposure, Category 2

2 Label elemente

H332: Harmful if inhaled.

H315: Causes skin irritation.


H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

- H351: Suspected of causing cancer.
- H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.



Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 12.01.2024 Date of last issue: 27.01.2022



ate	of last issue: 27.01.2022		
_	_		
	Hazard statements :	H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H332	Harmful if inhaled.
		H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
		H335	May cause respiratory irritation.
		H351	Suspected of causing cancer.
		H373	May cause damage to organs through pro- longed or repeated exposure if inhaled.
	Precautionary statements :	Prevention:	
		P201	Obtain special instructions before use.
		P260	Do not breathe mist or vapours.
		P264	Wash skin thoroughly after handling.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P340 + F	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Version 4.0

Hazardous components which must be listed on the label:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, polymer with 1,1'methylenebis[isocyanatobenzene] 4,4`-Methylenediphenyl diisocyanate, oligomers 4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikalastic[®]-838 LM Part B

Revision Date: 12.01.2024 Date of last issue: 27.01.2022



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-, polymer with 1,1'- methylenebis[isocyanatobenzene]	Registration number 39420-98-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 STOT RE 2; H373	>= 40 - < 60
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 20 - < 25

Sikalastic[®]-838 LM Part B

Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0



01 1031 13500. 27.01.2022			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	>= 20 - < 25
		Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5	
propylene carbonate	108-32-7 203-572-1 01-2119537232-48- XXXX	mg/I Eye Irrit. 2; H319	>= 2,5 - < 5
tributyl phosphate	126-73-8 204-800-2 01-2119492859-14- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Carc. 2; H351 Aquatic Chronic 2; H411	>= 0,25 - < 0,5
		Acute toxicity esti- mate Acute oral toxicity: 1.553 mg/kg	

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician.

Sikalastic[®]-838 LM Part B



evision Date: 12.01.2024 ate of last issue: 27.01.2022	Version 4.0	Print Date 12.01.20
	Show this safety data sheet to the doctor in	attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposu	ıre.
In case of skin contact	: Take off contaminated clothing and shoes i Wash off with soap and plenty of water. If symptoms persist, call a physician.	mmediately.
In case of eye contact	 Immediately flush eye(s) with plenty of wate Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Do not induce vomiting without medical adv Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconst 	
2 Most important symptoms	s and effects, both acute and delayed	
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed informatic and symptoms.	on on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or ties if inhaled.	breathing difficul-

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

Print Date 12.01.2024

Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from the	e substance or mixture
	Hazardous combustion prod- : ucts	No hazardous combustion products are known
5.3	Advice for firefighters	
	Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
	Further information :	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

respective authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth-
-------------------------	---

Sikalastic[®]-838 LM Part B

Revision Date: 12.01.2024



	Version 4.0	FIIII Dale 12.0
	not be employed in any process in which this mi used. Smoking, eating and drinking should be prohibit plication area. Provide sufficient air exchange and/or exhaust in	xture is being ed in the ap- n work rooms.
:	Normal measures for preventive fire protection.	
:	practice. When using do not eat or drink. When	using do not
inc	luding any incompatibilities	
:	place. Containers which are opened must be ca	refully re-
:	No decomposition if stored and applied as direc	ted.
:	• • •	
	: inc :	 ma, allergies, chronic or recurrent respiratory disnot be employed in any process in which this miused. Smoking, eating and drinking should be prohibitiplication area. Provide sufficient air exchange and/or exhaust in Follow standard hygiene measures when handliproducts Normal measures for preventive fire protection. Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the employed in a dry and well-v place. Container tightly closed in a dry and well-v place. Containers which are opened must be casealed and kept upright to prevent leakage. Storance with local regulations. No decomposition if stored and applied as direction.

Version 4.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
4,4`-Methylenediphenyl diisocyanate, oligomers	25686-28-6	TWA	0,02 ppm 0,2 mg/m3	GR OEL
		STEL	0,02 ppm 0,2 mg/m3	GR OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 ppm 0,2 mg/m3	GR OEL
		STEL	0,02 ppm 0,2 mg/m3	GR OEL
tributyl phosphate	126-73-8	TWA	0,4 ppm 5 mg/m3	GR OEL
		STEL	0,4 ppm 5 mg/m3	GR OEL

Print Date 12.01.2024

Revision Date: 12.01.2024 Date of last issue: 27.01.2022

Version 4.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.				
Environmental exposure controls					
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Revision Date: 12.01.2024 Date of last issue: 27.01.2022



Physical state Colour Odour	:	liquid light yellow characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity		
Viscosity, dynamic	:	ca. 1.500 mPa.s (25 °C)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	1,5 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

Version 4.0

9.2 Other information

No data available

Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid :	No data available
-----------------------	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

4,4`-Methylenediphenyl diisocyanate, oligomers:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
4,4'-methylenediphenyl diisc	су	anate:
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1,5 mg/l

Sikalastic[®]-838 LM Part B

Print Date 12.01.2024

Revision Date: 12.01.2024 Date of last issue: 27.01.2022	Version 4.0							
	Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement							
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method							
tributyl phosphate:								
Acute oral toxicity :	LD50 Oral (Rat): 1.553 mg/kg							
	Acute toxicity estimate: 1.553 mg/kg Method: Calculation method							
Acute dermal toxicity :	LD50 Dermal (Rabbit): 3.100 mg/kg							
Skin corrosion/irritation Causes skin irritation.								
Serious eye damage/eye irritat Causes serious eye irritation.	Serious eye damage/eye irritation Causes serious eye irritation.							
Respiratory or skin sensitisation								
Skin sensitisation								
May cause an allergic skin reaction.								
Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.								
Germ cell mutagenicity Not classified based on available information.								
Carcinogenicity Suspected of causing cancer.	Carcinogenicity							
Reproductive toxicity								
STOT - single exposure May cause respiratory irritation.								
STOT - repeated exposure May cause damage to organs thr	ough prolonged or repeated exposure if inhaled.							
Aspiration toxicity								
11.2 Information on other hazards								

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

Revision Date: 12.01.2024 Date of last issue: 27.01.2022



Version 4.0

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

tributyl phosphate:

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l
aquatic invertebrates		Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

_	
Assessment	
Assessment	

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.	
mation			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Revision Date: 12.01.2024 Date of last issue: 27.01.2022



Version 4.0

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerous good			
14.6 Special precautions for use Not applicable	er		

14.1 UN number or ID number

Print Date 12.01.2024

Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0

SECTION 15: Regulatory information

15.1 Safety, health and environmer International Chemical Weapons Schedules of Toxic Chemicals a	Convention (CWC)	tion :	specific for the substance or mixture Not applicable		
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	tream suppliers, and/or /or julation, and/or		
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3		
			4,4`-Methylenediphenyl diisocya- nate, oligomers (Number on list 74, 56) 4,4'-methylenediphenyl diisocyanate (Number on list 74, 56)		
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable		
Regulation (EC) No 1005/2009 c plete the ozone layer	on substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable		
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	and of the Council on the control of ma-		
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds		
	Directive 2010/75/EU	of 24	4 November 2010 on industrial		

Print Date 12.01.2024

Revision Date: 12.01.2024 Date of last issue: 27.01.2022 Version 4.0

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 3,75% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 H315 H317 H319 H332 H334 H335 H351 H373 H411		Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled. Toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ne	
	ns	
Acute Tox. Aquatic Chronic Carc. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE GR OEL GR OEL / TWA GR OEL / STEL ADR		Acute toxicity Long-term (chronic) aquatic hazard Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Greece. Exposure limit values Long term exposure limit Short term exposure limit European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50 GHS IATA IMDG LD50		Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

Revision Date: 12.01.2024 Date of last issue: 27.01.2022



5 01 103t 1330C. 21.01.2022		
OEL	•	Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Version 4.0

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN