

Revision Date 30.04.2020

Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name

: SikaSeal[®]-105 H Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete and mortar admixture

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE 15 Protomagias Street 145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements	:	P102 P302 + P352	Keep out of reach of children. IF ON SKIN: Wash with plenty of soap and water.
		P280	Wear protective gloves/ eye protection/ face protection.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaSeal[®]-105 H Part A

Revision Date 30.04.2020

Version 5.0



2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,0025 - < 0,025
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0002 - < 0,0015

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaSeal[®]-105 H Part A



Revision Date 30.04.2020		Version 5.0	Print Date 30.04.20
		Never give anything by mouth to an unconscio	ous person.
4.2 Most important symptoms a	nd e	•	
Symptoms	:	See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	No known significant effects or hazards.	
-	meo	lical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special bazards arising from	the	substance or mixture	
J.Z Special hazarus arising nom			
	:	No hazardous combustion products are known	1
Hazardous combustion prod-	:	No hazardous combustion products are known	1
Hazardous combustion prod- ucts			

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SikaSeal®-105 H Part A

Revision Date 30.04.2020

Version 5.0



SECTION 7: Handling and storage

7.1 Precautions for	or safe handling		
Advice on safe	e handling :	N F	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on prot fire and explos	tection against : sion	N	lormal measures for preventive fire protection.
Hygiene meas	sures :	V	Vhen using do not eat or drink. When using do not smoke.
7.2 Conditions for	safe storage, incl	luc	ding any incompatibilities
Requirements areas and con	•		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on con	nmon storage :	Ν	No special restrictions on storage with other products.
Further inform age stability	ation on stor- :	N	lo decomposition if stored and applied as directed.
7.3 Specific end u	se(s)		
Specific use(s) :	С	Consult most current local Product Data Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

use.

8.2 Exposure controls

Personal protective equipment

Eye protection		Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure cor	ntro	bls
General advice	:	No special environmental precautions required.

Version 5.0



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properties
Appearance	:	liquid
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	ca. 9,5 (20 °C)
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	No data available
Density	:	ca. 1,0 g/cm3 (20 °C)
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	< 50 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SikaSeal[®]-105 H Part A

Revision Date 30.04.2020

Version 5.0



9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	:	LD50 Oral (Rat): 597 mg/kg
Acute inhalation toxicity	:	LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg
mixture of: 5-chloro-2-methyl- one [EC no. 220-239-6] (3:1) Acute inhalation toxicity	(C(M	othiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- I)IT/MIT (3:1)): Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

SikaSeal[®]-105 H Part A

Revision Date 30.04.2020



Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. **Respiratory sensitisation** Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information. Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT): Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

Version 5.0

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available Country GR 00000620241

SikaSeal[®]-105 H Part A

Print Date 30.04.2020

Revision Date 30.04.2020

Version 5.0

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

way. Dispose of surplus and non-recyclable products via a licen waste disposal contractor. Disposal of this product, solutions and any by-products sho at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.			
This material and its container must be disposed of in a sa way. Dispose of surplus and non-recyclable products via a licen waste disposal contractor. Disposal of this product, solutions and any by-products sho at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.	Product :	wherever possible.	
waste disposal contractor. Disposal of this product, solutions and any by-products sho at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.		This material and its container must be disposed of in a safe	
at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.	
Avoid dispersed of exilled meterial and workford and exited to		protection and waste disposal legislation and any regional	
soil, waterways, drains and sewers.		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

SikaSeal®-105 H Part A

Print Date 30.04.2020

Revision Date 30.04.2020

Version 5.0

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtue REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII) 					
International Chemical Weapons Schedules of Toxic Chemicals a		:	Not applicable		
	REACH - Candidate List of Substances of Very High				
	REACH - List of substances subject to authorisation				
Regulation (EC) No 1005/2009 c	on substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals REACH Information: All substances contain			Not applicable		
			gulation, and/or		
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	•	men	t and of the Council on the control of ma-		

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,2 %

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.

SikaSeal®-105 H Part A



Revision Date 30.04.2020		Version 5.0	Print Date 30.04.20
H310	: Fatal	in contact with skin.	
H314		es severe skin burns and eye damage.	
H315		es skin irritation.	
H317	: May o	ause an allergic skin reaction.	
H318	: Caus	es serious eye damage.	
H330		if inhaled.	
H400	: Very	toxic to aquatic life.	
H410	: Very	toxic to aquatic life with long lasting effect	S.
H411	: Toxic	to aquatic life with long lasting effects.	
Full text of other abbreviatio	าร		
Acute Tox.	: Acute	toxicity	
Aquatic Acute	: Short	-term (acute) aquatic hazard	
Aquatic Chronic	: Long-	term (chronic) aquatic hazard	
Eye Dam.		us eye damage	
Skin Corr.	-	corrosion	
Skin Irrit.	-	rritation	
Skin Sens.		sensitisation	
ADR		bean Agreement concerning the Internation	onal Carriage of
		erous Goods by Road	
CAS		ical Abstracts Service	
DNEL	-	ed no-effect level	
EC50		naximal effective concentration	
GHS IATA		Illy Harmonized System	
IMDG		ational Air Transport Association ational Maritime Code for Dangerous Goo	ode
LD50		an lethal dosis (the amount of a material,	
EDS0		which causes the death of 50% (one half	
		nimals)	
LC50		an lethal concentration (concentrations of	
		at kills 50% of the test animals during the	observation
	perio		
MARPOL		ational Convention for the Prevention of I	
		, 1973 as modified by the Protocol of 197	8
OEL		pational Exposure Limit	
PBT		stent, bioaccumulative and toxic	
PNEC		cted no effect concentration	
REACH	and o istrati	lation (EC) No 1907/2006 of the European f the Council of 18 December 2006 conce on, Evaluation, Authorisation and Restrict REACH), establishing a European Chemi	erning the Reg- ion of Chemi-
SVHC		ances of Very High Concern	·····
vPvB		persistent and very bioaccumulative	
		· · · · · · · · · · · · · · · · · · ·	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaSeal®-105 H Part A

Revision Date 30.04.2020

Version 5.0



GR / EN