Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikaflex[®]-265

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Cat-	H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H317 H334	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
		H412	Harmful to aquatic life with long lasting ef- fects.

Sikaflex[®]-265

Revision Date: 17.01.2024 Date of last issue: 04.02.2022 Version 6.0



Precautionary statements :	Prevention: P261 P273 P280 P284	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves. In case of inadequate ventilation wear respir- atory protection.
	Response:	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

aliphatic prepolymer (t-polyether based) aliphatic prepolymer (d-polyether based) 4,4'-methylenediphenyl diisocyanate 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate Pentamethyl piperidylsebacate 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
aliphatic prepolymer (t-polyether based)	Registration number 138626-39-8 Not Assigned	Skin Sens. 1; H317	>= 5 - < 10
based)	Not Assigned		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex®-265

Print Date 06.02.2024

Revision Date: 17.01.2024 Date of last issue: 04.02.2022

Version	60
10101	0.0

aliphatic prepolymer (d-polyether based)	39323-37-0 Not Assigned	Skin Sens. 1; H317	>= 2,5 - < 5
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	>= 0,1 - < 0,5
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5 239-701-3	Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 0,1 - < 0,25
	01-2119489896-11- XXXX	Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	
		M-Factor (Chronic aquatic toxicity): 1	

Sikaflex[®]-265

Print Date 06.02.2024

Revision Date: 17.01.2024 Date of last issue: 04.02.2022

Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9 223-861-6 01-2119490408-31- XXXX	Acute Tox. 1; H330Skin Irrit. 2; H315Eye Irrit. 2; H319Resp. Sens. 1; H334Skin Sens. 1; H317STOT SE 3; H335(Respiratory system)Aquatic Chronic 2;H411specific concentrationlimitResp. Sens. 1; H334>= 0,5 %Skin Sens. 1; H317>= 0,5 %Acute toxicity esti-	>= 0,025 - < 0,1
For evolution of obbroviations a		mate Acute inhalation tox- icity (dust/mist): 0,031 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled : Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. ÷ Wash off with soap and plenty of water. If symptoms persist, call a physician. Country GR 000000122941

4/16



Revision Date: 17.01.2024 Version 6.0 Date of last issue: 04.02.2022 In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Asthmatic appearance : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. 4.3 Indication of any immediate medical attention and special treatment needed

lly.

Treatment	:	Treat symptomaticall
-----------	---	----------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

•	<i>·</i>		•••	•	
Personal precaution	3	:	Use personal protection Deny access to unpro-		

Revision Date: 17.01.2024
Date of last issue: 04.02.2022

Version 6.0



6.2 Environmental precautions

Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntainment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

Revision Date: 17.01.2024
Date of last issue: 04.02.2022

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 ppm 0,2 mg/m3	GR OEL	
		STEL	0,02 ppm 0,2 mg/m3	GR OEL	
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9	TWA	0,01 ppm 0,09 mg/m3	GR OEL	
	chemical fac the likely cor	tors of the table of pa ntribution to of these to workers which are	on 'skin' (D), pointing out certain paragraph of 1 article 3, implies se chemical factors to the quantity are absorbed through the skin at the		
		STEL	0,02 ppm 0,18 mg/m3	GR OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as-
untry GR 00000122941		7/1

Sikaflex[®]-265

Revision Date: 17.01.2024 Date of last issue: 04.02.2022



Version 6.0

sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

	: Do not flush into surface water or sanitary sewer system.
General advice	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste black odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, kinematic		> 20,5 mm2/s (40 °C)

Print Date 06.02.2024

Revision Date: 17.01.2024	
Date of last issue: 04.02.2022	

Version 6.0

Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,2 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

aliphatic prepolymer (d-polyether based):



sion Date: 17.01.2024 of last issue: 04.02.2022	Version 6.0	Print Date
Acute oral toxicity	: LD50 Oral (Rat): > 2.000 mg/kg	
4,4'-methylenediphenyl d	isocyanate:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:	
Acute oral toxicity	: LD50 Oral (Rat): 3.680 - 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg	
Pentamethyl piperidylseb	acate:	
Acute oral toxicity	: LD50 Oral (Rat): 3.230 mg/kg	
3-isocyanatomethyl-3,5,5	trimethylcyclohexyl isocyanate:	
Acute oral toxicity	: LD50 Oral (Rat): 4.814 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 0,031 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
	Acute toxicity estimate: 0,031 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rat): > 7.000 mg/kg	
Skin corrosion/irritation Not classified due to lack of	data.	
Serious eye damage/eye i	rritation	
Not classified due to lack of		
Respiratory or skin sensi	isation	
Skin sensitisation May cause an allergic skin	reaction.	

Revision Date: 17.01.2024 Date of last issue: 04.02.2022

Version 6.0



Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

aliphatic prepolymer (t-polyether based):

Toxicity to algae/aquatic plants	:	EC50 (algae): 100 mg/l Exposure time: 72 h			
		NOEC (algae): 100 mg/l Exposure time: 72 h			
aliphatic prepolymer (d-polye	eth	er based):			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l			
aqualle invertebrates		NOEC (Daphnia (water flea)): > 100 mg/l			
Toxicity to algae/aquatic plants	:	EC50 (algae): > 100 mg/l Exposure time: 72 h			

2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:

Sikaflex[®]-265



SIKatlex [®] -265		JIKa
Revision Date: 17.01.2024 Date of last issue: 04.02.2022	Version 6.0	Print Date 06.02.2
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 0,87 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
M-Factor (Acute aquatic tox- icity)	: 1	
M-Factor (Chronic aquatic toxicity)	: 1	
Pentamethyl piperidylsebaca	ate:	
Toxicity to fish	: LC50 (Fish): 0,97 mg/l Exposure time: 96 h	
M-Factor (Acute aquatic tox- icity)	: 1	
M-Factor (Chronic aquatic toxicity)	: 1	
12.2 Persistence and degradabili No data available	ty	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	sessment	
Product:		
Assessment	: This substance/mixture contains no compo- to be either persistent, bioaccumulative an very persistent and very bioaccumulative (* 0.1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	 The substance/mixture does not contain content of ered to have endocrine disrupting properties REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. 	es according to ated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: An environmental hazard cannot be exclud unprofessional handling or disposal. Harmful to aquatic life with long lasting effe	

Revision Date: 17.01.2024 Date of last issue: 04.02.2022 Version 6.0



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minim wherever possible. Empty containers or liners may retain some product This material and its container must be disposed of i way. Dispose of surplus and non-recyclable products via a waste disposal contractor. Disposal of this product, solutions and any by-produce at all times comply with the requirements of environment protection and waste disposal legislation and any regulaced authority requirements. Avoid dispersal of spilled material and runoff and con soil, waterways, drains and sewers.	residues. n a safe a licensed cts should nental gional
European Waste Catalogue	08 04 09* waste adhesives and sealants containing solvents or other dangerous substances	organic
Contaminated packaging	15 01 10* packaging containing residues of or contain by dangerous substances	minated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
Country GR 000001220/1		

Revision Date: 17.01.2024 Date of last issue: 04.02.2022 Version 6.0

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) 3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate (Number on list 74) 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia-	:	Not applicable
Country GR 000000122941		14 / 1

Print Date 06.02.2024

Revision Date: 17.01.2024 Date of last issue: 04.02.2022 Version 6.0

ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	(VOC) Volatile	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul-
		ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H361f	:	Suspected of damaging fertility.
H373	:	May cause damage to organs through prolonged or repeated
		exposure if inhaled.
H400	:	Very toxic to aquatic life.
H410		Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	÷	Carcinogenicity
Eye Irrit.	÷	Eye irritation
Repr.	:	Reproductive toxicity
Resp. Sens.	:	
Skin Irrit.	÷	Skin irritation
Skin Sens.	÷	Skin sensitisation
STOT RE		Specific target organ toxicity - repeated exposure
STOT SE		Specific target organ toxicity - single exposure
GROEL	:	Greece. Exposure limit values
011 011	•	

Sikaflex[®]-265

Sika ®
Print Date 06.02.2024

Revision Date: 17.01.2024 Date of last issue: 04.02.2022

GR OEL / TWA GR OEL / STEL ADR	 Long term exposure limit Short term exposure limit European Agreement concerning the International Carriage Dangerous Goods by Road 	of
CAS DNEL EC50 GHS	 Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System 	
IATA IMDG LD50	 International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group 	of
LC50	 test animals) Median lethal concentration (concentrations of the chemica air that kills 50% of the test animals during the observation 	
MARPOL	 period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 	n
OEL PBT PNEC	 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration 	
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Re- istration, Evaluation, Authorisation and Restriction of Chem cals (REACH), establishing a European Chemicals Agency	eg- i-
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative 	

Further information

Classification of the	e mixture:	Classification procedure:
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN