

Revision Date 19.05.2020

Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Igolflex[®]-181 GR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Bituminous coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE 15 Protomagias Street 145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
			(/o vv/vv)
	Registration number		
Substances with a workplace expo	sure limit :		

Sika[®] Igolflex[®]-181 GR



Revision Date 19.05.2020 Version 6.0	Print Date 19.05.202
Asphalt 8052-42-4 232-490-9	>= 25 - < 40

SECTION 4: First aid measures

4.1 Description of first aid mea	sure	S
General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	and (effects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.
Risks	:	No known significant effects or hazards.
4.3 Indication of any immediate	e me	dical attention and special treatment needed Treat symptomatically.
riedunent	•	Treat symptomatically.
SECTION 5: Firefighting mea	asur	res
5.1 Extinguishing media		
Suitable extinguishing media	э:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	m the	e substance or mixture
Hazardous combustion prod ucts	- :	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipmen for firefighters	ıt :	In the event of fire, wear self-contained breathing apparatus.
Country GR 10000008845		2/



	Version 6.0 Print Date 19	9.05.2
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental relea	se measures	
5.1 Personal precautions, prote Personal precautions	ctive equipment and emergency procedures : For personal protection see section 8.	
5.2 Environmental precautions Environmental precautions	: No special environmental precautions required.	
6.3 Methods and material for co	ntainment and cleaning up	
Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.	
5.4 Reference to other sections For personal protection see s SECTION 7: Handling and sto		
7.1 Precautions for safe handlin	a	
Advice on safe handling	 For personal protection see section 8. No special handling advice required. 	
	Follow standard hygiene measures when handling chemical	
Advice on protection against fire and explosion		
	Follow standard hygiene measures when handling chemical products	
fire and explosion Hygiene measures	Follow standard hygiene measures when handling chemical productsNormal measures for preventive fire protection.	
fire and explosion Hygiene measures	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. 	
fire and explosion Hygiene measures 7.2 Conditions for safe storage, Requirements for storage	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. including any incompatibilities Keep container tightly closed in a dry and well-ventilated 	
fire and explosion Hygiene measures 7.2 Conditions for safe storage, Requirements for storage areas and containers	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations. 	
fire and explosion Hygiene measures 7.2 Conditions for safe storage, Requirements for storage areas and containers Advice on common storage Further information on stor-	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations. No special restrictions on storage with other products. 	
fire and explosion Hygiene measures 7.2 Conditions for safe storage, Requirements for storage areas and containers Advice on common storage Further information on stor- age stability	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations. No special restrictions on storage with other products. 	
fire and explosion Hygiene measures 7.2 Conditions for safe storage, Requirements for storage areas and containers Advice on common storage Further information on stor- age stability 7.3 Specific end use(s)	 Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations. No special restrictions on storage with other products. No decomposition if stored and applied as directed. Consult most current local Product Data Sheet prior to any 	

Revision Date 19.05.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Asphalt	8052-42-4	TWA	5 mg/m3	GR OEL

Version 6.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye protection Hand protection	:	Safety glasses Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure cor	ntro	bls
General advice	:	No special environmental precautions required.

General advice

: No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: cream
Colour	: dark brown
Odour	: characteristic
Odour Threshold	: No data available
рН	: ca. 8,5 (20 °C)



Version 6.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	ca. 2.350 Pa (20 °C)
		ca. 12.381 Pa (50 °C)
Relative vapour density	:	No data available
Density	:	ca. 1 g/cm3 (20 °C)
Density Solubility(ies) Water solubility Solubility in other solvents	:	ca. 1 g/cm3 (20 °C) soluble completely miscible
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n-	::	soluble completely miscible
Solubility(ies) Water solubility Solubility in other solvents	:	soluble completely miscible
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water		soluble completely miscible No data available No data available
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature		soluble completely miscible No data available No data available No data available
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity		soluble completely miscible No data available No data available No data available
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Viscosity, dynamic	: :	soluble completely miscible No data available No data available No data available ca. 17.000 mPa.s (20 °C)
Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Viscosity, dynamic Viscosity, kinematic	· · · · · · · · · · · · · · · · · · ·	soluble completely miscible No data available No data available No data available ca. 17.000 mPa.s (20 °C) > 20,5 mm2/s (40 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.



Sika [®] Igolflex [®] -181 GR		Jika
Revision Date 19.05.2020	Version 6.0	Print Date 19.05.202
10.2 Chemical stability The product is chemically st	able.	
10.3 Possibility of hazardous re	eactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition No decomposition if stored a	-	
SECTION 11: Toxicological 11.1 Information on toxicologic		
Acute toxicity Not classified based on avai		
Skin corrosion/irritation Not classified based on avai	ilable information.	
Serious eye damage/eye in Not classified based on avai		
Respiratory or skin sensit	isation	
Skin sensitisation Not classified based on avai	lable information.	
Respiratory sensitisation Not classified based on avai	ilable information.	
Germ cell mutagenicity Not classified based on avai	ilable information.	
Carcinogenicity Not classified based on avai	ilable information.	

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

Sika[®] Igolflex[®]-181 GR

Revision Date 19.05.2020

Print Date 19.05.2020

Version 6.0

12.1 Toxicity No data available 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment This substance/mixture contains no components considered : to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Other adverse effects Product: Additional ecological infor-: There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Ρ

Product	: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number

Sika[®] Igolflex[®]-181 GR

Revision Date 19.05.2020

Version 6.0



14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es) Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on he market and use of certain dangerous substances, preparations and articles (Annex XVII)			Not applicable			
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).			
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable			
Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable			
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable			
Regulation (ÉC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable			
REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg		eam suppliers, and/or			
	- exempted from the re	egist	tration.			
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of						

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
----------------------------	---	--

Sika[®] Igolflex[®]-181 GR



Revision Date 19.05.2020

Version 6.0

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,12 %

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of other abbreviations

GR OEL GR OEL / TWA ADR CAS DNEL EC50 GHS		Greece. Exposure limit values Long term exposure limit European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System
IATA IMDG	÷	International Air Transport Association International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Igolflex[®]-181 GR

Revision Date 19.05.2020

Version 6.0

