

Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-4200 MultiFlow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms	:	E E	!	
Signal word	:	Danger	•	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements	:	Prevention: P261 P264	Avoid breathing dust. Wash skin thoroughly after handling.	

Sika MonoTop[®]-4200 MultiFlow



Revision Date: 27.04.2023 Date of last issue: 16.09.2021	Ve	ersion 1.1	Print Date 27.04.2023	
	P280	Wear protective gloves/ eye pro protection.	tection/ face	
	Response:			
	P304 + P340 + I	P312 IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if you P338 + P310 IF IN EYES: Rins with water for several minutes. If tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	eathing. Call a u feel unwell. e cautiously Remove con- to do. Con-	
	Storage:			
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-	

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1

calcium oxide	1305-78-8 215-138-9 01-2119475325-36- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 1 - < 2,5
Substances with a workplace expe	osure limit :	•	•
Quartz (SiO2)	14808-60-7 238-878-4		>= 40 - < 60
calcium sulfate	7778-18-9 231-900-3 01-2119444918-26- XXXX		>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures					
General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. 				
If inhaled	: Move to fresh air. Consult a physician after significant exposure.				
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 				
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 				
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 				
4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis				

and symptoms.

See Section 11 for more detailed information on health effects

_

Sika MonoTop®-4200 MultiFlow



Revision Date: 27.04.2023 Date of last issue: 16.09.2021	Version 1.1	Print Date 27.04.2
Risks	: irritant effects	
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate m	edical attention and special treatmen	it needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measure	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray ide/sand/foam/alcohol resistant foam extinction.	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products	are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contain	ed breathing apparatus.
Further information	: Standard procedure for chemical fire	ξS.
SECTION 6: Accidental release	emeasures	
6.1 Personal precautions, protect	ive equipment and emergency proced	dures
	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons	
6.2 Environmental precautions		
Environmental precautions	 Try to prevent the material from enter courses. No special environmental precaution 	C C
6.3 Methods and material for cont	ainment and cleaning up	

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1



SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 \$	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL
calcium oxide	1305-78-8	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (Respirable fraction)	1 mg/m3	GR OEL
		STEL (Respirable fraction)	4 mg/m3	GR OEL
calcium sulfate	7778-18-9	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL

Sika MonoTop[®]-4200 MultiFlow



Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: solid
Appearance	: powder
Colour	: grey
Odour	: characteristic

Sika MonoTop[®]-4200 MultiFlow

Revision Date: 27.04.2023 Date of last issue: 16.09.2021



Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o Upper explosion limit / Up- per flammability limit	exp :	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 % Not applicable
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	2 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1



10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned.		
10.4 Conditions to avoid Conditions to avoid	:	No data available		

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

calcium sulfate:

Acute oral toxicity

: LD50 Oral (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Sika MonoTop[®]-4200 MultiFlow

Revision Date: 27.04.2023 Date of last issue: 16.09.2021

Version 1.1



STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

2

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika MonoTop®-4200 MultiFlow

Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1



12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 16 03 03* inorganic wastes containing dangerous substances
	: 17 01 01 concrete
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

Sika MonoTop®-4200 MultiFlow



Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1

IA	ТА	:	Not regulated as a dangerous good
14.4 Pa	cking group		
AD	DR	:	Not regulated as a dangerous good
IM	DG	:	Not regulated as a dangerous good
IA	TA (Cargo)	:	Not regulated as a dangerous good
IA	TA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards Not regulated as a dangerous good			
	ecial precautions for use t applicable	r	

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	ufacture, placing on gerous substances,		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
	International Chemical Weapons Schedules of Toxic Chemicals an	· · · ·	:	Not applicable
		REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer			:	Not applicable
	Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable
	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
	REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or



Revision Date: 27.04.2023 Date of last issue: 16.09.2021 Version 1.1

Seveso III: Directive 2012/18/El jor-accident hazards involving d		of the European Parliament and of the Council on the control of mangerous substances. Not applicable
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
Full text of other abbreviations	5
Eye Dam. :	Serious eye damage
Skin Irrit.	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a
	fourth list of indicative occupational exposure limit values
GR OEL :	Greece. Exposure limit values
2017/164/EU / STEL :	Short term exposure limit
2017/164/EU / TWA :	Limit Value - eight hours
GR OEL / TWA :	Long term exposure limit
GR OEL / STEL :	Short term exposure limit
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration

Sika MonoTop®-4200 MultiFlow



Revision Date: 27.04.2023 Date of last issue: 16.09.2021		Version 1.1	Print Date 27.04.202
REACH	and of the C istration, Ev	(EC) No 1907/2006 of the Eu council of 18 December 2006 aluation, Authorisation and F H), establishing a European	6 concerning the Reg- Restriction of Chemi-
SVHC vPvB	: Substances	of Very High Concern ent and very bioaccumulativ	<i>.</i> ,
Further information			
Classification of the mix	kture:	Classification	procedure:
Skin Irrit 2	H315	Calculation met	thod

	•
H315	Calculation method
H318	Calculation method
H335	Calculation method
	H318

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN