# SikaGrout<sup>®</sup>-3350

Revision Date: 18.12.2023 Date of last issue: 03.02.2022 Version 1.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaGrout<sup>®</sup>-3350

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Poison Information Center + 30 210 77 93 777

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

#### 2.2 Label elements

Labelling (REGULATION (EC	) No 1272/2008)	
Hazard pictograms :	E E	
Signal word :	Danger	•
Hazard statements :	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements :	<b>Prevention:</b> P261 P264	Avoid breathing dust. Wash skin thoroughly after handling.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# SikaGrout®-3350

Revision Date: 18.12.2023 Date of last issue: 03.02.2022



Version 1.2

P280	Wear protective gloves/ eye protection/ face protection.
Response:	
	<ul> <li>0 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.</li> <li>1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.</li> </ul>
Storage:	
P403 + P23	3 Store in a well-ventilated place. Keep con- tainer tightly closed.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

oompononto			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

Print Date 18.12.2023

Revision Date: 18.12.2023 Date of last issue: 03.02.2022 Version 1.2

Substances with a workplace expos	sure limit :	
Quartz (SiO2)	14808-60-7 238-878-4	>= 40 - < 60

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

4.1 Description of first a	alu measures	>
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin conta	act :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye conta	ict :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important sym	ptoms and e	ffects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



Revision Date: 18.12.2023	
Date of last issue: 03.02.2022	

Version 1.2

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protect Personal precautions	<ul> <li>ive equipment and emergency procedures</li> <li>Use personal protective equipment. Deny access to unprotected persons.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	: Try to prevent the material from entering drains or water courses.
	No special environmental precautions required.
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see se	ction 8.
SECTION 7: Handling and stor	age

### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust.
		Avoid exceeding the given occupational exposure limits (see section 8).

Revision Date: 18.12.2023

Date of last issue: 03.02.2022



Version 1.2

		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

Recommended: Butyl rubber/nitrile rubber gloves.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# SikaGrout®-3350



Revision Date: 18.12.2023 Date of last issue: 03.02.2022	Version 1.2	Print Date 18.12.2
	Contaminated gloves should be removed.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers) and protective boots are additionaly recomm and stirring work.	. Rubber aprons
Respiratory protection :	In case of inadequate ventilation wear respire Respirator selection must be based on know exposure levels, the hazards of the product a ing limits of the selected respirator. Ensure adequate ventilation. This can be ach exhaust extraction or by general ventilation. ( ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case the to keep the concentrations under the occupa limits then respiration protection measures m	n or anticipated and the safe work- nieved by local (EN 689 - Meth- is applies in par- is is not sufficent tional exposure
Environmental exposure cont	rols	
General advice	<ul> <li>Try to prevent the material from entering drait courses.</li> <li>No special environmental precautions require</li> </ul>	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid fine powder grey odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11

Revision Date: 18.12.2023 Date of last issue: 03.02.2022



Version 1.2

		Concentration: 50 %
<b>Viscosity</b> Viscosity, kinematic	:	Not applicable
<b>Solubility(ies)</b> Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	ca. 1.860 kg/m3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## SikaGrout<sup>®</sup>-3350

Revision Date: 18.12.2023 Date of last issue: 03.02.2022 Version 1.2



### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

# Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 18.12.2023 Date of last issue: 03.02.2022 Version 1.2



### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Revision Date: 18.12.2023

<b>Jika</b> ®
Print Date 18.12.2023

Date of last issue: 03.02.2022	
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 16 03 03* inorganic wastes containing dangerous substances
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

Version 1.2

### **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good				
<b>14.6 Special precautions for user</b> Not applicable				
14.7 Maritime transport in bulk according to IMO instruments				

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SikaGrout<sup>®</sup>-3350



Revision Date: 18.12.2023 Version 1.2 Date of last issue: 03.02.2022 International Chemical Weapons Convention (CWC) Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. : Not applicable REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable 1 tants (recast) Regulation (EC) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds
		(VOCV)
		no VOC duties

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.

#### Full text of other abbreviations

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# SikaGrout®-3350

Revision Date: 18.12.2023 Date of last issue: 03.02.2022



Version 1.2

Eye Dam. Skin Irrit. STOT SE GR OEL GR OEL / TWA ADR CAS DNEL EC50 GHS IATA IMDG LD50	<ul> <li>Serious eye damage</li> <li>Skin irritation</li> <li>Specific target organ toxicity - single exposure</li> <li>Greece. Exposure limit values</li> <li>Long term exposure limit</li> <li>European Agreement concerning the International Carria Dangerous Goods by Road</li> <li>Chemical Abstracts Service</li> <li>Derived no-effect level</li> <li>Half maximal effective concentration</li> <li>Globally Harmonized System</li> <li>International Maritime Code for Dangerous Goods</li> <li>Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group</li> </ul>	t
LC50	<ul> <li>test animals)</li> <li>Median lethal concentration (concentrations of the chemicair that kills 50% of the test animals during the observation period)</li> </ul>	cal in
MARPOL	<ul> <li>International Convention for the Prevention of Pollution fr Ships, 1973 as modified by the Protocol of 1978</li> </ul>	om
OEL PBT PNEC REACH SVHC vPvB	<ul> <li>Occupational Exposure Limit</li> <li>Persistent, bioaccumulative and toxic</li> <li>Predicted no effect concentration</li> <li>Regulation (EC) No 1907/2006 of the European Parliame and of the Council of 18 December 2006 concerning the istration, Evaluation, Authorisation and Restriction of Che cals (REACH), establishing a European Chemicals Agene Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>	Reg- emi-

#### **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN