# Sikadur<sup>®</sup>-300 Part A



Revision Date: 27.04.2023 Date of last issue: 30.12.2021 Version 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikadur<sup>®</sup>-300 Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Poison Information Center + 30 210 77 93 777

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Eye irritation, Category 2 Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2 H315: Causes skin irritation.

- H319: Causes serious eye irritation.
- H317: May cause an allergic skin reaction.
- H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		*
Signal word	:	Warning	•
Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	

# Sikadur<sup>®</sup>-300 Part A

Print Date 27.04.2023

Revision Date: 27.04.2023 Date of last issue: 30.12.2021 Version 3.0

P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P391	Collect spillage.
	P264 P273 P280 <b>Response:</b> P333 + P313

### Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

CAS-No. EC-No. Registration number 1675-54-3	Classification	(% w/w)
0		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1675-54-3		
216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 	>=80
(	01-2119456619-26-	01-2119456619-26- XXXX Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319

For explanation of abbreviations see section 16.

Revision Date: 27.04.2023 Date of last issue: 30.12.2021 Version 3.0



#### **SECTION 4: First aid measures**

4.1 Description of first aid meas	ure	S		
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms a	nd e	effects, both acute and delayed		
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	irritant effects sensitising effects		
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.		
4.3 Indication of any immediate	me	dical attention and special treatment needed		
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting measures				
5.1 Extinguishing media				
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.		

Revision Date: 27.04.2023

Date of last issue: 30.12.2021



Version 3.0

5.2 Special hazards arising from the substance or mixture
---

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	tive	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	

### **6.2 Environmental precautions**

Environmental precautions	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8.
		Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.



Revision Date: 27.04.2023 Date of last issue: 30.12.2021		Version 3.0	Print Date 27.04.20
		Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlir products	·
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When us moke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, in	nc	luding any incompatibilities	
Requirements for storage areas and containers	:		
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components CAS-No. Value type (Form of exposure) Control parame- ters * Basis *
---

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection Hand protection		Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons

<b>Jika</b> ®
Print Date 27.04.2023

Revision Date: 27.04.2023 Date of last issue: 30.12.2021		Version 3.0	Print Date 27.04.20
Respiratory protection	:	and protective boots are additionaly recomm and stirring work. No special measures required.	ended for mixing
Environmental exposure con	tro	bls	
General advice		Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	
SECTION 9: Physical and cher	ni¢	cal properties	
9.1 Information on basic physical	ar	nd chemical properties	
Physical state Appearance Colour Odour	:	liquid paste yellow very faint	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or e	exi	plosive limits	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit /	:	No data available	

ca. 266 °C

: No data available

Not applicable

: insoluble

: 0,01 hPa

No data available

: > 20,5 mm2/s (40 °C)

No data available

Method: closed cup

:

:

:

:

Vapour pressure

Lower flammability limit

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Flash point

pН

Viscosity

Solubility(ies)

octanol/water

Water solubility

Partition coefficient: n-



Revision Date: 27.04.2023 Date of last issue: 30.12.2021		Version 3.0	Print Date 27.04.202
Density		ca. 1,16 g/cm3 (20 °C)	
Relative vapour density		No data available	
Particle characteristics		No data available	
9.2 Other information			
No data available			
SECTION 10: Stability and	eact	ivity	
10.1 Reactivity			
No dangerous reaction kno	wn ui	der conditions of normal use.	
10.2 Chemical stability			
The product is chemically s	table		
10.3 Possibility of hazardous	eact	ons	
Hazardous reactions		Stable under recommended storage conditions.	
10.4 Conditions to avoid			
Conditions to avoid		No data available	
10.5 Incompatible materials			
Materials to avoid		No data available	
10.6 Hazardous decompositio	n pro	ducts	
No decomposition if stored	and a	pplied as directed.	
SECTION 11: Toxicological	info	rmation	
-		as defined in Regulation (EC) No 1272/2008	
	5563	as defined in Regulation (EC) NO 12/2/2006	
Acute toxicity Not classified based on ava	ilable	information.	
Components:			
bis-[4-(2,3-epoxipropoxi)	heny	I]propane:	
Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg	

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

### Skin corrosion/irritation

Causes skin irritation.

# Sikadur<sup>®</sup>-300 Part A

Print Date 27.04.2023

Revision Date: 27.04.2023 Date of last issue: 30.12.2021 Version 3.0

# Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

# Sikadur<sup>®</sup>-300 Part A

Revision Date: 27.04.2023 Date of last issue: 30.12.2021 Version 3.0



#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

	Product:					
	Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7	12.7 Other adverse effects					
	Product:					
	Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.			

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product :	V E V C V C V C R C R C R C R C R C R C R C	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional bocal authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: (	08 04 09* waste adhesives and sealants containing organic

# Sikadur<sup>®</sup>-300 Part A



Revision Date: 27.04.2023 Date of last issue: 30.12.2021		Version 3.0	Print Date 27.04.2
		solvents or other dangerous substances	
Contaminated packaging	:	15 01 10* packaging containing residues o by dangerous substances	of or contaminated
SECTION 14: Transport inform	nat	tion	
14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY HAZARDOUS SUB N.O.S. (epoxy resin)	STANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUB N.O.S. (epoxy resin)	STANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazardous substance, liqu (epoxy resin)	uid, n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks	:	III M6 90 9 (-) Transport in accordance with special provis	sion 375
IMDG Packing group Labels EmS Code Remarks IATA (Cargo) Packing instruction (cargo aircraft)	:	III 9 F-A, S-F Transport in accordance with 2.10.2.7 of th 964	

Print Date 27.04.2023

Revision Date: 27.04.2023
Date of last issue: 30.12.2021

Version 3.0

	Packing instruction (LQ) Packing group Labels Remarks	: : :	Y964 III Miscellaneous Transport in accordance with special regulation A 197
	IATA (Passenger) Packing instruction (passen- ger aircraft)	:	964
	Packing instruction (LQ)		Y964
	Packing group	:	
	Labels	:	Miscellaneous
14.5	Environmental hazards		
	ADR Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally hazardous	:	yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	lowing entries should be conside Number on list 3	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are list (=> 0.1 %).	ted
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	

# Sikadur®-300 Part A

Print Date 27.04.2023

	Sikadul -500 Part A		JIKa	
	Revision Date: 27.04.2023 Date of last issue: 30.12.2021	Version 3.0	Print Date 27.04.2023	
	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)			
Regulation (EC) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
	REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on th jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS			on the control of ma-	
	Volatile organic compounds	: Law on the incentive tax for volatile organic co (VOCV) no VOC duties	mpounds	
		Directive 2010/75/EU of 24 November 2010 or emissions (integrated pollution prevention and Not applicable		

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.				
Full text of other abbreviations					
Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens. ADR	Long-term (chronic) aquatic hazard Eye irritation Skin irritation Skin sensitisation European Agreement concerning the International Carriag Dangerous Goods by Road	ge of			
CAS DNEL EC50 GHS IATA IMDG	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods				

Revision Date: 27.04.2023 Date of last issue: 30.12.2021



Version 3.0	
-------------	--

LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

#### **Further information**

Classification of th	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN