

Revision Date: 26.10.2023 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-21 PurCem[®] Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)						
Hazard pictograms						
Signal word	: Danger	•				
Hazard statements	: H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.				
Precautionary statements	: P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.				

Jika ®
Print Date 26.10.2023

Revision Date: 26.10.2023 Date of last issue: -		Version 1.0	Print Date 26.1
	Prevention	:	
	P271	Use only outdoors or in a ea.	well-ventilated ar-
	P280	Wear protective gloves/ e protection.	eye protection/ face
	Response:		
	P305 + P35	1 + P338 + P310 IF IN EYES with water for several min tact lenses, if present and tinue rinsing. Immediately CENTER/ doctor.	nutes. Remove con- d easy to do. Con-
	Disposal:		
	P501	Dispose of contents/cont with local regulation.	ainer in accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



Revision Date: 26.10.2023	

I COVIC		a.c. 2	20.10.2
Date	of las	t issu	e: -

Version 1.0

calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 1 - < 2,5
Substances with a workpl	ace exposure limit :		
Quartz (SiO2)	14808-60-7 238-878-4		>= 60 - < 80
Quartz (SiO2)	14808-60-7 238-878-4		>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	ure	S
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects



Revision Date: 26.10.2023 Date of last issue: - Version 1.0

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Treatment	:	Treat symptomatically.			
SECTION 5: Firefighting measures					
5.1 Extinguishing media					
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.			
5.2 Special hazards arising from	the	substance or mixture			
Hazardous combustion prod- ucts	:	No hazardous combustion products are known			
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.			
Further information	:	Standard procedure for chemical fires.			
SECTION 6: Accidental releas	se r	neasures			
SECTION 6: Accidental releas		neasures e equipment and emergency procedures			
		e equipment and emergency procedures Use personal protective equipment.			
6.1 Personal precautions, protec		e equipment and emergency procedures			
6.1 Personal precautions, protec Personal precautions		e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust.			
6.1 Personal precautions, protec		e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust.			

6.4 Reference to other sections

For personal protection see section 8.

Sikafloor[®]-21 PurCem[®] Part C

Print Date 26.10.2023

Revision Date: 26.10.2023 Date of last issue: -

Version 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL		
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL		
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU		
	Further inform	Further information: Indicative				
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU		
		TWA (Respirable fraction)	1 mg/m3	GR OEL		
		STEL (Respirable fraction)	4 mg/m3	GR OEL		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Sikafloor®-21 PurCem® Part C

Revision Date: 26.10.2023



Date of last issue: -		Thin Dute 20.
Eye/face protection Hand protection	 Safety glasses with side-shields conforming Eye wash bottle with pure water Chemical-resistant, impervious gloves comp proved standard must be worn at all times v chemical products. Reference number EN 3 facturer specifications. 	olying with an ap- vhen handling
	Recommended: Butyl rubber/nitrile rubber g Contaminated gloves should be removed.	loves.
Skin and body protection	 Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. t long-sleeved working clothing, long trousers and protective boots are additionally recomm and stirring work. 	s). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear respine Respirator selection must be based on known exposure levels, the hazards of the product ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substate Ensure adequate ventilation. This can be adreshaust extraction or by general ventilation. ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occup limits then respiration protection measures in the selected respirator. 	wn or anticipated and the safe work- ances chieved by local (EN 689 - Meth- nis applies in par- his is not sufficent ational exposure
Environmental exposure of	controls	
General advice	 Try to prevent the material from entering dra courses. No special environmental precautions requi 	

Version 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid powder white odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	•	

Upper explosion limit / Up- : No data available per flammability limit

Sikafloor®-21 PurCem® Part C



Revision Date: 26.10.2023 Date of last issue: - Version 1.0

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	ca. 1.480 kg/m3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics		No data available
	•	IND UALA AVAIIADIE

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

Sikafloor[®]-21 PurCem[®] Part C



Revision Date: 26.10.2023 Date of last issue: -

Version 1.0

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Sikafloor®-21 PurCem® Part C



Revision Date: 26.10.2023 Date of last issue: - Version 1.0

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should



Revision Date: 26.10.2023 Date of last issue: -		Version 1.0	Print Date 26.10.2
		at all times comply with the requirements of protection and waste disposal legislation a local authority requirements. Avoid dispersal of spilled material and rund soil, waterways, drains and sewers.	nd any regional
European Waste Catalogue	:	16 03 03* inorganic wastes containing dar	ngerous substances
Contaminated packaging	:	15 01 10* packaging containing residues on by dangerous substances	f or contaminated

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerous good			
14.6 Special precautions for use Not applicable	er		

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Sikafloor®-21 PurCem® Part C

Print Date 26.10.2023

Revision Date: 26.10.2023 Date of last issue: - Version 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manual the market and use of certain dange mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Cement (chromium reduced) (Number on list 47)
REACH - Candidate List of Substar Concern for Authorisation (Article 5			None of the components are listed (=> 0.1 %).
REACH - List of substances subjec (Annex XIV)	t to authorisation :		Not applicable
Regulation (EC) No 1005/2009 on splete the ozone layer	substances that de- :		Not applicable
Regulation (EU) 2019/1021 on pers tants (recast)	sistent organic pollu- :		Not applicable
Regulation (EC) No 649/2012 of the ment and the Council concerning the of dangerous chemicals	•		Not applicable
jor-accident hazards involving dang		nt a	and of the Council on the control of ma-
Volatile organic compounds : L	aw on the incentive tax f	for	r volatile organic compounds

atile organic compounds : Law on the incentive tax for volatile organic compoun (VOCV) no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sikafloor®-21 PurCem® Part C

Revision Date: 26.10.2023 Date of last issue: - Version 1.0



SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GR OEL	:	Greece. Exposure limit values
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GR OEL / TWA	:	Long term exposure limit
GR OEL / STEL	:	Short term exposure limit
ADR	•	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	÷	International Air Transport Association
IMDG	÷	International Maritime Code for Dangerous Goods
LD50	÷	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

Sikafloor[®]-21 PurCem[®] Part C

Print Date 2

Revision Date: 26.10.2023 Date of last issue: -

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 1.0

Changes as compared to previous version !

GR / EN

