SikaGalu -0470

Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaGard®-6470

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2H225:Skin irritation, Category 2H315:Specific target organ toxicity - single exposure, Category 3, Central nervousH336:posure, Category 3, Central nervousH315:systemLong-term (chronic) aquatic hazard, Category 2

- H225: Highly flammable liquid and vapour.
- H315: Causes skin irritation.
- H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	• •
Hazard statements	:	H225 H315 H336 H411	Highly flammable liquid and vapour. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0

Precautionary statements	: Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233	Keep container tightly closed.
	P261	Avoid breathing mist or vapours.
	P273	Avoid release to the environment.
	Response:	
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	P391	Collect spillage.

Hazardous components which must be listed on the label:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Contains: cyclohexane >= 2 %	Not Assigned 927-510-4 01-2119475515-33- XXXX [corresponding group CAS 64742-49- 0]	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 20 - < 25

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaGard®-6470

Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	Not Assigned 920-750-0 01-2119473851-33- XXXX [corresponding group CAS 64742-49- 0]	Flam. Liq. 2; H225 STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 5 - < 10
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	Not Assigned 921-024-6 01-2119475514-35- XXXX	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 5 - < 10
Hydrocarbons, C9, aromatics	Not Assigned 918-668-5 01-2119455851-35- XXXX [corresponding group CAS 64742-95- 6]	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaGard[®]-6470

Jika ®
Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0

4.2 Most important symptoms and effects, both acute and delayed Symptoms : Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects : Causes skin irritation. May cause drowsiness or dizziness. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing ÷ Water media High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards du fighting	iring fire- :	Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combus ucts	tion prod- :	No hazardous combustion products are known
5.3 Advice for firefight		

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0



SECTION 6: Accidental release measures

6.1 Personal precautions, pro	otective equipment and emergency procedures
Personal precautions	: Use personal protective equipment.
	Remove all sources of ignition.
	Deny access to unprotected persons.
	Beware of vapours accumulating to form explosive concentra-
	tions. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab-
		sorbent material, (e.g. sand, earth, diatomaceous earth, ver-
		miculite) and place in container for disposal according to local
		/ national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 04.01.2024	Version 4.0
Date of last issue: 27.01.2022	

7.2 Conditions for safe storage, including any incompatibilities

	Requirements for storage areas and containers	:	Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

type (Form Control parame-Basis * osure) ters * Basis *

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local

Jika ®
Print Date 04.01.2024

Revision Date: 04.01.2024
Date of last issue: 27.01.2022

Version 4.0

exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls			
General advice	 Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities. 		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid various solvent-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	ca. 94 - 99 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	-	
Upper explosion limit / Up- per flammability limit	:	7,0 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	ca9 °C Method: closed cup
Auto-ignition temperature	:	ca. 200 °C
Decomposition temperature	:	No data available
рН	:	not determined substance/mixture is non-polar/aprotic
Viscosity		
Viscosity, dynamic	:	ca. 1.300 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-	:	No data available

Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0

octanol/water	
Vapour pressure	: ca. 60 hPa (20 °C)
Density	: ca. 1,04 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous read	ctic	ons
Hazardous reactions	:	Stable under recommended storage conditions.
		Vapours may form explosive mixture with air.
10.4 Conditions to avoid Conditions to avoid	:	Heat, flames and sparks.
10.5 Incompatible materials		

: No data available

Materials to avoid

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity	: LC50 (Rat): > 23,3 mg/l
---------------------------	---------------------------

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaGard®-6470



Revision Date: 04.01.2024 Date of last issue: 27.01.2022	Version 4.0	Print Date 04.01.202
	Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.800 mg/kg	
Hydrocarbons, C9, aromatics: Acute oral toxicity :	LD50 Oral (Rat): > 2.000 mg/kg	
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
<u>Components:</u>		
Hydrocarbons, C9, aromatics: Assessment	Repeated exposure may cause skin di	ryness or cracking.
Serious eye damage/eye irritat Not classified based on available		
Respiratory or skin sensitisation	on	
Skin sensitisation Not classified based on available	information.	
Respiratory sensitisation Not classified based on available	information.	
Germ cell mutagenicity Not classified based on available	information.	
Carcinogenicity Not classified based on available	information.	
Reproductive toxicity Not classified based on available	information.	
STOT - single exposure May cause drowsiness or dizzine	255.	
STOT - repeated exposure Not classified based on available	information.	
Aspiration toxicity Not classified based on available	information.	
11.2 Information on other hazards		
Endocrine disrupting propertie	95	
Product: Assessment :	The substance/mixture does not conta ered to have endocrine disrupting prop	

Revision Date: 04.01.2024 Date of last issue: 27.01.2022



Version 4.0

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

	Components:					
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:					
	Toxicity to fish :	LL50 (Oncorhynchus mykiss (rainbow trout)): > 13,4 mg/l Exposure time: 96 h				
	Hydrocarbons, C6-C7, n-alkane	es, isoalkanes, cyclics, <5% n-hexane:				
	Toxicity to fish :	LL50 (Oncorhynchus mykiss (rainbow trout)): 12,51 mg/l Exposure time: 96 h				
	Hydrocarbons, C9, aromatics:					
	Toxicity to algae/aquatic : plants	(Pseudokirchneriella subcapitata (green algae)): 2,6 - 2,9 mg/l Exposure time: 72 h				
12.2	2 Persistence and degradability					
	No data available					
12.3	Bioaccumulative potential No data available					
12.4	I Mobility in soil No data available					
12.5	5 Results of PBT and vPvB asse	ssment				
	Product:					
	Assessment :	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher				
12.6	Endocrine disrupting propertie	2S				
	Product:					
	Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				

Jika ®
Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR:UN 1139IMDG:UN 1139IATA:UN 113914.2 UN proper shipping nameCOATING SOLUTIONMDG:COATING SOLUTIONIMDG:COATING SOLUTIONIATA:Coating solution14.3 Transport hazard class(es)ClassSubsidiary risks					
IATA : UN 1139 14.2 UN proper shipping name ADR : COATING SOLUTION IMDG : COATING SOLUTION (naphtha (petroleum)) IATA : Coating solution 14.3 Transport hazard class(es)		ADR	:	UN 1139	
14.2 UN proper shipping name COATING SOLUTION ADR : COATING SOLUTION IMDG : COATING SOLUTION IATA : Coating solution 14.3 Transport hazard class(es) : .		IMDG	:	UN 1139	
ADR : COATING SOLUTION IMDG : COATING SOLUTION IATA : COATING solution 14.3 Transport hazard class(es) : Coating solution		ΙΑΤΑ	:	UN 1139	
IMDG : COATING SOLUTION (naphtha (petroleum)) IATA : Coating solution 14.3 Transport hazard class(es) :	14.2	UN proper shipping name			
 (naphtha (petroleum)) IATA : Coating solution 14.3 Transport hazard class(es) 		ADR	:	COATING SOLUTION	I
14.3 Transport hazard class(es)		IMDG	:		-
		ΙΑΤΑ	:	Coating solution	
Class Subsidiary risks	14.3	Transport hazard class(es)			
				Class	Subsidiary risks

Country GR 10000001266



Revision Date: 04.01.2024 Date of last issue: 27.01.2022	Version 4.0	Print Date 04.01.2024	
ADR	: 3		
IMDG	: 3		
ΙΑΤΑ	: 3		
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks	 II F1 33 3 (D/E) Transport according to chapter 3.4 (LQ) possible 		
IMDG Packing group Labels EmS Code	: II : 3 : F-E, <u>S-E</u>		
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 364 : Y341 : II : Flammable Liquids		
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: 353 : Y341 : II : Flammable Liquids		
14.5 Environmental hazards			
ADR Environmentally hazardous	: yes		
IMDG Marine pollutant	: yes		
IATA (Passenger) Environmentally hazardous	: yes		
IATA (Cargo) Environmentally hazardous	: yes		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SikaGard[®]-6470

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substa Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar P5c			and of the Council on the control of ma-
E2	ENVIRONMENTAL HA		RDS
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)		
Volatile organic compounds :			

Directive 2010/75/EU of 24 November 2010 on industrial

Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0



Volatile organic compounds (VOC) content: 46,5% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H225 H226 H304 H315 H335 H336 H411	Highly flammable liquid and vapour. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.	
Full text of other abbreviation		
Aquatic Chronic Asp. Tox. Flam. Liq. Skin Irrit. STOT SE ADR	Long-term (chronic) aquatic hazard Aspiration hazard Flammable liquids Skin irritation Specific target organ toxicity - single exposure European Agreement concerning the International Carriage	e of
CAS DNEL EC50 GHS IATA IMDG LD50	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group	of
LC50	test animals) Median lethal concentration (concentrations of the chemica air that kills 50% of the test animals during the observation period)	
MARPOL	International Convention for the Prevention of Pollution from	m
OEL PBT PNEC REACH	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliamen and of the Council of 18 December 2006 concerning the R- istration, Evaluation, Authorisation and Restriction of Chem	eg- ni-
SVHC vPvB	cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative	1

Further information

Print Date 04.01.2024

Revision Date: 04.01.2024 Date of last issue: 27.01.2022 Version 4.0

Classification of the m	ixture:	Classification procedure:		
Flam. Liq. 2	H225	Based on product data or assessment		
Skin Irrit. 2	H315	Calculation method		
STOT SE 3	H336	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN