

SikaFiber® Force-50

DECLARATION OF PERFORMANCE

No. 53568252

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	53568252
2	INTENDED USE/S	EN 14889-2:2006 Polymer fibers for use in concrete mortar or grout
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 1
6a	HARMONISED STANDARD:	EN 14889-2:2006
	Notified body/ies:	0761

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification	
Tensile strength	450 N/mm ²	System 1		
Modulus of elasticity	7,5 kN/mm ²	System 1		
Effect on consistence (workability) of concrete	8 sec	System 1	EN 14889-	
Effect on strength of concrete	4 kg/m ³	System 1	2:2006	
Release of dangerous substances	NPD			
Durability	NPD			


^{*)} Fiber specification: length 50 mm, diameter 0,715 mm, shape deformed

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Giorgos Katsantonis Function: TMM Concrete At Athens on 24 March 2020 Name: Alexandros Melissourgos Function: Technical Manager At Athens on 24 March 2020





18

Sika Services AG, Zurich, Switzerland

DoP No. 53568252

EN 14889-2:2006

Notified Body 0761

Polymer fibers for use in concrete mortar or grout

Tensile strength 450 N/mm²
Modulus of elasticity 7,5 kN/mm²

Effect on consistence (workability) of concrete 8 sec

Effect on strength of concrete 4 kg/m³

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) REGULATION (EC) NO 1907/2006 - REACH

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances, which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheed following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1% (w/w).

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

SikaFiber® Force-50 53568252 2018.12 , ver. 1 1011



^{*)} Fiber specification: length 50 mm, diameter 0,715 mm, shape deformed





Sika Hellas ABEE

Protomagias 15 14568 Kryoneri Attica - Greece www.sika.gr

Declaration of Performance

SikaFiber® Force-50 53568252 2018.12 , ver. 1 1011

