

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor®-151 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Eye irritation, Category 2 Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2 H315: Causes skin irritation.

- H319: Causes serious eye irritation.
- H317: May cause an allergic skin reaction.
- H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		¥2
Signal word	:	Warning	•
Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	

Sikafloor[®]-151 Part A

Print Date 06.12.2023

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0

P261 Avoid breathing mist or vapours.	
P264Wash skin thoroughly after handling.P273Avoid release to the environment.P280Wear protective gloves/ eye protection/ fac protection.	e
Response:	
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.	I
P391 Collect spillage.	

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs. bis-[4-(2,3-epoxypropoxy)phenyl]methane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
bis-[4-(2,3-	1675-54-3	Skin Irrit. 2; H315	>= 25 - < 40
epoxipropoxi)phenyl]propane	216-823-5	Eye Irrit. 2; H319	
	01-2119456619-26-	Skin Sens. 1; H317	
	XXXX	Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		Skin Irrit. 2; H315	
		>= 5 %	

Sikafloor®-151 Part A

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0



oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 2,5 - < 5
bis-[4-(2,3- epoxypropoxy)phenyl]methane	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 2,5 - < 5
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 1.620 mg/kg Acute inhalation tox- icity (dust/mist): 4,178 mg/l	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. 1 Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. : Consult a physician after significant exposure. In case of skin contact ÷ Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. Immediately flush eye(s) with plenty of water. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Do not induce vomiting without medical advice. : Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Symptoms Excessive lachrymation Erythema

Sikafloor[®]-151 Part A

Sika ®
Print Date 06.12.2023

Revision Date: 06.12.2023 Date of last issue: 25.05.2022		Version 6.0	Print Date 06.12.2
		Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	meo	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
	sur		
		In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction.	l powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting 	: n the :	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture Do not allow run-off from fire fighting to enter c	l powder for drains or water
5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts	: n the :	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture Do not allow run-off from fire fighting to enter of courses.	l powder for drains or water
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- 	: : :	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture Do not allow run-off from fire fighting to enter of courses. No hazardous combustion products are known	l powder for drains or water

6.1 Personal precautions, protec	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Country GR 000000121796		2

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0



6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form	Control parame-	Basis *
Country GR 000000121796				5 / 15

Sikafloor[®]-151 Part A

Print Date 06.12.2023

ters *

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	L
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contr	ols
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	• •	
Physical state	:	liquid
Appearance	:	viscous
Colour	:	grey
Odour	:	very faint
Melting point/range / I	Freezing :	No data available
point		
Boiling point/boiling ra	ange :	No data available
Flammability (solid, g	as) :	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

Sikafloor®-151 Part A

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0



C 01 1051 1550C. 20.00.2022		
per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 89 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 6 Concentration: 50 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,6 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid : No data available

Version 6.0 Date of last issue: 25.05.2022



10.5 Incompatible materials

Revision Date: 06.12.2023

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
benzyl alcohol: Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg Acute toxicity estimate: 1.620 mg/kg Method: Calculation method	
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 4,178 mg/l Test atmosphere: dust/mist Method: Calculation method	
Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation.			
Respiratory or skin sensitisation			

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Sikafloor[®]-151 Part A

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0



Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

bis-[4-(2,3-epoxypropoxy)phenyl]methane:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

Sikafloor®-151 Part A

Print Date 06.12.2023

Revision Date: 06.12.2023	
Date of last issue: 25.05.2022	

benzyl alcohol:

Version 6.0

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components consider	red
	to be either persistent, bioaccumulative and toxic (PBT), o	or
	very persistent and very bioaccumulative (vPvB) at levels	of
	0.1% or higher.	

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

12.7 Other adverse effects

Product:

Additional applaciant infor		An environmental hazard cannot be excluded in the event of
Additional ecological infor-	•	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Sikafloor®-151 Part A



Revision Date: 06.12.2023 Date of last issue: 25.05.2022		Version 6.0	Print Date 06.12.2
		Disposal of this product, solutions and any by-products at all times comply with the requirements of environmen protection and waste disposal legislation and any regior local authority requirements. Avoid dispersal of spilled material and runoff and contac soil, waterways, drains and sewers.	
European Waste Catalogue	:	08 01 11* waste paint and varnish containi vents or other dangerous substances	ng organic sol-
Contaminated packaging	:	15 01 10* packaging containing residues of by dangerous substances	or contaminated

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY H N.O.S. (epoxy resin)	HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)	
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)	
14.3 Transport hazard class(es)			
		Class S	Subsidiary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		9 (-)	e with special provision 375

Revision Date: 06.12.2023

Date of last issue: 25.05.2022

Version 6.0



	Packing group Labels EmS Code Remarks	:	III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the IMDG-Code
	IATA (Cargo) Packing instruction (cargo aircraft)	:	964
	Packing instruction (LQ) Packing group Labels Remarks	:	Y964 III Miscellaneous Transport in accordance with special regulation A 197
	IATA (Passenger) Packing instruction (passen- ger aircraft)	:	964
	Packing instruction (LQ) Packing group Labels		Y964 III Miscellaneous
14.	5 Environmental hazards		
	ADR Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo)		

IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Sikafloor[®]-151 Part A



Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0

REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	:	Not applicable			
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable		
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS					
Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 3,27% w/w					
Directive 2010/75/EU of 24 November 2010 on industrial					

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 3,27% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full	text	of	H-Statements	
------	------	----	--------------	--

H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H411 :	Toxic to aquatic life with long lasting effects.

Sikafloor®-151 Part A

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0



Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
	•	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament
	•	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	•	

Further information

Classification of the r	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikafloor®-151 Part A

Revision Date: 06.12.2023 Date of last issue: 25.05.2022 Version 6.0

