Sikafloor®-54 Booster



Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-54 Booster

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C	
Serious eye damage, Category 1	

H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	H314	Cau	ses severe skin burns and eye damage.
Precautionary statements	:	Prevention: P280		r protective gloves/ protective clothing/ protection/ face protection.
		Response:		
		P301 + P330 + P		IF SWALLOWED: Rinse mouth. Do induce vomiting.
		P303 + P361 + P		IF ON SKIN (or hair): Take off immedi-

Sikafloor[®]-54 Booster

Revision Date: 03.05.2023 Date of last issue: 02.03.2021



Version 3.0

	ately all contaminated clothing. Rinse skin with water. 2310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor. 2338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

2,4,6-tris(dimethylaminomethyl)phenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	name CAS-No.		Concentration	
	EC-No.		(% w/w)	
	Registration number			
2,4,6-	90-72-2	Acute Tox. 4; H302	>=80	
tris(dimethylaminomethyl)phenol	202-013-9	Skin Corr. 1C; H314		
Contains:	01-2119560597-27-	Eye Dam. 1; H318		
bis[(dimethylamino)methyl]phenol	XXXX	-		
<= 15 %				

For explanation of abbreviations see section 16.

Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0



SECTION 4: First aid measures

4.1 Description of first aid measures							
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.						
If inhaled	: Move to fresh air. Consult a physician after significant exposure.						
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.						
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 						
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 						
4.2 Most important symptoms ar	nd effects, both acute and delayed						
Symptoms	: Dermatitis See Section 11 for more detailed information on health effects and symptoms.						
Risks	: Health injuries may be delayed. corrosive effects						
	Causes serious eye damage. Causes severe burns.						
4.3 Indication of any immediate	medical attention and special treatment needed						
Treatment	: Treat symptomatically.						
SECTION 5: Firefighting meas	sures						
5.1 Extinguishing media							
Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox-						

extinction.

ide/sand/foam/alcohol resistant foam/chemical powder for

Sikafloor®-54 Booster



Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0

5.2 Special hazards arising from the substance or mixture						
Hazardous combustion prod- ucts	:	No hazardous combustion products are known				
5.3 Advice for firefighters						
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.				
Further information	:	Standard procedure for chemical fires.				
SECTION 6: Accidental releas	e r	neasures				
	4:					
6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.				
6.2 Environmental precautions						
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				
6.3 Methods and material for containment and cleaning up						
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.				

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling								
Advice on safe handling :		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 						
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.						
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety						

Revision Date: 03.05.2023

Date of last issue: 02.03.2021



Version 3.0

		practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.					
7.2 Conditions for safe storage	7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.					
Further information on stor- age stability	:	No decomposition if stored and applied as directed.					
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.					

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection. Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection : No special measures required. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system.

Sikafloor[®]-54 Booster

Revision Date: 03.05.2023 Date of last issue: 02.03.2021



Version 3.0

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid (20 °C) light yellow amine-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	axe	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 11 (20 °C) Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	ca. 250 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,0133322 hPa
Density	:	ca. 0,97 g/cm3 (20 °C)
	:	ca. 0,97 g/cm3 (20 °C) No data available



Revision Date: 03.05.2023		Version 3.0	Print Dat
Date of last issue: 02.03.2021			
Particle characteristics		No data available	
	•		
9.2 Other information			
No data available			
SECTION 10: Stability and re	activ	vity	
10.1 Reactivity			
No dangerous reaction know	n unc	der conditions of normal use.	
10.2 Chemical stability			
The product is chemically sta	ble.		
10.3 Possibility of hazardous re	actio	ons	
Hazardous reactions	:		
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity

: LD50 (Rat): > 1.999 mg/kg Remarks: Harmful if swallowed. Annex VI - Harmonised REGULATION (EC) No 1272/2008

Skin corrosion/irritation

Causes severe burns.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit

Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0



Assessment Method	-	Corrosive OECD Test Guideline 404
Assessment Remarks		irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment	-	Rabbit Causes serious eye damage.
Assessment Remarks		irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Sikafloor®-54 Booster

Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0



levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): > 10 - 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized

Sikafloor®-54 Booster

Revision Date: 03.05.2023

Jika ®
Print Date 03.05.2023

Date of last issue: 02.03.2021		version o.o	
		wherever possible. Empty containers or liners may retain so This material and its container must be c way. Dispose of surplus and non-recyclable p waste disposal contractor. Disposal of this product, solutions and an at all times comply with the requirements protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	disposed of in a safe roducts via a licensed ny by-products should s of environmental and any regional
European Waste Catalogue	:	08 01 11* waste paint and varnish conta vents or other dangerous substances	aining organic sol-
Contaminated packaging	:	15 01 10* packaging containing residues by dangerous substances	of or contaminated

Version 3.0

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADR	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADR		

Sikafloor®-54 Booster

Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0



Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		8
IMDG Packing group Labels EmS Code	:	III 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft)	:	856
Packing instruction (LQ) Packing group Labels	:	Y841 III Corrosive
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	852
Packing instruction (LQ) Packing group	:	Y841 III

Labels : Corrosive

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
International Chemical Weapons Convention (CWC)	: Not applicable	



Revision Date: 03.05.2023 Date of last issue: 02.03.2021 Version 3.0

Schedules of Toxic Chemicals and Precursors			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer			Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
REACH Information: All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg		rea or ula	am suppliers, and/or ation, and/or
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds : Law on the incentive ta			or volatile organic compounds

(VOCV) Volatile organic compounds (VOC) content: 0,5% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,5% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
ountry GR 1000001111/8		

Revision Date: 03.05.2023 Date of last issue: 02.03.2021



Version 3.0

Eye Dam. Skin Corr. ADR CAS DNEL EC50 GHS	 Serious eye damage Skin corrosion European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration
IATA	Globally Harmonized SystemInternational Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Corr. 1C	H314	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to pre	vious version !

GR / EN