

Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Injection-201 CE Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealing system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.				
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Carcinogenicity, Category 2	H351: Suspected of causing cancer.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.				
2.2 Label elements					
Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms :	\wedge				

Hazard pictograms:Image: Comparison of the second se

Revision Date: 25.01.2023 Date of last issue: 16.02.2021



ate	of last issue: 16.02.2021		
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H332	Harmful if inhaled.
		H334	May cause allergy or asthma symptoms or
			breathing difficulties if inhaled.
		H335	May cause respiratory irritation.
		H351	Suspected of causing cancer.
		H373	May cause damage to organs through pro-
			longed or repeated exposure if inhaled.
	Precautionary statements :	Prevention:	
		P201	Obtain special instructions before use.
		P260	Do not breathe mist or vapours.
		P264	Wash skin thoroughly after handling.
		P280	Wear protective gloves/ protective clothing/
			eye protection/ face protection.
		Bachanca	
		Response:	
		P304 + P340 +	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Version 4.0

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika® Injection-201 CE Part B

Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 	>=80

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date: 25.01.2023 Date of last issue: 16.02.2021		Version 4.0	Print Date 25.01
If swallowed	:	Do not induce vomiting without medical at Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncom	
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed informat and symptoms.	tion on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms of ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- exposure if inhaled.	-
4.3 Indication of any immediate Treatment	me :	dical attention and special treatment nee Treat symptomatically.	eded
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chere extinction.	•
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are k	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained br	reatning apparatus.

Sika[®] Injection-201 CE Part B



Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

i oreentar proteotirte equipine		
Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A)

Revision Date: 25.01.2023 Date of last issue: 16.02.2021



Version 4.0

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid brown slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	ехр	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble

Sika[®] Injection-201 CE Part B

Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0



Date of last issue: 16.02.2021	
Partition coefficient: n- : octanol/water	No data available
Vapour pressure :	0,01 hPa
Density :	ca. 1,07 g/cm3 (20 °C)
Relative vapour density :	No data available
Particle characteristics :	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No hazards to be specially mentioned.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity			
Harmful if inhaled.			
Components:			
Diphenylmethanediisocya	nate	, isomeres and homologues:	
Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h	

Sika[®] Injection-201 CE Part B



Revision Date: 25.01.2023 Date of last issue: 16.02.2021	Version 4.0	Print Date 25.0				
	Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture i short term inhalation.	is moderately toxic after				
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 9.400 mg/kg					
Skin corrosion/irritation Causes skin irritation.						
Serious eye damage/eye irritation.	on					
Respiratory or skin sensitisatio	n					
Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.						
Carcinogenicity Suspected of causing cancer.						
Reproductive toxicity Not classified based on available	information.					
STOT - single exposure May cause respiratory irritation.						
STOT - repeated exposure May cause damage to organs thro	bugh prolonged or repeated exposure if	inhaled.				
Aspiration toxicity Not classified based on available	information.					
11.2 Information on other hazards						
Endocrine disrupting properties	S					
Product:						
Assessment :	The substance/mixture does not conta ered to have endocrine disrupting prop REACH Article 57(f) or Commission Do (EU) 2017/2100 or Commission Regul	perties according to elegated regulation				

levels of 0.1% or higher.

Sika® Injection-201 CE Part B

Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Ρ	rc	bd	u	ct	:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	: There is no data available for this product.
mation	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized wherever possible.

Sika® Injection-201 CE Part B



Revision Date: 25.01.2023
Date of last issue: 16.02.2021

	Empty containers or liners may retain some product reside This material and its container must be disposed of in a sa way. Dispose of surplus and non-recyclable products via a licer waste disposal contractor. Disposal of this product, solutions and any by-products sh at all times comply with the requirements of environmenta protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact of soil, waterways, drains and sewers.	afe nsed iould I
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organ solvents or other dangerous substances	nic
Contaminated packaging	15 01 10* packaging containing residues of or contaminat by dangerous substances	ed

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental bazards		

14.5 Environmental hazards

Not regulated as a dangerous good

Sika® Injection-201 CE Part B

Revision Date: 25.01.2023 Date of last issue: 16.02.2021 Version 4.0



14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	5.1 Safety, health and environmental regulations/legislat REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
				Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 74, 56)
	International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
	REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea d/or gula	am suppliers, and/or tion, and/or
	Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	t and of the Council on the control of ma-
	Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
Carr	ntm/ CP_00000606202			10/11

Revision Date: 25.01.2023 Date of last issue: 16.02.2021



Version 4.0

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 H317 H319 H332 H334 H335 H351 H373		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated
		exposure if inhaled.
Full text of other abbreviati	ons	
Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
Country GR 00000606392		13 / 14

Revision Date: 25.01.2023 Date of last issue: 16.02.2021



Version 4.0

SVHC vPvB	istration, Ev cals (REAC : Substances	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative	
Further information			
Classification of the mixture:		Classification procedure:	
A	11000		

Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN