

Revision Date 01.04.2019

Version 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

Trade name : SikaGrind<sup>®</sup>-351 GR

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Grinding aid

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

## 1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Eye irritation, Category 2	H319: Causes serious eye irritation.			

#### 2.2 Label elements

Labelling (REGULATION ( Hazard pictograms	( <b>EC)</b> :	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P264 P280	Wash skin thoroughly after handling. Wear eye protection/ face protection.
		<b>Response:</b> P305 + P351 +	P338 IF IN EYES: Rinse cautiously with wa- ter for several minutes. Remove contact

Revision Date 01.04.2019 Version 3.1 Print Date 01.04.2019 lenses, if present and easy to do. Continue rinsing. P337 + P313

If eye irritation persists: Get medical advice/ attention.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## **Components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2,2'-iminodiethanol	111-42-2 203-868-0 01-2119488930-28- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 3; H412	>= 1 - < 2,5
Substances with a workplace expos	sure limit :		
glycerol	56-81-5 200-289-5 01-2119471987-18- XXXX		>= 10 - < 20

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date 01.04.2019		Version 3.1	Print Date 01.04.20
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscie	
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	irritant effects	
		Causes serious eye irritation.	
1.3 Indication of any immediate	me	dical attention and special treatment needec	I
+.5 mulcation of any mineulate i		•	
Treatment	:	Treat symptomatically.	
	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	: sur	Treat symptomatically.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: sur :	Treat symptomatically.	al powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: sur :	Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture	al powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	: sur : the	Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture	al powder for n

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

## **6.2 Environmental precautions**

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.



Revision Date 01.04.2019

Version 3.1

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, ir	nclu	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
glycerol	56-81-5	TWA	10 mg/m3	GR OEL
2,2'-iminodiethanol	111-42-2	TWA	3 ppm	GR OEL



evision Date 01.04.2019		Version 3.1	Print Date 01.04.201
*The above mentioned value:	s are in ac	cordance with the legislation in e	15 mg/m3
lease of this safety data shee			
2 Exposure controls			
Personal protective equipm	nent		
Eye protection		ty glasses with side-shields confo wash bottle with pure water	orming to EN166
Hand protection	prove chen	nical-resistant, impervious gloves ed standard must be worn at all ti nical products. Reference numbe rer specifications.	imes when handling
	Buty Cont Suita Vitor	able for short time use or protection rubber/nitrile rubber gloves (0,4 aminated gloves should be remo- able for permanent exposure: a gloves (0.4 mm), kthrough time >30 min.	mm)
Skin and body protection	long- and	ective clothing (e.g. Safety shoes sleeved working clothing, long tro protective boots are additionaly re stirring work.	ousers). Rubber aprons
Respiratory protection	expo ing li orga A1: < Ensu exha ods f ticula to ke	birator selection must be based of sure levels, the hazards of the pr mits of the selected respirator. nic vapor filter (Type A) < 1000 ppm; A2: < 5000 ppm; A3: ire adequate ventilation. This can ust extraction or by general venti for determining inhalation exposu ar to the mixing / stirring area. In of ep the concentrations under the sthen respiration protection meas	roduct and the safe work- : < 10000 ppm h be achieved by local ilation. (EN 689 - Meth- ire). This applies in par- case this is not sufficent occupational exposure
Environmental exposure co	ontrols		
General advice	: If the	product contaminates rivers and ective authorities.	l lakes or drains inform

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	brown
Odour	:	slight

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGrind®-351 GR



Revision Date 01.04.2019		Version 3.1	Print Date 01.04.2019
Odour Threshold	:	No data available	
рН	:	ca. 10 (20 °C)	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	23 hPa	
Relative vapour density	:	No data available	
Density	:	ca. 1,09 g/cm3 (20 °C)	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

9.2 Other information

No data available

Revision Date 01.04.2019

Version 3.1



## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### 2,2'-iminodiethanol:

Acute oral toxicity

: Acute toxicity estimate: 500 mg/kg Method: Converted acute toxicity point estimate

## Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

# Print Date 01.04.2019

#### Revision Date 01.04.2019

## Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

2,2'-iminodiethanol:		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 55 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h

Version 3.1

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

# SikaGrind<sup>®</sup>-351 GR

Revision Date 01.04.2019

Version 3.1



## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

## 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : 2,2',2"-nitrilotriethanol Schedules of Toxic Chemicals and Precursors

REACH - Candidate List of Substances of Very High : None of the components are listed

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# SikaGrind<sup>®</sup>-351 GR



Revision Date 01.04.2019	Version	3.1		Print Date 01.04.201
Concern for Authorisation (Article	59).		(=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	CH - List of substances subject to authorisation ex XIV)			
Regulation (EC) No 1005/2009 on plete the ozone layer	lation (EC) No 1005/2009 on substances that de- the ozone layer			
Regulation (EC) No 850/2004 on   lutants	Regulation (EC) No 850/2004 on persistent organic pol- lutants			
Regulation (EC) No 649/2012 of the ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH - Restrictions on the man the market and use of certain dan preparations and articles (Annex 3	gerous substances,	:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or ition, and/or	
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar		nent	t and of the Council or	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) Volatile organic compo no VOC duties		-	
	Directive 2010/75/EU o emissions (integrated p Volatile organic compo 1,51 %, 61,53 g/l VOC content excluding	oollu ounc	ution prevention and c ds (VOC) content:	
15.2 Chemical safety assessment				

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements		
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H373	:	May cause damage to organs through prolonged or repeated exposure.



vision Date 01.04.2019	Version 3.1	Print Date 01.04
H412	: Harmful to aquatic life with long lasting eff	fects.
Full text of other abbrevia	tions	
Acute Tox.	: Acute toxicity	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Skin Irrit.	: Skin irritation	
STOT RE	: Specific target organ toxicity - repeated ex	xposure
GR OEL	: Greece. Exposure limit values	
GR OEL / TWA	: Long term exposure limit	
ADR	: European Agreement concerning the Inte	rnational Carriage of
	Dangerous Goods by Road	
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerou	s Goods
LD50	: Median lethal dosis (the amount of a mate	erial, given all at
	once, which causes the death of 50% (on	e half) of a group of
	test animals)	
LC50	: Median lethal concentration (concentratio	
	air that kills 50% of the test animals during	g the observation
	period)	
MARPOL	: International Convention for the Prevention	on of Pollution from
	Ships, 1973 as modified by the Protocol c	of 1978
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the Eur	opean Parliament
	and of the Council of 18 December 2006	
	istration, Evaluation, Authorisation and Re	
	cals (REACH), establishing a European C	
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	

Further information					
Classification of the mixtur	Classification procedure:				
Eye Irrit. 2	H319	Calculation method			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN

Revision Date 01.04.2019



Version 3.1