

Sika Monotop 1010 ES

DECLARATION OF PERFORMANCE

No. 48009065

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	48009065
2	INTENDED USE/S	EN 1504-7:2006 Corrosion protection products for repair and protection of concrete for use in buildings and civil engineering works
3	MANUFACTURER:	Sika SAU Crta. Fuencarral 72 28108 Alcobendas Madrid
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-7:2006
	Notified body/ies:	0099

7 DECLARED PERFORMANCE/S

PRESTACIONES DECLARADAS

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Corrosion protection	Pass	System 2+	EN 1504-7:2006

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


Name: Nikos Anagnostopoulos Function: Target Market Manager

Refurbishment

At Athens on 12 February 2024

Name: Angeliki Zacharopoulou Function: QEHS Manager

At Athens on 12 February 2024



	CE			
	23			
Sika SAU, Spain				
DoP No. 48009065				
EN 1504-7:2006				
Notified Body: 0099				
Corrosion protection products for repair and protection of concrete for use in buildings and civil engineering works				
Corrosion protection	Pass			
http://dop.sika.com				

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Declaration of Performance

Sika Monotop 1010 ES 48009065 2024.02 , ver. 01 1053



Sika SAU Crat Fuencarral, 72 Alcobendas Madrid www.sika.es

Declaration of Performance

Sika Monotop 1010 ES 48009065 2024.02 , ver. 01 1053

