

Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikaflex[®] TS Plus

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Sealant/adhesive
-------------	--------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements	:	Prevention: P261 P284	Avoid breathing mist or vapours. In case of inadequate ventilation wear respir- atory protection.
		Response:	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex® TS Plus



Revision Date: 23.11.2023 Date of last issue: 21.02.2021 Version 4.0

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
Disposal: P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanate m-tolylidene diisocyanate

Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 2,5 - < 5
Urea,N,N"-(methylenedi-4,1- phenylene)bis[N'-butyl-	77703-56-1 416-600-4 01-0000016345-72- XXXX	Aquatic Chronic 4; H413	>= 2,5 - < 5

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex[®] TS Plus

Revision Date: 23.11.2023 Date of last issue: 21.02.2021

Print Date 23.11.2023

Version 4.0

4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow STOT RE 2; H373 \longrightarrow STOT RE 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Acute toxicity estimate Acute inhalation tox- icity (dust/mist): 1,5	>= 0,1 - < 1
m-tolylidene diisocyanate	26471-62-5 247-722-4 01-2119454791-34- XXXX	mg/l Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 specific concentration limit Resp. Sens. 1; H334	>= 0,0025 - < 0,025
		>= 0,1 % Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 0,107 mg/l	

For explanation of abbreviations see section 16.



SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms a	nd e	effects, both acute and delayed		
Symptoms	:	Asthmatic appearance Allergic reactions See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	sensitising effects		
		May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.		
4.3 Indication of any immediate Treatment	meo :	dical attention and special treatment needed Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

Jika ®
Print Date 23.11.2023

Revision Date: 23.11.2023 Date of last issue: 21.02.2021		Version 4.0	Print Date 23.11.2
ucts			
5.3 Advice for firefighters			
Special protective equipment for firefighters	t :	In the event of fire, wear self-contained breath	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental relea	ISE I	measures	
6.1 Personal precautions, prote	ectiv	e equipment and emergency procedures	
6.1 Personal precautions, prote Personal precautions	ectiv :	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
• •	ectiv :	Use personal protective equipment.	
Personal precautions	:	Use personal protective equipment.	er system.
Personal precautions 6.2 Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sew	er system.
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sew	nd, silica gel,
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co	: ontai	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sew inment and cleaning up Soak up with inert absorbent material (e.g. sar acid binder, universal binder, sawdust).	nd, silica gel,

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Sikallex 15 Flus

Revision Date: 23.11.2023	Version 4.0
Date of last issue: 21.02.2021	

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 µm)	13463-67-7	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 ppm 0,2 mg/m3	GR OEL
		STEL	0,02 ppm 0,2 mg/m3	GR OEL
m-tolylidene diisocyanate	26471-62-5	TWA	0,01 ppm 0,07 mg/m3	GR OEL
		STEL	0,02 ppm 0,14 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikaflex[®] TS Plus



Revision Date: 23.11.2023 Date of last issue: 21.02.2021	Version 4.0	Print Date 23.11.2
Skin and body protection	: Protective clothing (e.g. Safety shoe long-sleeved working clothing, long and protective boots are additionaly and stirring work.	trousers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation we Respirator selection must be based exposure levels, the hazards of the ing limits of the selected respirator. Use a properly fitted NIOSH approve respirator complying with an approve sessment indicates this is necessary organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A Ensure adequate ventilation. This case exhaust extraction or by general ver ods for determining inhalation expose ticular to the mixing / stirring area. In to keep the concentrations under the limits then respiration protection me 	on known or anticipated product and the safe work- ed air-purifying or air-fed red standard if a risk as- y. A3: < 10000 ppm an be achieved by local ntilation. (EN 689 - Meth- sure). This applies in par- n case this is not sufficent e occupational exposure
Environmental exposure	controls	
General advice	: Do not flush into surface water or sa	anitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

inition and a sic physical	an	u chemical propertie			
Physical state Appearance Colour Odour	:	liquid paste various slight			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit					
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	> 101 °C Method: closed cup			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex® TS Plus

Print Date 23.11.2023

Revision Date: 23.11.2023 Date of last issue: 21.02.2021 Version 4.0

рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	ca. 90.000 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,25 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid	:	No data available
	•	NO Uala available

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Version 4.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

<u>components.</u>					
Urea,N,N"-(methylenedi-4,1-ph	enylene)bis[N'-butyl-:				
Acute oral toxicity :	LD50 Oral (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401				
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402				
4,4'-methylenediphenyl diisoc	yanate:				
Acute oral toxicity	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401				
Acute inhalation toxicity :	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement				
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method				
m-tolylidene diisocyanate:					
Acute inhalation toxicity :	LC50 (Rat): 0,107 mg/l Exposure time: 4 h Test atmosphere: vapour Acute toxicity estimate: 0,107 mg/l Test atmosphere: vapour Method: Calculation method				
Skin corrosion/irritation Not classified based on available	e information.				
Serious eye damage/eye irritation Not classified based on available information.					
Respiratory or skin sensitisation					
Skin sensitisation Not classified based on available information.					

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sikaflex[®] TS Plus

Revision Date: 23.11.2023 Date of last issue: 21.02.2021 Version 4.0



Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Sikaflex[®] TS Plus

Revision Date: 23.11.2023 Date of last issue: 21.02.2021 Version 4.0



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances



Version 4.0

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
International Chemical Weapons Convention (CWC)	:	Not applicable		
Schedules of Toxic Chemicals and Precursors				

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or
 - registered by our upstream supplik
 registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex[®] TS Plus



Revision Date: 23.11.2023 Date of last issue: 21.02.2021	Version 4	.0	Print Date 23.11.20	
REACH - Restrictions on the manuation the market and use of certain danger mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
			4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) m-tolylidene diisocyanate (Number on list 74) 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)	
REACH - Candidate List of Substar Concern for Authorisation (Article 5		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subjec (Annex XIV)	t to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 on splete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pers tants (recast)	sistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 of the ment and the Council concerning the of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU of jor-accident hazards involving dang	t and of the Council on the control of ma-			
	(VOCV)		or volatile organic compounds ds (VOC) content: 0,81% w/w	
 	Directive 2010/75/EU of 24 November 2010 on industrial			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,81% w/w

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.

Sikaflex[®] TS Plus



Revision Date: 23.11.2023 Date of last issue: 21.02.2021	Version 4.0	Print Date 23				
H319 :	Causes serious eye irritation.					
H330 :	Fatal if inhaled.					
H332	Harmful if inhaled.					
H334	May cause allergy or asthma symptoms or breath	ning difficul-				
	ties if inhaled.	ing annea-				
H335 :	May cause respiratory irritation.					
H351 :	Suspected of causing cancer.					
H373 :	May cause damage to organs through prolonged exposure if inhaled.	or repeated				
H412 :	Harmful to aquatic life with long lasting effects.					
H413 :	May cause long lasting harmful effects to aquatic life.					
Full text of other abbreviations						
Acute Tox.	Acute toxicity					
Aquatic Chronic :	Long-term (chronic) aquatic hazard					
Carc.	Carcinogenicity					
Eye Irrit.	Eye irritation					
Resp. Sens.	Respiratory sensitisation					
Skin Irrit.	Skin irritation					
Skin Sens. :	Skin sensitisation					
STOT RE :	Specific target organ toxicity - repeated exposure)				
STOT SE :	Specific target organ toxicity - single exposure					
GR OEL :	Greece. Exposure limit values					
GR OEL / TWA :	Long term exposure limit					
GR OEL / STEL :	Short term exposure limit					
ADR :	European Agreement concerning the Internationa	al Carriage of				
	Dangerous Goods by Road					
CAS :	Chemical Abstracts Service					
DNEL :	Derived no-effect level					
EC50	Half maximal effective concentration					
GHS	Globally Harmonized System					
IATA	International Air Transport Association					
IMDG :	International Maritime Code for Dangerous Good					
LD50						
LD50 .	Median lethal dosis (the amount of a material, giv					
	once, which causes the death of 50% (one half) of test animals)	or a group of				
	test animals)					
LC50 :	Median lethal concentration (concentrations of th					
	air that kills 50% of the test animals during the ob	servation				
	period)					
MARPOL :	International Convention for the Prevention of Po	Ilution from				
	Ships, 1973 as modified by the Protocol of 1978					
OEL :	Occupational Exposure Limit					
PBT :	Persistent, bioaccumulative and toxic					
PNEC :	Predicted no effect concentration					
REACH :	Regulation (EC) No 1907/2006 of the European I	Parliament				
	and of the Council of 18 December 2006 concerr istration, Evaluation, Authorisation and Restrictio	ning the Reg-				
	cals (REACH), establishing a European Chemica	als Agency				
SVHC :	Substances of Very High Concern					
vPvB :	Very persistent and very bioaccumulative					

Further information



Version 4.0

Classification of the mixture:

Resp. Sens. 1

Classification procedure:

Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

H334

GR / EN