

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name

: Sikagard<sup>®</sup>-730 Concrete Protect Plus

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete protection

## 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

## 1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

## **Additional Labelling**

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

UH210 Safety data sheet available on request.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Sikagard<sup>®</sup>-730 Concrete Protect Plus



Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C12-C16, isoal- kanes, cyclics, <2% aromatics	Not Assigned 927-676-8 01-2119456377-30- XXXX [corresponding group CAS 64742-47- 8]	Asp. Tox. 1; H304 EUH066	>= 40 - < 60
Hydrocarbons, C11-C13, isoal- kanes, <2% aromatics	Not Assigned 920-901-0 01-2119456810-40- XXXX [corresponding group CAS 64742-48- 9]	Asp. Tox. 1; H304 EUH066	>= 10 - < 20
triethoxy(2,4,4- trimethylpentyl)silane	35435-21-3 252-558-1 01-2119555666-27- XXXX	Flam. Liq. 3; H226	>= 10 - < 20

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0



mixture of: 5-chloro-2-methyl-4-	55965-84-9	Acute Tox. 3; H301	>= 0,0002 - <
isothiazolin-3-one [EC no. 247-	911-418-6	Acute Tox. 2; H330	>= 0,0002 - < 0,0015
500-7] and 2-methyl-2H-	01-2120764691-48-	Acute Tox. 2; H310	0,0013
isothiazol-3-one [EC no. 220-239-	XXXX	Skin Corr. 1C; H314	
6] (3:1) (C(M)IT/MIT (3:1))		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		Skin Corr. 1C; H314	
		>= 0,6 %	
		Skin Irrit. 2; H315	
		0,06 - < 0,6 %	
		Eye Irrit. 2; H319	
		0,06 - < 0,6 %	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		Eye Dam. 1; H318	
		>= 0,6 %	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0

4.2 Most important symptoms and effects, both acute and delayed							
Symptoms	: See Section 11 for more detailed information on health effects and symptoms.						
Risks	: No known significant effects or hazards.						
4.3 Indication of any immediate r	4.3 Indication of any immediate medical attention and special treatment needed						
Treatment	: Treat symptomatically.						
SECTION 5: Firefighting meas	ures						
5.1 Extinguishing media							
	<ul> <li>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</li> <li>Dry powder</li> <li>Alcohol-resistant foam</li> <li>Carbon dioxide (CO2)</li> <li>Water spray</li> <li>Dry sand</li> </ul>						
	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.						
5.2 Special hazards arising from	the substance or mixture						
	: No hazardous combustion products are known						
5.3 Advice for firefighters							
_	: In the event of fire, wear self-contained breathing apparatus.						
Further information	: Standard procedure for chemical fires.						
SECTION 6: Accidental release measures							
6.1 Personal precautions, protec	tive equipment and emergency procedures						
Personal precautions	: For personal protection see section 8.						

# 6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

# 6.3 Methods and material for containment and cleaning up



Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0

Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	g	
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Contains no substances with occupational exposure limit values					

Contains no substances with occupational exposure limit values.

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	GR OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	GR OEL



Revision Date: 03.05.2023 Date of last issue: 07.10.2021

Version 5.0

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

# 8.2 Exposure controls

## **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection Hand protection	:	Safety glasses Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection		Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure co	ntro	ols
General advice	:	No special environmental precautions required.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste light yellow solvent-like				
Melting point/range / Freezing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or explosive limits						
Upper explosion limit / Upper flammability limit	:	No data available				
Lower explosion limit / Lower flammability limit	:	No data available				
Flash point	:	ca. 65 °C Method: closed cup				

# Sikagard®-730 Concrete Protect Plus

Print Date 03.05.2023

D. (	
Date of last issue: 07.10.2021	

Version 5.0

Auto-ignition temperature	:	No data available
Self ignition temperature	:	375 °C
Decomposition temperature	:	No data available
рН	:	ca. 7 Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	emulsifiable
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca. 0,84 g/cm3 (25 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available
9.2 Other information		

No data available

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

The product is chemically stable.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

# 10.4 Conditions to avoid

data available
)

# 10.5 Incompatible materials

Materials to avoid : No data available

# **10.6 Hazardous decomposition products**

# Sikagard<sup>®</sup>-730 Concrete Protect Plus



evision Date: 03.05.2023 ate of last issue: 07.10.2021		Version 5.0	Print Date 03.05.202
	:	ethanol	
Hazardous decomposition products	:	ethanol	
ECTION 11: Toxicological in	nfor	nation	
1.1 Information on hazard clas	ses	as defined in Regulation (EC) No 1272/2008	
Acute toxicity Not classified based on availa Components:	able	nformation.	
	oalk	anes, cyclics, <2% aromatics:	
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg	
triethoxy(2,4,4-trimethylper Acute oral toxicity	ntyl) :	<b>ilane:</b> LD50 Oral (Rat): > 2.000 mg/kg	
Acute inhalation toxicity	:	LC50 (Rat): 11,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
mixture of: 5-chloro-2-methyl- one [EC no. 220-239-6] (3:1)		othiazolin-3-one [EC no. 247-500-7] and 2-met I)IT/MIT (3:1)) <b>:</b>	hyl-2H-isothiazol-3-
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory trac	t.
Skin corrosion/irritation Not classified based on availa	able	nformation.	
Components:			
Hydrocarbons, C12-C16, iso	oalk	anes, cyclics, <2% aromatics:	
Result	:	Repeated exposure may cause skin dryness	or cracking.
Hydrocarbons, C11-C13, iso Assessment	oalk :	anes, <2% aromatics: Repeated exposure may cause skin dryness	or cracking.
Serious eye damage/eye irr Not classified based on availa			

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0



# Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity)

## 12.2 Persistence and degradability

No data available

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0



# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

# Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## 12.6 Endocrine disrupting properties

## Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

## Product:

<u>rroudot.</u>		
Additional ecological infor- mation	:	There is no data available for this product.
mation		

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> </ul>
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0



# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legisla	ation specific for the substance or mixture
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).

# Sikagard®-730 Concrete Protect Plus



Revision Date: 03.05.2023 Date of last issue: 07.10.2021	Version 5.0	)		Print Date 03.05.20	
REACH - List of substances s (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)			Not applicable	
Regulation (EC) No 1005/200 plete the ozone layer	Regulation (EC) No 1005/2009 on substances that de plete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 or tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu tants (recast)				
	Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable	
REACH Information:			əar r lati	n suppliers, and/or ion, and/or	
Seveso III: Directive 2012/18/ jor-accident hazards involving		tances.	nta	and of the Council on t	he control of ma-
Volatile organic compounds	(VOCV)			r volatile organic comp s (VOC) content: 57,2%	
	emissions (i	ntegrated po	llu	November 2010 on in tion prevention and co s (VOC) content: 57,29	ntrol)

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Star	tements	
H226	:	Flammable liquid and vapour.
H301	:	Toxic if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other	abbreviations	

## Country GR 10000015912

# Sikagard®-730 Concrete Protect Plus

Revision Date: 03.05.2023 Date of last issue: 07.10.2021 Version 5.0



Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.		Aspiration hazard
Eye Dam.		Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
GR OEL	:	Greece. Exposure limit values
GR OEL / TWA	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
ABR	•	Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
0.410		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

# **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN