Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-634 HP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

- H318: Causes serious eye damage.
- H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

	,		-)
Hazard pictograms	:	LE	
Signal word	:	Danger	•
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.

Sika MonoTop[®]-634 HP

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0



Prevention:	
P271	Use only outdoors or in a well-ventilated ar- ea.
P280	Wear protective gloves/ eye protection/ face protection.
Response:	
P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

Print Date 08.03.2024

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

calcium oxide	1305-78-8	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-138-9	Eye Dam. 1; H318	
	01-2119475325-36-	STOT SE 3; H335	
	XXXX		
Substances with a workplace exp	osure limit :		
Limestone	1317-65-3		>= 40 - < 60
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			
Quartz (SiO2)	14808-60-7		>= 5 - < 10
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measu	ires	6
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	nd e	ffects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects



Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Treatment	edical attention and special treatment needed : Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1 Extinguishing media	
Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from t	he substance or mixture
Hazardous combustion prod- ucts	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Standard procedure for chemical fires.
SECTION 6: Accidental release	e measures
6.1 Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Try to prevent the material from entering drains or water
	courses. No special environmental precautions required.
6.3 Methods and material for cont	ainment and cleaning up
	Distance and success discussed with successful a dust

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

Revision Date: 08.03.2024 Date of last issue: 13.08.2021

Version 5.0



SECTION 7: Handling and storage

7.1 Precautions for sa	afe handling	
Advice on safe ha	ndling :	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protecti fire and explosion	on against :	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	5 :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for saf	e storage, inc	luding any incompatibilities
Requirements for areas and contain		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information age stability	n on stor- :	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s	3)	
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Limestone	1317-65-3	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL
calcium oxide	1305-78-8	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	Further information: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (Respirable fraction)	1 mg/m3	GR OEL
		STEL (Respirable fraction)	4 mg/m3	GR OEL



Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Alveolate part		ZOAD/TWA	5 mg/m3	GR OEL
inhalable fraction		ZOAD/TWA	10 mg/m3	GR OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection : Hand protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Version 5.0

Sika MonoTop®-634 HP

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Print Date 08.03.2024

	solid powder grey characteristic
:	No data available
:	No data available
:	No data available
-	losive limits No data available
:	No data available
:	Not applicable
:	No data available
:	No data available
:	> 11 Concentration: 50 %
:	Not applicable
:	Not applicable
:	No data available
:	No data available
:	Not applicable
:	Not applicable
:	ca. 1,6 kg/l (20 °C)
:	No data available
:	No data available
	: ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;

9.2 Other information

No data available

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Sika MonoTop[®]-634 HP

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0



Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Print Date 08.03.2024

Revision Date: 08.03.2024 Date of last issue: 13.08.2021

Version 5.0

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good

Sika MonoTop®-634 HP

Print Date 08.03.2024

Revision Date: 08.03.2024	
Date of last issue: 13.08.2021	

_

Version 5.0

IMDG	: Not regulated as a dangerous good		
IATA (Cargo)	: Not regulated as a dangerous good		
IATA (Passenger)	: Not regulated as a dangerous good		
14.5 Environmental hazards			
Not regulated as a dangero	us good		
14.6 Special precautions for u Not applicable	ser		
14.7 Maritime transport in bul Not applicable for product a	c according to IMO instruments as supplied.		
SECTION 15: Regulatory in	formation		
15.1 Safety, health and enviro International Chemical Wea Schedules of Toxic Chemic			
REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
REACH - Restrictions on the market and use of certa mixtures and articles (Anne	in dangerous substances,		
REACH - Candidate List of Concern for Authorisation (
REACH - List of substance (Annex XIV)	s subject to authorisation : Not applicable		
Regulation (EC) No 1005/2 plete the ozone layer	009 on substances that de- : Not applicable		
Regulation (EU) 2019/1021 tants (recast)	on persistent organic pollu- : Not applicable		
Regulation (EU) No 649/20 ment and the Council conc of dangerous chemicals	12 of the European Parlia- : Not applicable erning the export and import		
Seveso III: Directive 2012/ [,] jor-accident hazards involv	8/EU of the European Parliament and of the Council on the control of ma- ng dangerous substances.		

Not applicable

Sika MonoTop[®]-634 HP

Print Date 08.03.2024

Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

Volatile organic compounds : Law on the incentive tax for volatile organ (VOCV) Volatile organic compounds (VOC) conter no VOC duties	·
------------------------------------------------------------------------------------------------------------------------------------------------	---

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315		Causes skin irritation.
H318	:	Causes skill inflation. Causes serious eye damage.
H335	:	May cause respiratory irritation.
	·	may cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
GR OEL	:	Greece. Exposure limit values
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GR OEL / ZOAD/TWA	:	Time Weighted Average Value
GR OEL / TWA	:	Long term exposure limit
GR OEL / STEL	:	Short term exposure limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-

Sika MonoTop[®]-634 HP



Revision Date: 08.03.2024 Date of last issue: 13.08.2021 Version 5.0

	cals (REACH), establishing a European Chemicals Agen	۱СУ
SVHC	Substances of Very High Concern	
vPvB	Very persistent and very bioaccumulative	

Further information

Classification of the mixtu	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN