

Version 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

: Sikalastic<sup>®</sup>-832 FR I Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Liquid applied membranes
-------------	----------------------------

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

#### **1.4 Emergency telephone number**

Poison Information Center + 30 210 77 93 777

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.
Label elements	

### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023

Date of last issue: 19.02.2021



:	Danger	
:	H302 + H332 H315 H317 H319 H334 H335 H351 H373 H412	Harmful if swallowed or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure if inhaled. Harmful to aquatic life with long lasting ef- fects.
:	<b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response:	
	P304 + P340 + F P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
	:	<ul> <li>H302 + H332 H315 H317 H319 H334</li> <li>H335 H351 H373 H412</li> <li>Prevention: P201 P260 P264 P280</li> <li>Response: P304 + P340 + F</li> </ul>

Version 2.0

## Hazardous components which must be listed on the label:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, polymer with 1,1'methylenebis[isocyanatobenzene] tris(2-chloro-1-methylethyl) phosphate 4,4'-methylenediphenyl diisocyanate 4,4`-Methylenediphenyl diisocyanate, oligomers

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021



Version 2.0

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-, polymer with 1,1'- methylenebis[isocyanatobenzene]	39420-98-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 STOT RE 2; H373	>= 25 - < 40
tris(2-chloro-1-methylethyl) phos- phate	13674-84-5 237-158-7 01-2119486772-26- XXXX (covered by EC 807-935-0)	Acute Tox. 4; H302 Aquatic Chronic 3; H412	>= 25 - < 40
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 $\longrightarrow$ STOT RE 2; H373 $\longrightarrow$ STOT RE 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 % $\longrightarrow$ Acute toxicity estimate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 20 - < 25

# Sikalastic<sup>®</sup>-832 FR | Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0



4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate	>= 10 - < 20
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	ffects, both acute and delayed
Symptoms	:	Gastrointestinal discomfort Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema

# Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021	Version 2.0	Print Date 23.11.202
	Headache Dermatitis See Section 11 for more detailed informa and symptoms.	tion on health effects
Risks	: irritant effects sensitising effects	
	Harmful if swallowed or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms of ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- exposure if inhaled.	-
<b>4.3 Indication of any immediate</b> Treatment	nedical attention and special treatment needs : Treat symptomatically.	eded
Treatment SECTION 5: Firefighting meas	: Treat symptomatically.	eded
Treatment SECTION 5: Firefighting meas	: Treat symptomatically.	eded
Treatment SECTION 5: Firefighting meas	: Treat symptomatically.	er jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	<ul> <li>Treat symptomatically.</li> <li>ures</li> <li>In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheextinction.</li> </ul>	er jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	<ul> <li>Treat symptomatically.</li> <li>ures</li> <li>In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheextinction.</li> </ul>	er jet/carbon diox- mical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	<ul> <li>Treat symptomatically.</li> <li>ures</li> <li>In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheextinction.</li> <li>the substance or mixture</li> </ul>	er jet/carbon diox- mical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	<ul> <li>Treat symptomatically.</li> <li>ures</li> <li>In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cherextinction.</li> <li>the substance or mixture</li> <li>No hazardous combustion products are k</li> </ul>	er jet/carbon diox- mical powder for nown

6.1 Personal precautions, protect	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.



Sikalastic -032 FR I Pdfl

Version 2.0

If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up
- : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
-	Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

# Sikalastic<sup>®</sup>-832 FR I Part B

Print Date 23.11.2023

Revision Date: 23.11.2023 Date of last issue: 19.02.2021

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 ppm	GR OEL
			0,2 mg/m3	
		STEL	0,02 ppm	GR OEL
			0,2 mg/m3	
4,4`-Methylenediphenyl diisocyanate,	25686-28-6	TWA	0,02 ppm	GR OEL
oligomers			0,2 mg/m3	
		STEL	0,02 ppm	GR OEL
			0,2 mg/m3	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-
Nuntry C.P. 10000017301		

# Devision Date: 00.44.0000

<b>Jika</b> ®
Print Date 23.11.2023

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0

ods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure con	tro	bls
General advice	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid light yellow characteristic
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	ca. 750 mPa.s (25 °C)
Viscosity, kinematic	:	No data available
<b>Solubility(ies)</b> Water solubility	:	No data available
Solubility in other solvents	:	No data available

# Sikalastic<sup>®</sup>-832 FR | Part B

Print Date 23.11.2023

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0

Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,01 hPa
Density	: ca. 1,120 g/cm3 (25 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

#### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazar	ards to be specially mentioned.
--------------------------------	---------------------------------

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Components:

#### 4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity

: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401

Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021

Version 2.0



Test atmosphere: dust/mist Method: Calculation method         4,4'-Methylenediphenyl diisocyanate, oligomers:         Acute oral toxicity       :         LD50 Oral (Rat): > 5.000 mg/kg         Acute inhalation toxicity       :         LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement         Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method         Acute dermal toxicity       :         LD50 Dermal (Rabbit): > 9.400 mg/kg         Skin corrosion/irritation         Causes skin irritation.         Serious eye damage/eye irritation         Causes serious eye irritation.         Respiratory or skin sensitisation         May cause an allergic skin reaction.         Respiratory sensitisation         May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Germ cell mutagenicity         Not classified based on available information.         Carcinogenicity         Suspected of causing cancer.         Reproductive toxicity         Not classified based on available information.         STOT - single exposure         May cause respiratory irritation.         STOT - repeated exposure         May cause damage to organs through prolonged or repeated exposure if inhaled.	Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l			
Acute oral toxicity:LD50 Oral (Rat): > 5.000 mg/kgAcute inhalation toxicity:LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgementAcute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:LD50 Dermal (Rabbit): > 9.400 mg/kgSkin corrosion/irritation Causes skin irritation.:Serious eye damage/eye irritation Causes serious eye irritation.Skin sensitisation May cause an allergic skin reaction.Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ cell mutagenicity Not classified based on available information.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Not classified based on available information.STOT - single exposure May cause respiratory irritation.STOT - single exposure May cause damage to organs through prolonged or repeated exposure if inhaled.STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.			Test atmosphere: dust/mist			
Acute oral toxicity:LD50 Oral (Rat): > 5.000 mg/kgAcute inhalation toxicity:LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgementAcute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:LD50 Dermal (Rabbit): > 9.400 mg/kgSkin corrosion/irritation Causes skin irritation.:Serious eye damage/eye irritation Causes serious eye irritation.Skin sensitisation May cause an allergic skin reaction.Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ cell mutagenicity Not classified based on available information.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Not classified based on available information.STOT - single exposure May cause respiratory irritation.STOT - single exposure May cause damage to organs through prolonged or repeated exposure if inhaled.STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.	4,4`-Methylenediphenyl diis	SOCY	vanate, oligomers:			
Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgementAcute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:LD50 Dermal (Rabbit): > 9.400 mg/kgSkin corrosion/irritation Causes skin irritation.Causes skin irritation.Serious eye damage/eye irritation Causes serious eye irritation.Causes serious eye irritation.Respiratory or skin sensitisationSkin sensitisationMay cause an allergic skin reaction.Respiratory sensitisationMay cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ cell mutagenicity Suspected of causing cancer.Repoductive toxicity Suspected of causing cancer.Reproductive toxicity Not classified based on available information.STOT - single exposure May cause respiratory irritation.STOT - single exposure May cause damage to organs through prolonged or repeated exposure if inhaled.	· · · ·	:				
Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:LD50 Dermal (Rabbit): > 9.400 mg/kgSkin corrosion/irritation Causes skin irritation.Serious eye damage/eye irritation Causes serious eye irritation.Serious eye damage/eye irritation.Serious eye damage/eye irritation.Respiratory or skin sensitisationSkin sensitisationSkin sensitisationMay cause an allergic skin reaction.Respiratory sensitisationMay cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ cell mutagenicity Not classified based on available information.CarcinogenicitySuspected of causing cancer.Reproductive toxicity Not classified based on available information.STOT - single exposure May cause respiratory irritation.STOT - single exposure May cause damage to organs through prolonged or repeated exposure if inhaled.	Acute inhalation toxicity	:	Exposure time: 4 h Test atmosphere: dust/mist			
<ul> <li>Skin corrosion/irritation</li> <li>Causes skin irritation.</li> <li>Serious eye damage/eye irritation</li> <li>Causes serious eye irritation.</li> <li>Respiratory or skin sensitisation</li> <li>Skin sensitisation</li> <li>May cause an allergic skin reaction.</li> <li>Respiratory sensitisation</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>Germ cell mutagenicity</li> <li>Not classified based on available information.</li> <li>Carcinogenicity</li> <li>Suspected of causing cancer.</li> <li>Reproductive toxicity</li> <li>Not classified based on available information.</li> <li>STOT - single exposure</li> <li>May cause respiratory irritation.</li> <li>STOT - repeated exposure</li> <li>May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>			Test atmosphere: dust/mist			
Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified based on available information. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.	Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg			
Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified based on available information. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.						
Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified based on available information. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.						
May cause an allergic skin reaction. <b>Respiratory sensitisation</b> May cause allergy or asthma symptoms or breathing difficulties if inhaled. <b>Germ cell mutagenicity</b> Not classified based on available information. <b>Carcinogenicity</b> Suspected of causing cancer. <b>Reproductive toxicity</b> Not classified based on available information. <b>STOT - single exposure</b> May cause respiratory irritation. <b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure if inhaled.	Respiratory or skin sensitisation					
May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified based on available information. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.						
Germ cell mutagenicity Not classified based on available information. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified based on available information. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled.						
Not classified based on available information. <b>Carcinogenicity</b> Suspected of causing cancer. <b>Reproductive toxicity</b> Not classified based on available information. <b>STOT - single exposure</b> May cause respiratory irritation. <b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure if inhaled.						
Suspected of causing cancer. <b>Reproductive toxicity</b> Not classified based on available information. <b>STOT - single exposure</b> May cause respiratory irritation. <b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure if inhaled.						
Not classified based on available information. <b>STOT - single exposure</b> May cause respiratory irritation. <b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure if inhaled.						
May cause respiratory irritation. <b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure if inhaled.						
May cause damage to organs through prolonged or repeated exposure if inhaled.						
	STOT - repeated exposure					
Aspiration toxicity	May cause damage to organs through prolonged or repeated exposure if inhaled.					
Not classified based on available information.						

# Sikalastic<sup>®</sup>-832 FR | Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0



#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

# Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0



### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

A	ADR	:	Not regulated as a dangerous good
I	MDG	:	Not regulated as a dangerous good
L	ΑΤΑ	:	Not regulated as a dangerous good
14.2 l	UN proper shipping name		
A	ADR	:	Not regulated as a dangerous good
I	MDG	:	Not regulated as a dangerous good
L	ΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)			
A	ADR	:	Not regulated as a dangerous good
I	MDG	:	Not regulated as a dangerous good
L	ΑΤΑ	:	Not regulated as a dangerous good
14.4 F	Packing group		
A	ADR	:	Not regulated as a dangerous good
I	MDG	:	Not regulated as a dangerous good
L	ATA (Cargo)	:	Not regulated as a dangerous good
L	ATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# Sikalastic<sup>®</sup>-832 FR I Part B

Revision Date: 23.11.2023 Date of last issue: 19.02.2021 Version 2.0



#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

15. <i>*</i>	<b>5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b> International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors						
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or tion, and/or			
	REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
				4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) 4,4`-Methylenediphenyl diisocya- nate, oligomers (Number on list 74, 56)			
	REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).			
	REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable			
	Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable			
	Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable			
	Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable			
	jor-accident hazards involving da		nent	and of the Council on the control of ma-			

Not applicable

# Sikalastic<sup>®</sup>-832 FR I Part B

Print Date 23.11.2023

Revision Date: 23.11.2023
Date of last issue: 19.02.2021

Version 2.0

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements				
H302 :	Harmful if swallowed.			
H315	Causes skin irritation.			
H317				
H319 :	May cause an allergic skin reaction.			
H332	Causes serious eye irritation.			
	Harmful if inhaled.			
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
H335 :	May cause respiratory irritation.			
H351 :	Suspected of causing cancer.			
H373 :	May cause damage to organs through prolonged or repeated exposure if inhaled.			
H412 :	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations				
Acute Tox. :	Acute toxicity			
Aquatic Chronic :	Long-term (chronic) aquatic hazard			
Carc. :	Carcinogenicity			
Eye Irrit. :	Eye irritation			
Resp. Sens. :	Respiratory sensitisation			
Skin Irrit.	Skin irritation			
Skin Sens. :	Skin sensitisation			
STOT RE :	Specific target organ toxicity - repeated exposure			
STOT SE :	Specific target organ toxicity - single exposure			
GR OEL :	Greece. Exposure limit values			
GR OEL / TWA :	Long term exposure limit			
GR OEL / STEL :	Short term exposure limit			
ADR :	European Agreement concerning the International Carriage of			
, ABIX	Dangerous Goods by Road			
CAS :	Chemical Abstracts Service			
DNEL :	Derived no-effect level			
EC50	Half maximal effective concentration			
GHS :	Globally Harmonized System			
IATA :	International Air Transport Association			
IMDG :	International Maritime Code for Dangerous Goods			
LD50				
	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			



Revision Date: 23.11.2023		
Date of last issue: 19.02.2021		

LC50	<ul> <li>Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)</li> </ul>
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

#### **Further information**

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

#### GR / EN