

Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Patch-5 Rapid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		_

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (E	EC)	No 1272/2008)	
Hazard pictograms	:		!
Signal word	:	Danger	•
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.

Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Print Date 26.11.2021

Prevention:	
P271	Use only outdoors or in a well-ventilated ar- ea.
P280	Wear protective gloves/ eye protection/ face protection.
Response:	
P305 + P351 -	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Version 4.0

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 25 - < 40
		(Respiratory system)	



Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Version 4.0

Substances with a workplace exp Limestone	osure limit : 1317-65-3	>= 40 - < 60
Contains: Quartz (SiO2) <5µm >= 0,1 %	215-279-6	
Quartz (SiO2)	14808-60-7 238-878-4	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Country GR 10000019499	3 /

Print Date 26.11.2021

Revision Date: 26.11.2021 Date of last issue: 20.11.2020

Treatment

Version 4.0

SECTION 5: Firefighting meas		
_	sur	es
5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental releas	e n	neasures
6.1 Personal precautions, protec	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.
		Avoid preathing dust
		Avoid breathing dust. Deny access to unprotected persons.
		•
6.2 Environmental precautions Environmental precautions	:	Deny access to unprotected persons. Try to prevent the material from entering drains or water
6.2 Environmental precautions	:	Deny access to unprotected persons.
6.2 Environmental precautions	: Itai	Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. No special environmental precautions required.

4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Revision Date: 26.11.2021 Date of last issue: 20.11.2020		Version 4.0	Print Date 26.1
Advice on safe handling	:	Avoid exceeding the given occupational expo section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be proh plication area. Follow standard hygiene measures when har products	ibited in the ap-
Advice on protection against	:	Avoid dust formation. Provide appropriate ex at places where dust is formed.	haust ventilation
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage, in	ncl	luding any incompatibilities	
Requirements for storage : areas and containers	:	Keep container tightly closed in a dry and we place. Store in accordance with local regulation	
Further information on stor-	:	Keep in a dry place. No decomposition if stored and applied as di	rected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheuuse.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Limestone	1317-65-3	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL
Quartz (SiO2)	14808-60-7	TWA (Respirable	0,1 mg/m3	GR OEL
		fraction)	-	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-



Revision Date: 26.11.2021 Date of last issue: 20.11.2020	Version 4.0	Print Date 26.11.2
	facturer specifications.	
	Recommended: Butyl rubber/nitrile rubber glove Contaminated gloves should be removed.	S.
Skin and body protection	 Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Re and protective boots are additionally recommend and stirring work. 	ubber aprons
Respiratory protection	 In case of inadequate ventilation wear respirator Respirator selection must be based on known of exposure levels, the hazards of the product and ing limits of the selected respirator. particulate filter P 	anticipated
	P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achiev exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This a ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must	ed by local 689 - Meth- pplies in par- not sufficent al exposure
Environmental exposure cont	rols	
General advice	: Try to prevent the material from entering drains courses. No special environmental precautions required.	or water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	: : :	solid powder dark grey characteristic
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable

Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Version 4.0



Solubility(ies)

Water solubility	:	insoluble
Vapour pressure	:	Not applicable
Density	:	Not applicable
Bulk density	:	ca. 1,6 kg/l (20 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Version 4.0



Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



Revision Date: 26.11.2021 Date of last issue: 20.11.2020	Version 4.0	Print Date 26.11.20
Assessment	: This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	 The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regular levels of 0.1% or higher. 	erties according to legated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this produ	uct.
SECTION 13: Disposal consid	erations	
13.1 Waste treatment methods		
Product	 The generation of waste should be avoid wherever possible. Empty containers or liners may retain so This material and its container must be way. Dispose of surplus and non-recyclable possible of surplus and non-recyclable possible of this product, solutions and a at all times comply with the requirement protection and waste disposal legislatio local authority requirements. 	ome product residues. disposed of in a safe products via a licensed any by-products should ts of environmental

Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
Country GR 10000019499			9 / 12

Revision Date: 26.11.2021 Date of last issue: 20.11.2020



Version 4.0

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3	3 Transport hazard class(es)			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4	4 Packing group			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

. . . .

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 \$	Safety, health and environment	al regulations/legislati	on	specific for the substance or mixture
t	REACH - Restrictions on the man he market and use of certain dan preparations and articles (Annex 2	gerous substances,	:	Not applicable
	nternational Chemical Weapons Schedules of Toxic Chemicals an	· · · · · · · · · · · · · · · · · · ·	:	Not applicable
	REACH - Candidate List of Subst Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 or blete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on pe ants (recast)	rsistent organic pollu-	:	Not applicable
r	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
F	REACH Information:	All substances contained	ed i	n our Products are

Sika® Patch-5 Rapid

Jika ®
Print Date 26.11.2021

Revision Date: 26.11.2021 Date of last issue: 20.11.2020 Version 4.0

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds
		(VOCV)
		no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviati	ions	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
GR OEL	:	Greece. Exposure limit values
GR OEL / TWA	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
040		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	÷	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	-	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament

Jika ®
Print Date 26.11.2021

Revision Date: 26.11.2021
Date of last issue: 20.11.2020

Version 4.0

	 and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative
Further information Classification of the mixture:	Classification procedure:

Classification of the mixture:		Classification procedu
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN