

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaMur[®]-200 M15

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Skin sensitisation, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.
- H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	•
Hazard statements	:	H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaMur[®]-200 M15

Revision Date: 28.04.2023 Date of last issue: 22.02.2021



P102	Keep out of reach of children.
Prevention:	
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
Response:	
P305 + P351 + F	2338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Version 2.0

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 10 - < 20
Lime (chemical), hydraulic	85117-09-5 285-561-1 01-2119475523-36- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 5 - < 10



ision Date: 28.04.2023 e of last issue: 22.02.2021	Versi	ion 2.0	Print Date 28
calcium dihydroxide	1305-62-0 215-137-3	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 1 - < 2,5
Substances with a workplace exp	osure limit :		
Limestone	1317-65-3		>= 60 - < 80
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measu	ure	S
General advice :		Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects sensitising effects



Version 2.0

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

	iviay cause respiratory initiation.					
4.3	4.3 Indication of any immediate medical attention and special treatment needed					
	Treatment	:	Treat symptomatically.			
SE	CTION 5: Firefighting meas	sure	es			
5.1	Extinguishing media					
	Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.			
5.2	Special hazards arising from	the	e substance or mixture			
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known			
5.3	Advice for firefighters					
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.			
	Further information	:	Standard procedure for chemical fires.			
SE	CTION 6: Accidental releas	e n	neasures			
6.1	Personal precautions, protec	tive	e equipment and emergency procedures			
	Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.			
6.2	Environmental precautions					
•	Environmental precautions	:	Do not flush into surface water or sanitary sewer system.			
6.3	Methods and material for cor	ntai	nment and cleaning up			
	Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0



SECTION 7: Handling and storage

7.1 Precautions for safe handling

	•		
	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).
			Do not get in eyes, on skin, or on clothing.
			For personal protection see section 8.
			Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
			Smoking, eating and drinking should be prohibited in the ap- plication area.
			Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (Conditions for safe storage, i	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

age stability 7.3 Specific end use(s)

7.5 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Limestone	1317-65-3	TWA (inhalable)	10 mg/m3	GR OEL
		TWA (respirable)	5 mg/m3	GR OEL
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inforn	nation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (Respirable fraction)	1 mg/m3	GR OEL
		STEL (Respirable fraction)	4 mg/m3	GR OEL



Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P
	P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	
	Do not fluch into ourfage water or agaitary sower system

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid powder grey odourless
Melting point/range	:	> 1.300 °C
Boiling point/boiling range	:	No data available
Flammability	:	Not classified as a flammability hazard

Upper/lower flammability or explosive limits

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaMur®-200 M15



Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0

Upper explosion limit / Up- per flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	slightly soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,5 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0



10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

5

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaMur[®]-200 M15

Sikalviul - 200 10115

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0



levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components consi ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher. 	
	levels of 0.1% of higher.	

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should

Revision Date: 28.04.2023 Date of last issue: 22.02.2021



Version 2.0

at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaMur[®]-200 M15



Revision Date: 28.04.2023 Date of last issue: 22.02.2021	Version 2	2.0		Print Date 28.04.202
mixtures and articles (Annex XVII)		Cement, portland, che (Number on list 47)	emicals
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the component (=> 0.1 %).	nts are listed
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nent	and of the Council on t	the control of ma-
Volatile organic compounds :	Law on the incentive ta	ax fo	or volatile organic comp	ounds

volatile organic compounds	(VOCV) no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Print Date 28.04.2023

Version 2.0

H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviati	ons				
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
2017/164/EU	-	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values			
GR OEL 2017/164/EU / STEL	:	Greece. Exposure limit values			
2017/164/EU / TWA	:	Short term exposure limit Limit Value - eight hours			
GR OEL / TWA	:	Long term exposure limit			
GR OEL / STEL	:	Short term exposure limit			
ADR	÷	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
	÷	International Air Transport Association			
IMDG LD50	÷	International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at			
ED30	•	once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL PBT	÷	Occupational Exposure Limit Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	÷	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
Further information					
Classification of the mixtur		Classification procedure:			
Skin Irrit. 2	H3	15 Calculation method			
Eye Dam. 1	HЗ	18 Calculation method			
Skin Sens. 1	H3	17 Calculation method			
STOT SE 3	HЗ	35 Calculation method			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Silco Mur® 200 M1E

SikaMur[®]-200 M15

Print Date 28.04.2023

Revision Date: 28.04.2023 Date of last issue: 22.02.2021 Version 2.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN