

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikaflex[®]-402 Airport Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 3 H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)						
Hazard pictograms	:					
Signal word	:	Warning				
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting ef- fects.			
Precautionary statements	:	Prevention: P261 P273 P280	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves.			

Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1

Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Pentamethyl piperidylsebacate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
N-butylbenzenesulphonamide	3622-84-2 222-823-6 01-2119486780-29- XXXX	Aquatic Chronic 3; H412	>= 25 - < 40
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



SECTION 4: First aid measures

4.1	Description of first aid measu	res	
	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms		Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
	Risks	:	sensitising effects
			May cause an allergic skin reaction.
4.3	Indication of any immediate m	ned	ical attention and special treatment needed
	Treatment	:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the Hazardous combustion prod- : ucts	e substance or mixture No hazardous combustion products are known



Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1

5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental releas	se r	neasures
6.1 Personal precautions, protec	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for con	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not

Revision Date: 19.04.2023

Date of last issue: 06.12.2021



Version 4.1

smoke	Wash	hands	hefore	breaks	and at	the	end of	workday.
SHIUKE	. **aən	nanus	DEIDIE	DICARS	anu ai			wurkuay.

7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep container tightly closed in a dry and well-ventilated

areas and containers		place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection : Hand protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	No special measures required.				
Environmental exposure controls					
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				

Print Date 19.04.2023

Revision Date: 19.04.2023 Date of last issue: 06.12.2021

Version 4.1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste various neutral
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	ca. 27.000 mPa.s (25 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,14 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

N-butylbenzenesulphonamide:

Acute oral toxicity : LD50 Oral (Rat): 2.070 mg/kg

Pentamethyl piperidylsebacate:

Acute oral toxicity : LD50 Oral (Rat): 3.230 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:							
Pentamethyl piperidylsebacate:							
Toxicity to fish	:	LC50 (Fish): 0,97 mg/l Exposure time: 96 h					
M-Factor (Acute aquatic tox- icity)	:	1					
M-Factor (Chronic aquatic toxicity)	:	1					

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:	
Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	
Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product :		The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic



Revision Date: 19.04.2023 Date of last issue: 06.12.2021		Version 4.1	Print Date 19.04.2023
		solvents or other dangerous substances	
Contaminated packaging	:	15 01 10* packaging containing residues of or by dangerous substances	r contaminated

SECTION 14: Transport information

14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards Not regulated as a dangerous good						

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikaflex[®]-402 Airport Part A



Revision Date: 19.04.2023 Date of last issue: 06.12.2021	Version 4	.1	Print Date 19.04.202	Print Date 19.04.202	
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable		
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
REACH Information: - registered by our ups - registered by us, and - excluded from the registered from			am suppliers, and/or ation, and/or		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 0,65% w/w		

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,71% w/w

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



SECTION 16: Other information

H317 : May cause an allergic skin reaction. H361f : Suspected of damaging fertility. H400 : Very toxic to aquatic life. H410 : Very toxic to aquatic life with long lasting effects. H412 : Harmful to aquatic life with long lasting effects. Full text of other abbreviations Aquatic Chronic : Aquatic Chronic : Long-term (chronic) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation ADR : Chemical Abstracts Service DNEL : Derived no-effect level EC50 : Half maximal effective concentration GHS : Globally Harmonized System IATA : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals LD50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	Full text of H-Statements						
H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H412:Harmful to aquatic life with long lasting effects.Full text of other abbreviationsAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardRepr.:Reproductive toxicitySkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentrationCARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Peredicted no effect concern and of the Concent and stration, Evaluation, Authorisation and Restriction of the Reg- istration, Evaluation, Authorisation and Restriction of the Reg- istration of the Drevention of 1978OEL:Occupational Exposure LimitPBT:Peredicted no effect	H317		May cause an allergic skin reaction				
H400 : Very toxic to aquatic life. H410 : Very toxic to aquatic life with long lasting effects. H411 : Harmful to aquatic life with long lasting effects. Full text of other abbreviations Aquatic Acute : Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Aquatic Sens. : Skin sensitisation ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service DNEL : Derived no-effect level EC50 : Haff maximal effective concentration GHS : Clobally Harmonized System IATA : International Airi Transport Association IMDG : International Maritime Code for Dangerous Goods LD50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modifi		÷					
H410 : Very toxic to aquatic life with long lasting effects. H412 : Harmful to aquatic life with long lasting effects. Full text of other abbreviations : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service DNEL : Derived no-effect level EC50 : Half maximal effective concentration GHS : Globally Harmonized System IATA : International Air Transport Association IMDG : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protoc	H400	÷					
H412 : Harmful to aquatic life with long lasting effects. Full text of other abbreviations Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service DNEL : Derived no-effect level EC50 : Half maximal effective concentration GHS : Globally Harmonized System IATA : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL : Occupational Exposure Limit PNEC : Predicted no effect concen	H410	÷					
Aquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardRepr.:Reproductive toxicitySkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Air Transport AssociationIMDG:International Air Transport AssociationIDS0:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure Limit PBTPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBvPvB:Very persistent and very bioaccu	H412	:					
Aquatic Chronic:Long-term (chronic) aquatic hazardRepr.:Reproductive toxicitySkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelECS0:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concern ration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemical AgencySVHC:Substaces of Very High Concern vPvBClassification of the mixture:Very persistent and very bioaccumulativeSkin Sens. 1H317Calculation method	Full text of other abbreviat	ions					
Aquatic Chronic:Long-term (chronic) aquatic hazardRepr.:Reproductive toxicitySkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelECS0:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concern ration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemical AgencySVHC:Substaces of Very High Concern vPvBClassification of the mixture:Very persistent and very bioaccumulativeSkin Sens. 1H317Calculation method	Aquatic Acute	:	Short-term (acute) aquatic hazard				
Repr.:Reproductive toxicitySkin Sens.:Skin sensilisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemical AgencySVHC:Substances of Very High Concern vPvBClassification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method		:					
Skin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Exposure LimitPBT:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther information:Very persistent and very bioaccumulativeFurther information:Yery persistent and very bioaccumulativeSkin Sens. 1H317Calculation method		:					
CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentration REACHREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBVery persistent and very bioaccumulativeFurther information:Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method		:	Skin sensitisation				
CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentration REACHREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBVery persistent and very bioaccumulativeFurther information:Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method	ADR	:	European Agreement concerning the International Carriage of	f			
CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBVPVB:Very persistent and very bioaccumulative							
EC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBVPvB:Very persistent and very bioaccumulativeEuropean Chemicals AgencySkin Sens. 1H317Calculation method	CAS	:					
GHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH)SVHC:Substances of Very High Concern vPvBVPVB:Very persistent and very bioaccumulativeFurther information:Very persistent and very bioaccumulativeSkin Sens. 1H317Calculation method	DNEL	:	Derived no-effect level				
IATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure Limit PBTPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBvPvB:Very persistent and very bioaccumulative	EC50	:	Half maximal effective concentration				
IMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther informationVery persistent and very bioaccumulativeClassification of the mixture:Classification procedure: Calculation method	GHS	:	Globally Harmonized System				
LD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBFurther informationVery persistent and very bioaccumulativeFurther informationKassification of the mixture:Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method	ΙΑΤΑ	:					
LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther informationVery persistent and very bioaccumulativeFurther informationH317Calculation method	IMDG	:					
LC50test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBFurther informationClassification of the mixture:Classification procedure: Calculation method	LD50	:					
LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther informationClassification of the mixture:Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method							
MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther information:Very persistent and very bioaccumulativeSkin Sens. 1H317Calculation method			,				
MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBVPvB:Very persistent and very bioaccumulativeClassification of the mixture:Skin Sens. 1H317Kin Sens. 1Kato	LC50	:		۱			
MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBFurther informationClassification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method			8				
OELShips, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBFurther information: Very persistent and very bioaccumulativeFurther information: Skin Sens. 1Kin Sens. 1H317Classification method							
OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBFurther informationClassification procedure:Skin Sens. 1H317Claution method	MARPOL	:					
PBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBFurther informationClassification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method							
PNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern vPvBvPvB:Very persistent and very bioaccumulativeClassification of the mixture: Kin Sens. 1Kin Sens. 1H317Calculation method	-						
REACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC vPvB:Substances of Very High Concern : Very persistent and very bioaccumulativeFurther information Classification of the mixture:Skin Sens. 1H317Classification method							
and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:VPvB:Substances of Very High Concern very persistent and very bioaccumulativeFurther information Classification of the mixture:Classification procedure: Calculation methodSkin Sens. 1H317		:					
SVHC : Substances of Very High Concern vPvB : Very persistent and very bioaccumulative Further information Classification of the mixture: Classification procedure: Skin Sens. 1 H317 Calculation method	REACH	:					
SVHC vPvB:Calss (REACH), establishing a European Chemicals Agency Substances of Very High Concern very bioaccumulativeFurther information Classification of the mixture:Classification procedure: Calculation methodSkin Sens. 1H317Calculation method							
SVHC : Substances of Very High Concern vPvB : Very persistent and very bioaccumulative Further information Classification of the mixture: Classification of the mixture: Classification procedure: Skin Sens. 1 H317 Calculation method							
vPvB : Very persistent and very bioaccumulative Further information Classification procedure: Classification of the mixture: Classification procedure: Skin Sens. 1 H317 Calculation method	0.410						
Further informationClassification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method	• • • • •	:					
Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method	VPVB	-	very persistent and very bloaccumulative				
Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation method	Further information						
Skin Sens. 1 H317 Calculation method		re:	Classification procedure:				
Aquatic Chronic 3 H412 Calculation method	Skin Sens. 1	H3	· · · · · ·				
	Aquatic Chronic 3	H	Calculation method				

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikaflex[®]-402 Airport Part A

Revision Date: 19.04.2023 Date of last issue: 06.12.2021 Version 4.1



Changes as compared to previous version !

GR / EN