SikaSeal®-105 H by SIKA Hellas

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 564879848448

CLASSIFICATION: 07 16 13 Polymer Modified Cement Waterproofing

PRODUCT DESCRIPTION: SikaSeal®-105 H is a multi-purpose two component polymer modified, pore blocking cementitious mortar for internal or external waterproofing applications.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format • Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- C Material
- O Product

Threshold Level C 100 ppm C 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities Evaluation Completed in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities? © Yes © No

Nested Method / Product Threshold

For all contents above the threshold, the	manufacturer has:
Characterized	⊙ Yes ⊖ No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a	approved
methods.	
Identified	O Yes O No
Provided name and CAS RN or other ide	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

SIKASEAL®-105 H (COMP B) [UNDISCLOSED BM-1 * | CAN | MAM | GEN UNDISCLOSED LT-P1 || CAN | END | MAM UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK] SIKASEAL®-105 H (COMP A) [UNDISCLOSED BM-4 UNDISCLOSED LT-UNK] Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MixedRecycledContent] Special Conditions applied: [BiologicalMaterial]

Materials listed as Undisclosed is done to preserve integrity of formula and maintain competitive advantage

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <1

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

Regulatory (g/l): 100

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: Emicode EC1 PLUS- very low emission VOC content: SCAQMD Rule 1113 Architectural Coatings - Concrete curing compounds, Industrial Maintenance (IM) Coatings, Zinc-Rich IM Primers, Primers, Sealers, and Undercoaters, including Quick-Dry Primers, Sealers, and Undercoaters and Specialty Primers, Rust Prevent

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? • Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-09-24 PUBLISHED DATE: 2024-09-24 EXPIRY DATE: 2027-09-24 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ODUCT THRESHOLD: 00 ppm	RESIDUALS AND IMPURITIES I COMPLETED: Yes	EVALUATION	MATERIAL TY admixtures	PE: Other: Cement, aggregate and othe
SIDUALS AND IMPURITIES		are determined based	on information pro	vided in supplier documentation. All
HER MATERIAL NOTES:				
INDISCLOSED				ID: Undisclos
AZARD DATA SOURCE: F	Pharos Chemical and Materials Li	brary	HAZARD S	SCREENING DATE: 2024-09-24 6:43:
6: 55.0000 - 60.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
МАМ	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of this substance used is given as a range in order to protect the proprietary nature of this formulation. This substance is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this report or certification

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	brary	HAZARD S	CREENING DATE: 2024-09-24 6:42:38
%: 35.0000 - 40.0000	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	МАК		Carcinogen Group but not sufficient f	p 3B - Evidence of carcinogenic effects for classification
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrir	ne Disruptor
MAM	GHS - Japan		-	e respiratory irritation [Specific target ngle exposure - Category 3]
МАМ	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic toxici d exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lis
	percentage of this substance used is give undisclosed to preserve integrity of form	-		
UNDISCLOSED				ID: Undisclos
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-09-24 6:42
%: 2.0000 - 4.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wai	rnings found on HPD Priority Hazard Lis
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lis
	percentage of this substance used is give undisclosed to preserve integrity of form			
UNDISCLOSED				ID: Undisclos
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD	SCREENING DATE: 2024-09-24 6:42
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	LIST NAME AND SOURCE			rnings found on HPD Priority Hazard Lis
HAZARD TYPE	LIST NAME AND SOURCE			rnings found on HPD Priority Hazard Lis

SUBSTANCE NOTES: The percentage of this substance used is given as a range in order to protect the proprietary nature of this formulation. This substance is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SIKASEAL®-105 H (COMP A)

%: 15.0000 - 25.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are determined based on information provided in supplier documentation. All residuals and impurities within the threshold are included

OTHER MATERIAL NOTES:

UNE	DISC	LOS	ED

HAZARD DATA SOURCE: Pha	aros Chemical and Materials Libra	ry	HAZARD	SCREENING DATE: 2024-09-24 6:42:38
%: 65.0000 - 70.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Co EC)	ommission (EU	EU - REACH Exer	nptions
	20)		Exempted from RI safety	EACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: The percentage of this substance used is given as a range in order to protect the proprietary nature of this formulation. This substance is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-09-24 7:03:40
%: 30.0000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of this substance used is given as a range in order to protect the proprietary nature of this formulation. This substance is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Emicode EC1 PLUS- very low emission	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Sika Hellas at Kryoneri,Athens,Greece CERTIFICATE URL:	ISSUE DATE: 2023-02-07 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Eurofins
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings Industrial Maintenance (IM) Coatings, Zinc- Undercoaters, including Quick-Dry Primers Specialty Primers, Rust Prevent	Rich IM Primers, Primers, Sealers, and

CERTIFICATION AND COMPLIANCE NOTES: Product type declared by SCAQMD 1113 is Waterproofing Sealers

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

USES

- Interior and exterior waterproofing and damp-proofing of concrete, brickwork and blockwork
- Waterproofing of basement, cellars, ground facing walls, tanks etc.
- Rigid waterproofing of basement walls in new construction and refurbishment

CHARACTERISTICS / ADVANTAGES

- Efficient, multi-purpose waterproofing
- Good adhesion to various substrates (concrete, stone, masonry, e.t.c.)
- Can be applied by trowel or brush (depending on the mixing ratio A:B)
- Ready to use mortar: A+B components without water addition

APPROVALS / CERTIFICATES

•CE-marking and Declaration of Performance as Surface Protection Product - Coating according to EN 1504-2:2004, Principle 2 (Moisture Control) - Method 2.3 and Principle 8 (Increasing Resistivity) - Method 8.3 according to EN1504-9:2008, based on certificate of factory production control issued by notified factory production control certification body and type testing.

MANUFACTURER INFORMATION

MANUFACTURER: SIKA Hellas ADDRESS: Protomagias 15 Athens, Attica 14568 COUNTRY: Greece WEBSITE: http://grc.sika.com/ CONTACT NAME: Aggeliki Zacharopoulou TITLE: EHS-QA-Manager PHONE: 2111080246 EMAIL: zacharopoulou.aggeliki@gr.sika.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.