

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

### 2.2 Label elements

Labelling (REGULATION (	g (REGULATION (EC) No 1272/2008)			
Hazard pictograms	:			
Signal word	:	Danger	•	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements	:	Prevention: P261	Avoid breathing dust/ fume/ gas/ mist/ pours/ spray.	

va-

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

Print Date 18.12.2023

Revision Date: 18.12.2023
Date of last issue: 02.02.2022

P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.	
Response:		
	<ul> <li>P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.</li> <li>P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.</li> </ul>	
Storage:		
P403 + P233	Store in a well-ventilated place. Keep con- tainer tightly closed.	

#### Hazardous components which must be listed on the label:

calcium dihydroxide

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
Registration number			
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 40 - < 60
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 18.12.2023 Date of last issue: 02.02.2022	Version 2.1	Print Date 18.12.20
	Consult a physician after significant expos	sure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>	s immediately.
In case of eye contact	<ul> <li>Small amounts splashed into eyes can ca sue damage and blindness.</li> <li>In the case of contact with eyes, rinse imr of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>	nediately with plenty
If swallowed	<ul> <li>Do not induce vomiting without medical as Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an uncorr</li> </ul>	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms	<ul> <li>Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informat and symptoms.</li> </ul>	tion on health effects
Risks	irritant effects	
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate m	edical attention and special treatment nee	eded
Treatment	Treat symptomatically.	
SECTION 5: Firefighting measu	ires	
5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/cher extinction.	
5.2 Special hazards arising from tl	he substance or mixture	
	No hazardous combustion products are ki	nown

Hazardous combustion prod- : No hazardous combustion products are known ucts



Revision Date: 18.12.2023 Date of last issue: 02.02.2022	Version 2.1	Print Date 18.12.2023				
5.3 Advice for firefighters						
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathin	g apparatus.				
Further information :	Standard procedure for chemical fires.					
SECTION 6: Accidental release	SECTION 6: Accidental release measures					
6.1 Personal precautions, protectiv	e equipment and emergency procedures					
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.					
6.2 Environmental precautions						
•	Try to prevent the material from entering drains courses.	or water				
6.3 Methods and material for contai	6.3 Methods and material for containment and cleaning up					
	Pick up and arrange disposal without creating d Keep in suitable, closed containers for disposal.					

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling :	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against : fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures :	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	cl	uding any incompatibilities
Requirements for storage : areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.



Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1

Further information on stor- : No decomposition if stored and applied as directed. age stability

### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

\_

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (Respirable fraction)	1 mg/m3	GR OEL
		STEL (Respirable fraction)	4 mg/m3	GR OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

Personal protective equip	ment			
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.		
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent		
		to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		
Environmental exposure controls				

General advice

: Try to prevent the material from entering drains or water

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



courses.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid paste white odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 250 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 7
Viscosity Viscosity, kinematic	:	Not applicable
<b>Solubility(ies)</b> Water solubility	:	partly soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,5 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



## Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

:

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards						
Not regulated as a dangerous good						
14.6 Special precautions for user						

### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Print Date 18.12.2023

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII) REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable t plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EC) No 649/2012 of the European Parlia-Not applicable 5 ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



## **SECTION 16: Other information**

Full text of H-Statements							
H315	:	Causes skin irritation.					
H318	:	Causes serious eye damage.					
H335	:	May cause respiratory irritation.					
Full text of other abbreviations							
Eye Dam.	:	Serious eye damage					
Skin Irrit.	:	Skin irritation					
STOT SE	:	Specific target organ toxicity - single exposure					
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values					
GR OEL	:	Greece. Exposure limit values					
2017/164/EU / STEL	:	Short term exposure limit					
2017/164/EU / TWA	:	Limit Value - eight hours					
GR OEL / TWA	:	Long term exposure limit					
GR OEL / STEL	:	Short term exposure limit					
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road					
CAS	:	Chemical Abstracts Service					
DNEL	:	Derived no-effect level					
EC50	:	Half maximal effective concentration					
GHS	:	Globally Harmonized System					
IATA	÷	International Air Transport Association					
IMDG	÷	International Maritime Code for Dangerous Goods					
LD50	•	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)					
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)					
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978					
OEL	:	Occupational Exposure Limit					
PBT	:	Persistent, bioaccumulative and toxic					
PNEC	:	Predicted no effect concentration					
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency					
SVHC	:	Substances of Very High Concern					
vPvB	:	Very persistent and very bioaccumulative					

### **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

Revision Date: 18.12.2023 Date of last issue: 02.02.2022 Version 2.1



The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN