

Revision Date: 24.06.2021 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Sigunit[®]-49 AF (GR)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Concrete admixtures
-------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:		!		
Signal word	:	Danger	•		
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.		
Precautionary statements	:	Prevention: P261 P264	Avoid breathing dust. Wash skin thoroughly after handling.		

Sika[®] Sigunit[®]-49 AF (GR)

6 2021

١	/ersion 1.0	Print Date 24.06
P280	Wear protective gloves/ eye protection.	protection/ face
Response:		
P304 + P340 +	P312 IF INHALED: Remove air and keep comfortable for POISON CENTER/ doctor if	breathing. Call a
P305 + P351 +	P338 + P310 IF IN EYES: R with water for several minute tact lenses, if present and ea tinue rinsing. Immediately ca CENTER/ doctor.	s. Remove con- sy to do. Con-
Storage: P403 + P233	Store in a well-ventilated plac tainer tightly closed.	ce. Keep con-
	P280 Response: P304 + P340 + P305 + P351 + Storage:	protection. Response: P304 + P340 + P312 IF INHALED: Remove air and keep comfortable for POISON CENTER/ doctor if P305 + P351 + P338 + P310 IF IN EYES: R with water for several minute tact lenses, if present and ea tinue rinsing. Immediately ca CENTER/ doctor. Storage: P403 + P233 Store in a well-ventilated place

Hazardous components which must be listed on the label:

aluminium sulphate hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
aluminium sulphate	10043-01-3 233-135-0 01-2119531538-36- XXXX	Eye Dam. 1; H318	>= 60 - < 80
hexacalcium hex- aoxotris[sulphato(2-)]dialuminate(12-)	12004-14-7 234-448-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 25 - < 40

Print Date 24.06.2021

Version 1.0

Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7 238-878-4		>= 2,5 - < 5		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of first alu measi	ure	5
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



Revision Date: 24.06.2021Version 1.0Print Date 24Date of last issue: -

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

	 ve equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up	 Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sec	tion 8.

SECTION 7: Handling and storage

:

7.1 Precautions for safe handling

Advice on sa	te handling

Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see

Sika[®] Sigunit[®]-49 AF (GR)



Revision Date: 24.06.2021 Date of last issue: -		Version 1.0	Print Date 24.
		section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibi- plication area. Follow standard hygiene measures when hand products	
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exha at places where dust is formed.	ust ventilation
Hygiene measures	:	Handle in accordance with good industrial hygi practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store in original container. Keep in a well-venti Observe label precautions. Store in accordance regulations.	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet	prior to any
		use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
aluminium sulphate	10043-01-3	TWA	2 mg/m3 (Aluminium)	GR OEL
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-	

Sika[®] Sigunit[®]-49 AF (GR)



Revision Date: 24.06.2021 Date of last issue: -	Version 1.0	Print Date 24.06.2
	facturer specifications.	
	Recommended: Butyl rubber/nitrile rubber Contaminated gloves should be removed	•
Skin and body protection	 Dust impervious protective suit Protective clothing (e.g. Safety shoes acc long-sleeved working clothing, long trous and protective boots are additionaly reco and stirring work. 	ers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear real Respirator selection must be based on kine exposure levels, the hazards of the produ- ing limits of the selected respirator. particulate filter P 	nown or anticipated
	P1: Inert material; P2, P3: hazardous sub Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure). ticular to the mixing / stirring area. In cas to keep the concentrations under the occ limits then respiration protection measure	e achieved by local on. (EN 689 - Meth- . This applies in par- e this is not sufficent cupational exposure
Environmental exposure c	ontrols	
General advice	 Try to prevent the material from entering courses. No special environmental precautions red 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	: solid : powder : beige : characteristic
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
рН	: ca. 3 Concentration: 50 %
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable

Jika ®
Print Date 24.06.2021

Revision Date: 24.06.2021 Date of last issue: - Version 1.0

Solubility(ies)

Water solubility	:	insoluble
Vapour pressure	:	Not applicable
Density	:	Not applicable
Bulk density	:	ca. 1,15 kg/l (20 °C)

· · · · · · · ·

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date: 24.06.2021 Date of last issue: - Version 1.0



Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



	Version 1.0	Print Date 24.06.20
:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher	
pertie	es	
:	The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission Del (EU) 2017/2100 or Commission Regular levels of 0.1% or higher.	erties according to legated regulation
:	There is no data available for this produ	ict.
sider	ations	
5		
:	The generation of waste should be avoid wherever possible. Empty containers or liners may retain so This material and its container must be way. Dispose of surplus and non-recyclable p waste disposal contractor. Disposal of this product, solutions and a at all times comply with the requirement protection and waste disposal legislation local authority requirements.	ome product residues. disposed of in a safe products via a licensed any by-products should ts of environmental n and any regional
	:	 This substance/mixture contains no conto be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher perties The substance/mixture does not container ered to have endocrine disrupting proper REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regulate levels of 0.1% or higher. There is no data available for this produces of 0.1% or higher. The generation of waste should be avoin wherever possible. Empty containers or liners may retain set This material and its container must be way. Dispose of surplus and non-recyclable product, solutions and a at all times comply with the requirement protection and waste disposal legislation

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances
------------------------	---	--

SECTION 14: Transport information

14.1 UN number		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping name		
Country CP 10000026409		0/12

Jika ®
Print Date 24.06.2021

Revision Date: 24.06.2021
Date of last issue: -

Version 1.0

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
	· · · · · · · · · · · · · · · · · · ·

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environment	tal regulations/legislat	tion	specific for the substance or mixture
REACH - Restrictions on the mar the market and use of certain dar preparations and articles (Annex	ngerous substances,	:	Not applicable
•	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors		Not applicable
	REACH - Candidate List of Substances of Very High		None of the components are listed (=> 0.1 %).
•	Concern for Authorisation (Article 59). REACH - List of substances subject to authorisation (Annex XIV)		Not applicable
	Regulation (EC) No 1005/2009 on substances that de-		Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable
REACH Information:	All substances contain - registered by our ups		

Sika[®] Sigunit[®]-49 AF (GR)

Print Date 24.06.2021

Revision Date: 24.06.2021 Date of last issue: - Version 1.0

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
Full text of other abbreviations				
Eye Dam.	Serious eye damage			
Skin Irrit.	Skin irritation			
STOT SE	Specific target organ toxicity - single exposure			
GR OEL	Greece. Exposure limit values			
GR OEL / TWA	Long term exposure limit			
ADR	European Agreement concerning the International Carriage of			
	Dangerous Goods by Road			
CAS	Chemical Abstracts Service			
DNEL	Derived no-effect level			
EC50	Half maximal effective concentration			
GHS	Globally Harmonized System			
IATA	International Air Transport Association			
IMDG	International Maritime Code for Dangerous Goods			
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	Median lethal concentration (concentrations of the chemical in			
2000	air that kills 50% of the test animals during the observation period)			
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	Occupational Exposure Limit			
PBT	Persistent, bioaccumulative and toxic			
PNEC	Predicted no effect concentration			
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-			

Sika[®] Sigunit[®]-49 AF (GR)



Revision Date: 24.06.2021 Date of last issue: -	Version	1.0	Print Date 24.06.	
SVHC vPvB	cals (REACH), estable : Substances of Very H	istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative		
Further information				
Classification of the mixture:		Classification proce	dure:	
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Calculation method

Changes as compared to previous version !

H335

GR / EN

STOT SE 3