

Sika® MultiPrimer Marine SIMPLIFY YOUR BONDS

- Multipurpose primer for different substrates
- Long flash-off time
- Improves adhesion on metals and woods

Sika® MultiPrimer Marine

NON-PIGMENTED, SOLVENT-BASED PRIMER FOR MOST MARINE SUBSTRATES

Sika® MultiPrimer Marine is a solvent-based colorless to slightly yellow primer, which reacts with moisture and forms a thin layer. This layer acts as a link between substrates and adhesives. Sika® MultiPrimer Marine is specifically formulated for the treatment of bond faces prior to application of Sika´s 1-component Polyurethanes.

FEATURES AND BENEFITS

- Long flash-off time
- Easy to apply
- Moisture reactive system.
- Enhances the adhesion of Sikasil® sealants and adhesives
- Compatible with non-ferrous metals

TECHNICAL PROPERTIES		
Chemical base		Solvent-based Epoxy solution
Color (CQP001-1)		Colorless, slightly yellow
Solid content		34 %
Application temperature		5 - 40 °C
Application method		Brush, felt, lint-free cloth or foam applicator
Consumption depending on substrate porosity		50 ml/m ²
Flash-off time	minimum maximum	30 minutes ^{A/B} 24 hours ^{A/B}
Shelf life		9 months ^c



CQP = Corporate Quality Procedure

^{A)} 23 °C / 50 % r. h.

^{B)} for specific application, temperature and flash-off time may be different

 $^{\text{C}}$ stored in sealed container in up-right position in a dry place at \leq 25 $^{\circ}$ C









