Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur[®]-30 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1A Serious eye damage, Category 1 Skin sensitisation, Category 1

- H314: Causes severe skin burns and eye damage.
- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H314 H317	Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary statements	:	Prevention: P261 P280	Avoid breathing mist or vapours. Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikadur[®]-30 Part B

Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0



Response:	
P301 + P330 + P331 IF SV NOT induce	VALLOWED: Rinse mouth. Do e vomiting.
	N SKIN (or hair): Take off immedi- ntaminated clothing. Rinse skin
air and kee	HALED: Remove person to fresh p comfortable for breathing. Im- all a POISON CENTER/ doctor.
with water f tact lenses,	IF IN EYES: Rinse cautiously for several minutes. Remove con- if present and easy to do. Con- g. Immediately call a POISON doctor.

Hazardous components which must be listed on the label:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	25513-64-8 247-063-2 01-2119560598-25- XXXX	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- mate Acute oral toxicity: 910 mg/kg	>= 10 - < 20

For explanation of abbreviations see section 16.

Revision Date: 21.12.2022 Date of last issue: 30.01.2022



Version 6.0

SECTION 4: First aid measures

4.1 Description of first aid measu	ure	S
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed
Symptoms	:	Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Health injuries may be delayed. corrosive effects sensitising effects
		May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.
4.3 Indication of any immediate r	neo	dical attention and special treatment needed

Print Date 21.12.2022

Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

respective authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should

Sikadur®-30 Part B



Revision Date: 21.12.2022 Date of last issue: 30.01.2022		Version 6.0	Print Date 21.12
		not be employed in any process in which this mix used. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlir products	ed in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When us moke. Wash hands before breaks and at the end	using do not
7.2 Conditions for safe storage, ir	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- age stability	:	No decomposition if stored and applied as directed	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

Sika ®
Print Date 21.12.2022

Revision Date: 21.12.2022 Date of last issue: 30.01.2022	Version 6.0	Print Date 21.12.20
Respiratory protection	long-sleeved working clothing, long tro and protective boots are additionaly re and stirring work.No special measures required.	
Environmental exposure of	controls	
General advice	: Do not flush into surface water or sanit If the product contaminates rivers and respective authorities.	
	•	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	an : : :	liquid paste black amine-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 500 g/l 50 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

Sikadur®-30 Part B

Jika ®
Print Date 21.12.2022

Revision Date: 21.12.2022 Date of last issue: 30.01.2022	Version 6.0	Print Date 21.12.20
Vapour pressure	: ca. 0,3 hPa (20 °C)	
Density	: ca. 1,95 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available SECTION 10: Stability and r	eactivity	
10.1 Reactivity	-	
-	wn under conditions of normal use.	
10.2 Chemical stability The product is chemically st	table.	
10.3 Possibility of hazardous r		
Hazardous reactions	: Stable under recommended storage co	nditions.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
	n products	
10.6 Hazardous decomposition		
10.6 Hazardous decomposition No decomposition if stored	and applied as directed.	

Acute toxicity

Not classified based on available information.

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Acute oral toxicity	:	LD50 Oral (Rat): 910 mg/kg		
		Acute toxicity estimate: 910 mg		

Acute toxicity estimate: 910 mg/kg Method: Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikadur[®]-30 Part B

Revision Date: 21.12.2022 Date of last issue: 30.01.2022

Version 6.0



Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to algae/aquatic	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 29,5
plants		mg/l
		Exposure time: 72 h

Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0



Toxicity to fish (Chronic toxicity) : LC50: 174 mg/l Exposure time: 48 h Species: Leuciscus idus (Golden orfe)

5

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with

Sika ®
Print Date 21.12.2022

Revision Date: 21.12.2022 Date of last issue: 30.01.2022		Version 6.0	Print Date 21.12.202
		soil, waterways, drains and sewers.	
European Waste Catalogue	:	08 04 09* waste adhesives and sealants solvents or other dangerous substances	containing organic
Contaminated packaging	:	15 01 10* packaging containing residues on by dangerous substances	of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 1759
IMDG	:	UN 1759
ΙΑΤΑ	:	UN 1759
14.2 UN proper shipping name		
ADR	:	CORROSIVE SOLID, N.O.S. (trimethylhexane-1,6-diamine)
IMDG	:	CORROSIVE SOLID, N.O.S. (trimethylhexane-1,6-diamine)
ΙΑΤΑ	:	Corrosive solid, n.o.s. (trimethylhexane-1,6-diamine)
14.3 Transport hazard class(es)		
ADR	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	III C10 80 8 (E)
IMDG Packing group Labels EmS Code	:	III 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group	:	864 Y845 III
Labels	:	Corrosive

Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0



IATA (Passenger)

Packing instruction (passen-		860
ger aircraft)		
Packing instruction (LQ)	:	Y845
Packing group	:	III
Labels	:	Corrosive

~ ~ ~

14.5 Environmental hazards

ADR

Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia-	:	Not applicable
Country GR 00000019565		11 / 13

Print Date 21.12.2022

Revision Date: 21.12.2022 Date of last issue: 30.01.2022 Version 6.0

ment and the Council concerning the export and import of dangerous chemicals

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H302	:	Harmful if swallowed.	
H314	:	Causes severe skin burns and eye damage.	
H317	÷	May cause an allergic skin reaction.	
H318	•	Causes serious eye damage.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Eye Dam.	:	Serious eye damage	
Skin Corr.	:	Skin corrosion	
Skin Sens.	:	Skin sensitisation	
ADR	:	European Agreement concerning the International Carriage of	
		Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
ΙΑΤΑ	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous Goods	
LD50	:	Median lethal dosis (the amount of a material, given all at	
		once, which causes the death of 50% (one half) of a group of test animals)	
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation	

Sikadur®-30 Part B

Revision Date: 21.12.2022
Date of last issue: 30.01.2022

Version 6.0



	period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

Further information

Classification of the	Classification procedure:	
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN