

Revision Date: 15.04.2024 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikagard[®]-720 EpoCem[®] Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

- H318: Causes serious eye damage.
- H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:	L Z			
Signal word	:	Danger	•		
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.		
Precautionary statements	:	Prevention P261	: Avoid breathing dust.		

Sikagard®-720 EpoCem® Part C

Jika ®
Print Date 15.04.2024

Revision Date: 15.04.2024 Date of last issue: -	N	Version 1.0	Print Date 15.04.202
	P264 P280	Wash skin thoroughly after ha Wear protective gloves/ eye p protection.	
	Response:		
		P312 IF INHALED: Remove air and keep comfortable for POISON CENTER/ doctor if	breathing. Call a you feel unwell.
	P305 + P351 +	P338 + P310 IF IN EYES: R with water for several minute tact lenses, if present and ea tinue rinsing. Immediately ca CENTER/ doctor.	s. Remove con- sy to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place tainer tightly closed.	ce. Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oompononto			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



Revision Date: 15.04.2024

sion Date: 15.04.2024	Version 1.0	Print Date 1
e of last issue: -		
Substances with a workplace	ce exposure limit :	
Quartz (SiO2)	14808-60-7 238-878-4	>= 60 - < 80
For explanation of abbrevia	tions see section 16.	i
CTION 4: First aid measu	Ires	
Description of first aid me	asures	
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doo	tor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant ex	kposure.
In case of skin contact	: Take off contaminated clothing and sh Wash off with soap and plenty of wate If symptoms persist, call a physician.	
In case of eye contact	 Small amounts splashed into eyes car sue damage and blindness. In the case of contact with eyes, rinse of water and seek medical advice. Continue rinsing eyes during transport Remove contact lenses. Keep eye wide open while rinsing. 	immediately with plenty
If swallowed	: Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverage Never give anything by mouth to an u	PS.
Most important symptoms	and effects, both acute and delayed	
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed infor and symptoms.	mation on health effects
Risks	: Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
	irritant effects	

Version 1.0

Sikagard®-720 EpoCem® Part C



Revision Date: 15.04.2024 Version 1.0 Date of last issue: -

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

• • •	e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 Methods and material for contain	inment and cleaning up
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see secti	on 8.

SECTION 7: Handling and storage

1

7.1 Precautions for safe handling

Advice on safe handling	

Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see

Sikagard[®]-720 EpoCem[®] Part C



Revision Date: 15.04.2024 Date of last issue: -		Version 1.0	Print Date 15
		section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibit plication area. Follow standard hygiene measures when handl products	
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exha at places where dust is formed.	ust ventilation
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventile Observe label precautions. Store in accordance regulations.	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0,1 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Alveolate part		ZOAD/TWA	5 mg/m3	GR OEL
inhalable fraction		ZOAD/TWA	10 mg/m3	GR OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Sikagard[®]-720 EpoCem[®] Part C



Revision Date: 15.04.2024 Date of last issue: -	Version 1.0	Print Date 15.04.
Eye/face protection Hand protection	 Safety glasses with side-shields confo Eye wash bottle with pure water Chemical-resistant, impervious gloves proved standard must be worn at all the chemical products. Reference number facturer specifications. Recommended: Butyl rubber/nitrile rub Contaminated gloves should be removed 	s complying with an ap- mes when handling r EN 374. Follow manu- bber gloves.
Skin and body protection	 Dust impervious protective suit Protective clothing (e.g. Safety shoes long-sleeved working clothing, long tro and protective boots are additionaly re and stirring work. 	acc. to EN ISO 20345, pusers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear Respirator selection must be based or exposure levels, the hazards of the pre- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous se Ensure adequate ventilation. This can exhaust extraction or by general ventil ods for determining inhalation exposure ticular to the mixing / stirring area. In or to keep the concentrations under the or limits then respiration protection meas 	n known or anticipated oduct and the safe work- substances be achieved by local lation. (EN 689 - Meth- re). This applies in par- case this is not sufficent occupational exposure
Environmental exposure	controls	
General advice	: Try to prevent the material from enteri courses. No special environmental precautions	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

······································		
Physical state Appearance Colour Odour	:	solid powder grey odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	•	

Upper explosion limit / Up- : No data available per flammability limit

Sikagard[®]-720 EpoCem[®] Part C

Print Date 15.04.2024

Revision Date: 15.04.2024 Date of last issue: - Version 1.0

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	ca. 1.200 kg/m3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

Sika ®
Print Date 15.04.2024

Revision Date: 15.04.2024 Date of last issue: -	Version 1.0	Print Date 15.04.202
10.5 Incompatible materials		

Materials to avoid

: No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

÷

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

Sikagard[®]-720 EpoCem[®] Part C



Revision Date: 15.04.2024 Date of last issue: - Version 1.0

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product	

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effect	8

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed



Revision Date: 15.04.2024 Date of last issue: -		Version 1.0	Print Date 15.04.202
		waste disposal contractor. Disposal of this product, solutions and any at all times comply with the requirements o protection and waste disposal legislation at local authority requirements. Avoid dispersal of spilled material and runc soil, waterways, drains and sewers.	f environmental nd any regional
European Waste Catalogue	:	16 03 03* inorganic wastes containing dar	ngerous substances
Contaminated packaging	:	15 01 10* packaging containing residues o by dangerous substances	f or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards Not regulated as a dangerous	goo	bd

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Print Date 15.04.2024

Revision Date: 15.04.2024 Date of last issue: - Version 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).			
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable			
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable			
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable			
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable			
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable					

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sikagard®-720 EpoCem® Part C

Revision Date: 15.04.2024 Date of last issue: - Version 1.0



SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
GR OEL	:	Greece. Exposure limit values			
GR OEL / ZOAD/TWA	:	Time Weighted Average Value			
GR OEL / TWA	÷	Long term exposure limit			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
2030	•	air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
87/110		cals (REACH), establishing a European Chemicals Agency			
SVHC vPvB	÷	Substances of Very High Concern Very persistent and very bioaccumulative			
	·	very persistent and very bloaccumulative			
Further information					
Classification of the mixture):	Classification procedure:			

		olucomoulon procoul		
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
STOT SE 3	H335	Calculation method		

Sikagard®-720 EpoCem® Part C



Revision Date: 15.04.2024 Date of last issue: - Version 1.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN