

PRODUCT DATA SHEET

Sika AnchorFix® Flexible Extensions

ANCHORFIX FLEXIBLE EXTENSION FOR NOZZLE

DESCRIPTION


Sika AnchorFix® Flexible Extensions is a flexible tube and used as an extension of the nozzle / static mixer to apply AnchorFix® into deep drill holes.

USES

Adjusted on the static mixer / nozzle of each AnchorFix® product to extend the length.

CHARACTERISTICS / ADVANTAGES

- Easy to use
- For all AnchorFix® applications
- Cut to length



APPROVALS / CERTIFICATES

Flexible extensions are referred in the corresponding approvals of each Sika AnchorFix® product.

PRODUCT INFORMATION

Packaging	<ul style="list-style-type: none">▪ Bag of 2 pieces with 1000mm length each▪ Bag of 5 pieces with 300mm length each▪ Bag of 10 pieces with 300mm length each									
Appearance / Colour	Transparent									
Shelf life	Unlimited									
Storage conditions	The product must be stored in original, unopened and undamaged sealed packaging in dry conditions. Always refer to packaging.									
Dimensions	Dimensions flexible extensions: <table><thead><tr><th>Diameters: (Outer)</th><th>Diameter (Inner)</th><th>Length</th></tr></thead><tbody><tr><td>9 mm</td><td>6mm</td><td>1000mm</td></tr><tr><td>9 mm</td><td>6mm</td><td>300mm</td></tr></tbody></table>	Diameters: (Outer)	Diameter (Inner)	Length	9 mm	6mm	1000mm	9 mm	6mm	300mm
Diameters: (Outer)	Diameter (Inner)	Length								
9 mm	6mm	1000mm								
9 mm	6mm	300mm								
System Structure	Ancillary products: <ul style="list-style-type: none">▪ Sika AnchorFix® Static Mixer / Nozzle									

APPLICATION INSTRUCTIONS

APPLICATION METHOD / TOOLS

Depending on the drill hole depth required. Place extension tube over the end of the static mixer / nozzle. Extension tube can be cut to the required length.

CLEANING OF EQUIPMENT

Once used Sika AnchorFix® Flexible Extensions cannot be cleaned.

FURTHER INFORMATION

- Product data sheets: Sika AnchorFix® products
- Application video: Sika AnchorFix® products
- Approvals: Sika AnchorFix® products

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

ECOLOGY, HEALTH AND SAFETY

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high con-

cern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1% (w/w).

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Hellas ABEE
15 Protomagias Str.
14568 Kryoneri
Attica-Greece
Tel.: +30 210 8160 600
Fax: +30 210 8160 606
www.sika.gr | sika@gr.sika.com



Product Data Sheet
Sika AnchorFix® Flexible Extensions
January 2019, Version 01.01
020205020000000008

SikaAnchorFixFlexibleExtensions-en-GR-(01-2019)-1-1.pdf

