

Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikagard[®]-730 Concrete Protect Plus

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika H	ellas ABEE
	15 Pro	tomagias Street
	145 68	Kryoneri / Athens
Telephone	: +30 21	0 81 60 600
Telefax	: +30 21	0 81 60 606
E-mail address of person responsible for the SDS	: EHS@	gr.sika.com

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

- EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.
- EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C12-C16, isoal- kanes, cyclics, <2% aromatics	Not Assigned 927-676-8 01-2119456377-30- XXXX [corresponding group CAS 64742-47- 8]	Asp. Tox. 1; H304 EUH066	>= 40 - < 60
Hydrocarbons, C11-C13, isoal- kanes, <2% aromatics	Not Assigned 920-901-0 01-2119456810-40- XXXX [corresponding group CAS 64742-48- 9]	Asp. Tox. 1; H304 EUH066	>= 10 - < 20
triethoxy(2,4,4- trimethylpentyl)silane	35435-21-3 252-558-1 01-2119555666-27- XXXX	Flam. Liq. 3; H226	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024
Date of last issue: 03.05.2023

Version 5.1

e of last issue: 03.05.2023			
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	s and e	effects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.

No known significant effects or hazards.

- 4.3 Indication of any immediate medical attention and special treatment needed
 - Treatment : Treat symptomatically.

1

SECTION 5: Firefighting measures

5.1 Extinguishing media

Risks

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry powder Alcohol-resistant foam Carbon dioxide (CO2) Water spray Dry sand

> In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

tion (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024 Date of last issue: 03.05.2023		Version 5.1	Print Date 11.09.2024
5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	i 9	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions		For personal protection see section 8.	
6.2 Environmental precautions Environmental precautions	:	No special environmental precautions required.	
6.3 Methods and material for con	ntai	nment and cleaning up	
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleec Keep in suitable, closed containers for disposal.	e).
6.4 Reference to other sections For personal protection see section 8.			

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products Advice on protection against : Normal measures for preventive fire protection. fire and explosion Hygiene measures : When using do not eat or drink. When using do not smoke. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. No special restrictions on storage with other products. Advice on common storage 2 Further information on stor-No decomposition if stored and applied as directed. 1 age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any ÷ use.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika

Revision Date: 11.09.2024 Date of last issue: 03.05.2023

Version 5.1

Print Date 11.09.2024

SECTION 8: Exposure controls/personal protection

Sikagard[®]-730 Concrete Protect Plus

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	GR OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	GR OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
----------	------------	-----------

Eye/face protection Hand protection	:	Safety glasses Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm)		
		Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure con	Environmental exposure controls			
General advice	:	No special environmental precautions required.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	light yellow
Country CD 10000015012		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024 Date of last issue: 03.05.2023		Version 5.1	Print Date 11.09.2024
Odour	:	solvent-like	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	ca. 65 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Self ignition temperature	:	375 °C	
Decomposition temperature	:	No data available	
рН	:	ca. 7 Concentration: 100 %	
Viscosity			
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	emulsifiable	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 0,84 g/cm3 (25 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

9.2 Other information

No data available



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions					
Hazardous reactions	:	No hazards to be specially mentioned.			
10.4 Conditions to avoid					
Conditions to avoid	:	No data available			
10.5 Incompatible materials					
Materials to avoid	:	No data available			
10.6 Hazardous decomposition products					
	:	ethanol			
Hazardous decomposition products	:	ethanol			

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information. <u>Components:</u>					
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics:					
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg				
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg				
triethoxy(2,4,4-trimethylpentyl)silane:					
Acute oral toxicity	: LD50 Oral (Rat): > 2.000 mg/kg				
Acute inhalation toxicity	: LC50 (Rat): 11,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity	: LD50 Dermal (Rat): > 2.000 mg/kg				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024 Date of last issue: 03.05.2023	Version 5.1	Print Date 11.09.202
mixture of: 5-chloro-2-meth one [EC no. 220-239-6] (3:	yl-4-isothiazolin-3-one [EC no. 247-500-7] ar 1) (C(M)IT/MIT (3:1)):	nd 2-methyl-2H-isothiazol-3-
Acute inhalation toxicity	: Assessment: Corrosive to the respira	tory tract.
Skin corrosion/irritation Not classified based on ava	ilable information.	
Components:		
Hydrocarbons, C12-C16, i	soalkanes, cyclics, <2% aromatics:	
Result	: Repeated exposure may cause skin of	dryness or cracking.
Hydrocarbons, C11-C13, i	soalkanes, <2% aromatics:	
Assessment	: Repeated exposure may cause skin o	dryness or cracking.
Serious eye damage/eye i Not classified based on ava		
Respiratory or skin sensi	tisation	
Skin sensitisation Not classified based on ava	ilable information.	
Respiratory sensitisation Not classified based on ava	ilable information.	
Germ cell mutagenicity Not classified based on ava	ilable information.	
Carcinogenicity Not classified based on ava	ilable information.	
Reproductive toxicity Not classified based on ava	ilable information.	
STOT - single exposure Not classified based on ava	ilable information.	
STOT - repeated exposure Not classified based on ava		
Aspiration toxicity Not classified based on ava	ilable information.	
11.2 Information on other haza	ards	
Endocrine disrupting pro	perties	
Product:		
Assessment	: The substance/mixture does not cont ered to have endocrine disrupting pro REACH Article 57(f) or Commission I (EU) 2017/2100 or Commission Regu	operties according to Delegated regulation



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	
European Waste Catalogue	: 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).		
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable		
Regulation (EC) on substances that deplete the ozone layer			Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	Not applicable				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 57,2% w/w					



Revision Date: 11.09.2024 Date of last issue: 03.05.2023 Version 5.1

Print Date 11.09.2024

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 57,2% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 H301 H304 H310 H314 H317 H318 H330 H400		Flammable liquid and vapour. Toxic if swallowed. May be fatal if swallowed and enters airways. Fatal in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbrevia	ations	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
GR OEL	:	Greece. Exposure limit values
GR OEL / TWA	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
Nuntry GR 10000015912		13 /

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-730 Concrete Protect Plus



Revision Date: 11.09.2024 Date of last issue: 03.05.2023		Version 5.1	Print Date 11.09.2024
PBT PNEC REACH		Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 con istration, Evaluation, Authorisation and Restr cals (REACH), establishing a European Cher	cerning the Reg- iction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN