

Version 5.0

Print Date 20.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: EVERBUILD Wood Stain Satin

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person responsible for the SDS	:	EHS@gr.sika.com

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777 Poison Information Center: 1401 (Cyprus)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2 H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	•
Hazard statements	:	H317 H411	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin



Revision Date: 20.12.2024 Date of last issue: 03.11.2023

Version 5.0

Print Date 20.12.2024

ention:
Avoid release to the environment. Wear protective gloves.
oonse:
Collect spillage.
osal:
Dispose of contents/container in accordance with local regulation.
3

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT) 2-octyl-2H-isothiazole-3-one (OIT) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components Chemical name CAS-No. Classification Concentration EC-No. (% w/w) **Registration number** Eye Irrit. 2; H319 2-(2-butoxyethoxy)ethanol 112-34-5 >= 1 - < 2.5 203-961-6 01-2119475104-44-XXXX ammonia, anhydrous 7664-41-7 Flam, Gas 2: H221 >= 0,1 - < 0,25 Acute Tox. 3; H331 231-635-3 01-2119488876-14-Skin Corr. 1B: H314 Aquatic Acute 1; XXXX H400

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVERBUILD Wood Stain Satin

Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

of last issue: 03.11.2023			
Alcohols, C16-18, ethoxylated	68439-49-6 Not Assigned	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,1 - < 0,25
diuron (ISO)	330-54-1 206-354-4 01-2119517622-45- XXXX	Acute Tox. 4; H302 Carc. 1B; H350 STOT RE 2; H373 (Blood system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,025 - < 0,1
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,025 - < 0,036

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika®

EVERBUILD Wood Stain Satin

Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

pyrithione zinc	13463-41-7	Acute Tox. 3; H301	>= 0,0025 - <
	236-671-3	Acute Tox. 2; H330	0,025
	01-2119511196-46-	Eye Dam. 1; H318	-,
	XXXX	Repr. 1B; H360D	
		STOT RE 1; H372	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
			-
		M-Factor (Acute	
		aquatic toxicity):	
		1.000 M-Factor (Chronic	
		aquatic toxicity): 10	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		221 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,14	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin

Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0



Print Date 20.12.2024

26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0015 - < 0,0025
	M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
	Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity:	
	247-761-7 01-2120768921-45-	247-761-7 01-2120768921-45- XXXX Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin

Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0



Print Date 20.12.2024

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-	55965-84-9 911-418-6	Acute Tox. 3; H301 Acute Tox. 2; H330	>= 0,0002 - < 0,0015
methyl-2H-isothiazol-3-one (3:1)	01-2120764691-48- XXXX	Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	0,0010
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Version 5.0

Print Date 20.12.2024

SECTION 4: First aid measures

4.1 Description of first aid meas	ure	S		
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	sensitising effects		
		May cause an allergic skin reaction.		
4.3 Indication of any immediate	mee	dical attention and special treatment needed		
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting mea	sur	es		
5.1 Extinguishing media				
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for		

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.

extinction.



Revision Date: 20.12.2024 Date of last issue: 03.11.2023	Version 5.0	Print Date 20.12.2024
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.	

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
		•

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the ap- plication area.
	Follow standard hygiene measures when handling chemical products



Revision Date: 20.12.2024 Date of last issue: 03.11.2023	Version 5.0	Print Date 20.12.2024
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.	
Hygiene measures :	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well- place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Sto ance with local regulations.	arefully re-
Further information on stor- : age stability	No decomposition if stored and applied as direct	cted.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *				
2-(2-butoxyethoxy)ethanol	112-34-5	STEL	15 ppm 101,2 mg/m3	2006/15/EC				
	Further infor	Further information: Indicative						
		TWA	10 ppm 67,5 mg/m3	2006/15/EC				
		TWA	10 ppm 67,5 mg/m3	GR OEL				
		STEL	15 ppm 101,2 mg/m3	GR OEL				
ammonia, anhydrous	7664-41-7	STEL	50 ppm 36 mg/m3	2000/39/EC				
	Further infor	Further information: Indicative						
		TWA	20 ppm 14 mg/m3	2000/39/EC				
		STEL	50 ppm 35 mg/m3	GR OEL				
		TWA	50 ppm 35 mg/m3	GR OEL				
diuron (ISO)	330-54-1	TWA	10 mg/m3	GR OEL				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.



Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

Print Date 20.12.2024

Ensure adequate ventilation, especially in confined areas.

Personal protective equipm	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure co	ntro	bls
General advice	:	Do not flush into surface water or sanitary sewer system.

General advice

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid various slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin



Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

Print Date 20.12.2024

Upper/lower flammability or	exp	olosive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 61 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 7,5 - 9,0 (20 °C) Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	1.500 - 2.500 mPa.s (20 °C)
Viscosity, kinematic	:	> 7 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca. 1 - 1,1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available
Other information		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin



Revision Date: 20.12.2024 Date of last issue: 03.11.2023		Version 5.0	Print Date 20.12.2024
Hazardous reactions	:	No hazards to be specially mentioned.	
10.4 Conditions to avoid Conditions to avoid	:	No data available	
10.5 Incompatible materials Materials to avoid	:	No data available	
10.6 Hazardous decomposition pr	rod	ucts	
	:	No hazardous decomposition products are know	/n.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute	toxicity

Not classified due to lack of data.

Components:

2-(2-butoxyethoxy)ethanol: Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg
	•	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): ca. 2.700 mg/kg
1,2-benzisothiazol-3(2H)-or	ne (E	BIT):
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg
nurithiono zino:		

pyrithione zinc:



Revision Date: 20.12.2024 Date of last issue: 03.11.2023		Version 5.0	Print Date 20.12.2024
Acute oral toxicity	:	Acute toxicity estimate: 221 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Acute inhalation toxicity	:	Acute toxicity estimate: 0,14 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
2-octyl-2H-isothiazole-3-or	ne (C)IT):	
Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
reaction mass of 5-chloro.	.2-m	ethyl-2H-isothiazol-3-one and 2-methyl	-2H-isothiazol-3-one (3:1):
Acute inhalation toxicity		Assessment: Corrosive to the respirator	
Skin corrosion/irritation			
Not classified due to lack of	data		
Serious eye damage/eye in Not classified due to lack of			
Respiratory or skin sensit	isati	on	
Skin sensitisation May cause an allergic skin r	eacti	on.	
Respiratory sensitisation Not classified due to lack of	data		
Components:			
1,2-benzisothiazol-3(2H)-o	ne (E	BIT):	
Assessment	:	May cause sensitisation by skin contact	t.
Germ cell mutagenicity Not classified due to lack of	data		
Carcinogenicity			
Not classified due to lack of	data		
Country GR 10000008575			13/20



Version 5.0

Print Date 20.12.2024

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity **Components:** diuron (ISO): M-Factor (Acute aquatic tox-• 100 icity) M-Factor (Chronic aquatic 100 : toxicity) 1,2-benzisothiazol-3(2H)-one (BIT): Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h M-Factor (Acute aquatic tox- : 1 icity) M-Factor (Chronic aquatic : 1 toxicity) pyrithione zinc: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,0026 mg/l Exposure time: 96 h M-Factor (Acute aquatic tox-: 1.000

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 20.12.2024 Date of last issue: 03.11.2023		Version 5.0	Print Date 20.12.2024
icity)			
M-Factor (Chronic aquatic toxicity)	:	10	
2-octyl-2H-isothiazole-3-one	e (O	IT):	
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
reaction mass of 5-chloro-2 M-Factor (Acute aquatic tox- icity)		thyl-2H-isothiazol-3-one and 2-methy 100	I-2H-isothiazol-3-one (3:1):
M-Factor (Chronic aquatic toxicity)	:	100	
12.2 Persistence and degradabil No data available	ity		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB as	se	ssment	
Product:			
Assessment	:	This substance/mixture contains no conto be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher	and toxic (PBT), or
12.6 Endocrine disrupting prope	rtie	S	
Product:			
Assessment	:	The substance/mixture does not contai ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	erties according to elegated regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	An environmental hazard cannot be ex unprofessional handling or disposal. Toxic to aquatic life with long lasting eff	



Version 5.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good



Print Date 20.12.2024

14.6 Special precautions for user				
Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.				
SECTION 15: Regulatory inform	nation			
15.1 Safety, health and environme International Chemical Weapon Schedules of Toxic Chemicals	s Convention (CWC)	tion :	specific for the substance or mixture Not applicable	
REACH Information:	REACH Information: - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
REACH - Restrictions on the manufacture, placing or the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
REACH - Candidate List of Sub Concern for Authorisation (Artic		:	Number on list 75: None of the components are listed (=> 0.1 %).	
REACH - List of substances su (Annex XIV)	bject to authorisation	:	Not applicable	
Regulation (EC) on substances layer	that deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of the European Parlia- : diuron (ISO) ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/E jor-accident hazards involving c E2			and of the Council on the control of ma- RDS	
Volatile organic compounds	(VOCV)		or volatile organic compounds ds (VOC) content: 2,14% w/w	

Version 5.0

Revision Date: 20.12.2024

Date of last issue: 03.11.2023

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin



Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

Print Date 20.12.2024

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 6,42% w/w

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H221 H301 H302 H310 H311 H314 H315 H317 H318 H319 H330 H331 H350 H360D H372 H373 H400 H410		Flammable gas. Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic if inhaled. May cause cancer. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life.
H412	:	Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Eye Irrit. Flam. Gas Repr. Skin Corr. Skin Irrit. Skin Sens.		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Eye irritation Flammable gases Reproductive toxicity Skin corrosion Skin irritation Skin sensitisation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin



Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

Print Date 20.12.2024

STOT RE	: Specific target organ toxicity - repeated exposure	
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first	
2000/00/20	list of indicative occupational exposure limit values	
2006/15/EC	: Europe. Indicative occupational exposure limit values	
GR OEL		
	: Greece. Exposure limit values	
2000/39/EC / TWA	: Limit Value - eight hours	
2000/39/EC / STEL	: Short term exposure limit	
2006/15/EC / TWA	: Limit Value - eight hours	
2006/15/EC / STEL	: Short term exposure limit	
GR OEL / TWA	: Long term exposure limit	
GR OEL / STEL	: Short term exposure limit	
ADR	: European Agreement concerning the International Carriage of	
	Dangerous Goods by Road	
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given all at	
ED30	once, which causes the death of 50% (one half) of a group of	
1.050	test animals)	
LC50	: Median lethal concentration (concentrations of the chemical in	
	air that kills 50% of the test animals during the observation	
	period)	
MARPOL	: International Convention for the Prevention of Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parliament	
	and of the Council of 18 December 2006 concerning the Reg-	
	istration, Evaluation, Authorisation and Restriction of Chemi-	
	cals (REACH), establishing a European Chemicals Agency	
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	
··· •=		
Further information		

Further information

Classification of the m	nixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD Wood Stain Satin

Revision Date: 20.12.2024 Date of last issue: 03.11.2023 Version 5.0

Print Date 20.12.2024

GR / EN

