Revision Date: 03.05.2023 Date of last issue: 29.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 2.3

1.1 Product identifier

Trade name : EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Filler

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Hellas ABEE
		15 Protomagias Street
		145 68 Kryoneri / Athens
Telephone	:	+30 210 81 60 600
Telefax	:	+30 210 81 60 606
E-mail address of person	:	EHS@gr.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 specific concentration	>= 0,0025 - < 0,025
		limit Skin Sens. 1; H317 >= 0,05 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 597 mg/kg Acute inhalation tox- icity (dust/mist): 0,4 mg/l	



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 	>= 0,0002 - < 0,0015
--	--	--	-------------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Revision Date: 03.05.2023

Date of last issue: 29.12.2021

4.2 Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects Symptoms and symptoms. Risks No known significant effects or hazards. ÷ 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media In case of fire, use water/water spray/water jet/carbon diox-: ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions For personal protection see section 8. 6.2 Environmental precautions

Environmental precautions No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections



Version 2.3



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products			
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.			
Hygiene measures	:	When using do not eat or drink. When using do not smoke.			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.			
Advice on common storage	:	No special restrictions on storage with other products.			
Further information on stor- age stability	:	No decomposition if stored and applied as directed.			
7.3 Specific end use(s)					

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.		Control parame- ters *	Basis *		
Contains no substances with occupational exposure limit values.						

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection	 Safety glasses Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. 						
	Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.						
Skin and body protection	 Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. 						
Respiratory protection	: No special measures required.						
Environmental exposure controls							
General advice	: No special environmental precautions required.						



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste various odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 9,9 (20 °C)
Viscosity		
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca. 1,8 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	:	LD50 Oral (Rat): 597 mg/kg
		Acute toxicity estimate: 597 mg/kg Method: Calculation method
Acute inhalation toxicity	:	LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
		Acute toxicity estimate: 0,4 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

Country GR 10000006706

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE

Revision Date: 03.05.2023 Date of last issue: 29.12.2021

> mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Version 2.3

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment

: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h



EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE



Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-

one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) **12.2 Persistence and degradability** No data available **12.3 Bioaccumulative potential** No data available **12.4 Mobility in soil** No data available **12.5 Results of PBT and vPvB assessment**

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.

This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Revision Date: 03.05.2023 Date of last issue: 29.12.2021

Version 2.3

SECTION 14: Transport information

14.1 UN number or ID number

ADR		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
ΙΑΤΑ		:	Not regulated as a dangerous good		
14.2 UN pr	oper shipping name				
ADR		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
ΙΑΤΑ		:	Not regulated as a dangerous good		
14.3 Trans	port hazard class(es)				
ADR		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
ΙΑΤΑ		:	Not regulated as a dangerous good		
14.4 Packi	ng group				
ADR		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
ΙΑΤΑ	(Cargo)	:	Not regulated as a dangerous good		
ΙΑΤΑ	(Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good					
14.6 Special precautions for user					
Not ar	plicable				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture							
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable						
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable						
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).						

EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE



Revision Date: 03.05.2023 Date of last issue: 29.12.2021	Version 2	2.3		Print Date 03.05.2	
REACH - List of substances subjet (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) No 1005/2009 or plete the ozone layer	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer				
Regulation (EU) 2019/1021 on pe tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)				
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ation, and/or		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	(VOCV)		or volatile organic comp ds (VOC) content: 0,419		
	emissions (integrated	poll	4 November 2010 on in ution prevention and co ds (VOC) content: 0,419	ntrol)	

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full	text	of	H-Statements
I UII	ICAL	v.	

	Toxic if swallowed. Harmful if swallowed.
H314 :	Fatal in contact with skin. Causes severe skin burns and eye damage.
	Causes skin irritation. May cause an allergic skin reaction.

EVERBUILD Multi-Purpose Wood Filler JOINERS GRADE



Revision Date: 03.05.2023 Date of last issue: 29.12.2021	Version 2.3	Print Date 03.05.2
H318 : H330 : H400 : H410 : H411 :	Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	
Full text of other abbreviations	5	
Acute Tox.:Aquatic Acute:Aquatic Chronic:Eye Dam.:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage	
Skin Corr. : Skin Irrit. : Skin Sens. : ADR :	Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the Internationa	al Carriage of
CAS : DNEL : EC50 : GHS : IATA : IMDG :	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Good	
LD50 :	Median lethal dosis (the amount of a material, giv once, which causes the death of 50% (one half) of test animals)	ven all at of a group of
LC50 : MARPOL :	Median lethal concentration (concentrations of the air that kills 50% of the test animals during the ob- period) International Convention for the Prevention of Po	oservation
OEL : PBT : PNEC : REACH :	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European F and of the Council of 18 December 2006 concern istration, Evaluation, Authorisation and Restriction	ning the Reg- n of Chemi-
SVHC : vPvB :	cals (REACH), establishing a European Chemica Substances of Very High Concern Very persistent and very bioaccumulative	is Agency

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GR / EN

Print Date 03.05.2023

Revision Date: 03.05.2023 Date of last issue: 29.12.2021 Version 2.3